



Red Hat Product Errata RHSA-2024:2169 - Security Advisory

RHSA-2024:2169 - Security Advisory

Issued: 2024-04-30 Updated: 2024-04-30

[Overview](#)[Updated Packages](#)

Synopsis

Moderate: xorg-x11-server security update

Type/Severity

Security Advisory: Moderate

Red Hat Lightspeed patch analysis

Identify and remediate systems affected by this advisory.

[View affected systems](#)

Topic

An update for xorg-x11-server is now available for Red Hat Enterprise Linux 9.

Red Hat Product Security has rated this update as having a security impact of Moderate. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

Description

X.Org is an open-source implementation of the X Window System. It provides the basic low-level functionality that full-fledged graphical user interfaces are designed upon.

Security Fix(es):

- xorg-x11-server: Out-of-bounds write in XIChangeDeviceProperty/RRChangeOutputProperty (CVE-2023-5367)
- xorg-x11-server: out-of-bounds memory reads/writes in XKB button actions (CVE-2023-6377)
- xorg-x11-server: out-of-bounds memory read in RRChangeOutputProperty and RRChangeProviderProperty (CVE-2023-6478)
- xorg-x11-server: Heap buffer overflow in DeviceFocusEvent and ProcXIQueryPointer (CVE-2023-6816)
- xorg-x11-server: reattaching to different master device may lead to out-of-bounds memory access (CVE-2024-0229)
- xorg-x11-server: SELinux unlabeled GLX PBuffer (CVE-2024-0408)
- xorg-x11-server: SELinux context corruption (CVE-2024-0409)
- xorg-x11-server: heap buffer overflow in XISendDeviceHierarchyEvent (CVE-2024-21885)
- xorg-x11-server: heap buffer overflow in DisableDevice (CVE-2024-21886)
- xorg-x11-server: Use-after-free bug in DestroyWindow (CVE-2023-5380)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

Additional Changes:

For detailed information on changes in this release, see the Red Hat Enterprise Linux 9.4 Release Notes linked from the References section.

Solution

For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258> 

Affected Products

- Red Hat Enterprise Linux for x86_64 9 x86_64
- Red Hat Enterprise Linux for x86_64 - Extended Update Support 9.6 x86_64
- Red Hat Enterprise Linux for x86_64 - Extended Update Support 9.4 x86_64
- Red Hat Enterprise Linux Server - AUS 9.6 x86_64
- Red Hat Enterprise Linux Server - AUS 9.4 x86_64

- Red Hat Enterprise Linux for IBM z Systems 9 s390x
- Red Hat Enterprise Linux for IBM z Systems - Extended Update Support 9.6 s390x
- Red Hat Enterprise Linux for IBM z Systems - Extended Update Support 9.4 s390x
- Red Hat Enterprise Linux for Power, little endian 9 ppc64le
- Red Hat Enterprise Linux for Power, little endian - Extended Update Support 9.6 ppc64le
- Red Hat Enterprise Linux for Power, little endian - Extended Update Support 9.4 ppc64le
- Red Hat Enterprise Linux for ARM 64 9 aarch64
- Red Hat Enterprise Linux for ARM 64 - Extended Update Support 9.6 aarch64
- Red Hat Enterprise Linux for ARM 64 - Extended Update Support 9.4 aarch64
- Red Hat Enterprise Linux Server for Power LE - Update Services for SAP Solutions 9.6 ppc64le
- Red Hat Enterprise Linux Server for Power LE - Update Services for SAP Solutions 9.4 ppc64le
- Red Hat Enterprise Linux for x86_64 - Update Services for SAP Solutions 9.6 x86_64
- Red Hat Enterprise Linux for x86_64 - Update Services for SAP Solutions 9.4 x86_64
- Red Hat CodeReady Linux Builder for x86_64 9 x86_64
- Red Hat CodeReady Linux Builder for Power, little endian 9 ppc64le
- Red Hat CodeReady Linux Builder for ARM 64 9 aarch64
- Red Hat CodeReady Linux Builder for IBM z Systems 9 s390x
- Red Hat CodeReady Linux Builder for x86_64 - Extended Update Support 9.6 x86_64
- Red Hat CodeReady Linux Builder for x86_64 - Extended Update Support 9.4 x86_64
- Red Hat CodeReady Linux Builder for Power, little endian - Extended Update Support 9.6 ppc64le
- Red Hat CodeReady Linux Builder for Power, little endian - Extended Update Support 9.4 ppc64le
- Red Hat CodeReady Linux Builder for IBM z Systems - Extended Update Support 9.6 s390x
- Red Hat CodeReady Linux Builder for IBM z Systems - Extended Update Support 9.4 s390x
- Red Hat CodeReady Linux Builder for ARM 64 - Extended Update Support 9.6 aarch64
- Red Hat CodeReady Linux Builder for ARM 64 - Extended Update Support 9.4 aarch64
- Red Hat Enterprise Linux for ARM 64 - 4 years of updates 9.6 aarch64
- Red Hat Enterprise Linux for ARM 64 - 4 years of updates 9.4 aarch64
- Red Hat Enterprise Linux for IBM z Systems - 4 years of updates 9.6 s390x
- Red Hat Enterprise Linux for IBM z Systems - 4 years of updates 9.4 s390x
- Red Hat Enterprise Linux for x86_64 - Extended Life Cycle 9.6 x86_64
- Red Hat Enterprise Linux for x86_64 - Extended Life Cycle 9.4 x86_64
- Red Hat Enterprise Linux for ARM 64 - Extended Life Cycle 9.6 aarch64
- Red Hat Enterprise Linux for ARM 64 - Extended Life Cycle 9.4 aarch64
- Red Hat Enterprise Linux for Power, little endian - Extended Life Cycle 9.6 ppc64le
- Red Hat Enterprise Linux for Power, little endian - Extended Life Cycle 9.4 ppc64le
- Red Hat Enterprise Linux for IBM z Systems - Extended Life Cycle 9.6 s390x

- Red Hat Enterprise Linux for IBM z Systems - Extended Life Cycle 9.4 s390x

Fixes

- [BZ - 2243091](#) [↗](#) - CVE-2023-5367 xorg-x11-server: Out-of-bounds write in XIChangeDeviceProperty/RRChangeOutputProperty
- [BZ - 2244736](#) [↗](#) - CVE-2023-5380 xorg-x11-server: Use-after-free bug in DestroyWindow
- [BZ - 2253291](#) [↗](#) - CVE-2023-6377 xorg-x11-server: out-of-bounds memory reads/writes in XKB button actions
- [BZ - 2253298](#) [↗](#) - CVE-2023-6478 xorg-x11-server: out-of-bounds memory read in RRChangeOutputProperty and RRChangeProviderProperty
- [BZ - 2256540](#) [↗](#) - CVE-2024-21885 xorg-x11-server: heap buffer overflow in XISendDeviceHierarchyEvent
- [BZ - 2256542](#) [↗](#) - CVE-2024-21886 xorg-x11-server: heap buffer overflow in DisableDevice
- [BZ - 2256690](#) [↗](#) - CVE-2024-0229 xorg-x11-server: reattaching to different master device may lead to out-of-bounds memory access
- [BZ - 2257689](#) [↗](#) - CVE-2024-0408 xorg-x11-server: SELinux unlabeled GLX PBuffer
- [BZ - 2257690](#) [↗](#) - CVE-2024-0409 xorg-x11-server: SELinux context corruption
- [BZ - 2257691](#) [↗](#) - CVE-2023-6816 xorg-x11-server: Heap buffer overflow in DeviceFocusEvent and ProcXIQueryPointer

CVEs

- [CVE-2023-5367](#) [↗](#)
- [CVE-2023-5380](#) [↗](#)
- [CVE-2023-6377](#) [↗](#)
- [CVE-2023-6478](#) [↗](#)
- [CVE-2023-6816](#) [↗](#)
- [CVE-2024-0229](#) [↗](#)
- [CVE-2024-0408](#) [↗](#)
- [CVE-2024-0409](#) [↗](#)
- [CVE-2024-21885](#) [↗](#)
- [CVE-2024-21886](#) [↗](#)

References

- <https://access.redhat.com/security/updates/classification/#moderate> [↗](#)
- https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/9/html/9.4_release_notes/index [↗](#)

The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.



Quick Links



Help



Site Info



Related Sites



 Partial system outage



[About Red Hat](#)

[Jobs](#)

[Events](#)

[Locations](#)

[Contact Red Hat](#)

[Red Hat Blog](#)

[Inclusion at Red Hat](#)

[Cool Stuff Store](#)

[Red Hat Summit](#)

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

All policies and guidelines

Digital accessibility

Cookie Preferences and Opt-Out Rights