



Red Hat F

RHSA



5-02-12

Overview

Updated In

Synop

Importa

Type/Severity

Security Advisory: Important

Topic

Logging for Red Hat OpenShift - 5.9.11

Description

Logging for Red Hat OpenShift - 5.9.11

logging-fluentd-container: HTTP request smuggling (CVE-2024-47220)


cluster-logging-operator-container: Info Leak via Uninitialized Stack Contents (CVE-2024-12085)

Solution

For OpenShift Container Platform 4.14 see the following documentation, which will be updated shortly for this release, for important instructions on how to upgrade your cluster and fully apply this errata update:

https://docs.openshift.com/container-platform/4.14/release_notes/ocp-4-14-release-notes.html









For Red Hat OpenShift Logging 5.9, see the following instructions to apply this update:

<https://docs.openshift.com/container-platform/4.14/logging/cluster-logging-upgrading.html> 




Affected Products

- Logging Subsystem for Red Hat OpenShift for ARM 64 5 for RHEL 9 aarch64
- Logging Subsystem for Red Hat OpenShift 5 for RHEL 9 x86_64
- Logging Subsystem for Red Hat OpenShift for IBM Power, little endian 5 for RHEL 9 ppc64le
- Logging Subsystem for Red Hat OpenShift for IBM Z and LinuxONE 5 for RHEL 9 s390x


Fixes

- [BZ - 2314051](#)  - CVE-2024-47220 WEBrick: HTTP request smuggling
- [BZ - 2330539](#)  - CVE-2024-12085 rsync: Info Leak via Uninitialized Stack Contents
- [LOG-5691](#)  - All the logs are mounted in the collector when using multi log forwarder in RHOCP 4
- [LOG-6586](#)  - fluentd does not honour the cluster-wide no_proxy configuration for http output
- [LOG-6581](#)  - [release-5.9] Emit stream labels following OTEL Semantic Conventions as a forward compatibility measure
- [LOG-6635](#)  - [release-5.9] Update to Loki 3.3.2
- [LOG-6645](#)  - [release-5.9] False Forbidden error when a user with view access to loki logs in Aggregated Logs menu
- [LOG-6656](#)  - [Logging5.9][Vector] CLF's syslog.addLogSource should be reflected only to container logs as well as fluentd

CVEs

- [CVE-2019-12900](#) 
- [CVE-2024-12085](#) 
- [CVE-2024-47220](#) 

References

- <https://access.redhat.com/security/updates/classification/#important> 

The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.



Quick Links



Help



Site Info



Related Sites



 Partial system outage



[About Red Hat](#)

[Jobs](#)

[Events](#)

[Locations](#)

[Contact Red Hat](#)

[Red Hat Blog](#)

[Inclusion at Red Hat](#)

[Cool Stuff Store](#)

[Red Hat Summit](#)

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

[Cookie Preferences and Do Not Sell or Share My Personal Information](#)