



# Cookie Preferences and Opt-Out Rights Your Choices About Cookies on this Site



Red Hat F

A cookie is a small amount of data that is sent to your browser from a web server and stored on your device. The cookie may be placed by Red Hat or by an authorized third party.

**RHSA**

5-09-23

**Advis**

When you use this site, Red Hat uses cookies and other technologies which are necessary to enable the basic features of the site to function (Required cookies). Subject to your preferences, Red Hat and its authorized partners may also use cookies to analyze your use of the website to evaluate and improve our performance, to improve our service to you and to personalize your experience (Functional cookies) as well as advertising cookies to show you ads that are more relevant to you (Advertising cookies). We honor the preferences you select.

Overview

Updated P

**Synop**

In addition to the services they provide to Red Hat, certain Red Hat authorized partners may also use this data for their own purposes or for targeted advertising. This activity may qualify as a "sale" or "targeted advertising" under certain data protection laws. You can make choices using the buttons below to allow or prevent such uses.

Importa

## Type/Severity

Security Advisory: Important

### Red Hat Lightspeed patch analysis

Identify and remediate systems affected by this advisory.

[View affected systems](#)

## Topic

An update for podman is now available for Red Hat Enterprise Linux 9.0 Update Services for SAP Solutions.

Red Hat Product Security has rated this update as having a security impact of Important. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

## Description

The podman tool manages pods, container images, and containers. It is part of the libpod library, which is for applications that use container pods. Container pods is a concept in Kubernetes.

Security Fix(es):

- podman: Podman kube play command may overwrite host files (CVE-2025-9566)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

## Solution

For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258> 


## Affected Products

- Red Hat Enterprise Linux Server for Power LE - Update Services for SAP Solutions 9.0 ppc64le
- Red Hat Enterprise Linux for x86\_64 - Update Services for SAP Solutions 9.0 x86\_64
- Red Hat Enterprise Linux for ARM 64 - 4 years of updates 9.0 aarch64
- Red Hat Enterprise Linux for IBM z Systems - 4 years of updates 9.0 s390x

## Fixes

- [BZ - 2393152](#)  - CVE-2025-9566 podman: Podman kube play command may overwrite host files

## CVEs

- [CVE-2025-9566](#) 

## References

- <https://access.redhat.com/security/updates/classification/#important> 

---

The Red Hat security contact is [secalert@redhat.com](mailto:secalert@redhat.com). More contact details at <https://access.redhat.com/security/team/contact/>.



Quick Links



Help



Site Info



Related Sites



 Partial system outage



[About Red Hat](#)

[Jobs](#)

[Events](#)

[Locations](#)

[Contact Red Hat](#)

[Red Hat Blog](#)

[Inclusion at Red Hat](#)

[Cool Stuff Store](#)

[Red Hat Summit](#)

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

Cookie Preferences and Opt-Out Rights