



Cookie Preferences and Opt-Out Rights Your Choices About Cookies on this Site



Red Hat F

A cookie is a small amount of data that is sent to your browser from a web server and stored on your device. The cookie may be placed by Red Hat or by an authorized third party.

5-10-29

RHSA

Advis

When you use this site, Red Hat uses cookies and other technologies which are necessary to enable the basic features of the site to function (Required cookies). Subject to your preferences, Red Hat and its authorized partners may also use cookies to analyze your use of the website to evaluate and improve our performance, to improve our service to you and to personalize your experience (Functional cookies) as well as advertising cookies to show you ads that are more relevant to you (Advertising cookies). We honor the preferences you select.

Overview

Synop

In addition to the services they provide to Red Hat, certain Red Hat authorized partners may also use this data for their own purposes or for targeted advertising. This activity may qualify as a "sale" or "targeted advertising" under certain data protection laws. You can make choices using the buttons below to allow or prevent such uses.

Importan

Type/

Security

Accept default will keep your preferences set to accept all cookies (Required, Functional and Advertising), which enables us to provide you a personalized web experience and more relevant ads on third party websites. This means that you allow our partners to collect and use this data.

Topic

Red Hat
images t

Required Cookies only will set your cookie preferences to "Required Cookies" only. This will prevent our partners from collecting and using this data but may also prevent us from providing you a personalized web experience and more relevant ads on third party websites. Cookie preferences will provide further information and allow you to customize your cookie settings. Setting your cookie preferences to "Required Cookies only" will opt you out of "sales" and "targeted advertising".

ages and

This rele

Red Hat
Vulnerab
for each

Common
ailable

Clearing your browser cookies may delete your cookie preferences. If you re-

Description

Red Hat OpenShift Container Platform is Red Hat's cloud computing Kubernetes application platform solution designed for on-premise or private cloud deployments.

This advisory contains the container images for Red Hat OpenShift Container Platform 4.18.27. See the following advisory for the RPM packages for this release:

<https://access.redhat.com/errata/155476>

Space precludes documenting all of the container images in this advisory. See the following Release Notes documentation, which will be updated shortly for this release, for details about these changes:

https://docs.redhat.com/en/documentation/openshift_container_platform/4.18/html/release_notes/
↗

Security Fix(es):

- libarchive: Double free at archive_read_format_rar_seek_data() in archive_read_support_format_rar.c (CVE-2025-5914)
- unbound: Unbound Cache poisoning (CVE-2025-5994)
- sqlite: Integer Truncation in SQLite (CVE-2025-6965)
- podman: Podman kube play command may overwrite host files (CVE-2025-9566)
- libxml: Heap use after free (UAF) leads to Denial of service (DoS) (CVE-2025-49794)
- libxml: Type confusion leads to Denial of service (DoS) (CVE-2025-49796)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

All OpenShift Container Platform 4.18 users are advised to upgrade to these updated packages and images when they are available in the appropriate release channel. To check for available updates, use the OpenShift CLI (oc)

or web console. Instructions for upgrading a cluster are available at

https://docs.redhat.com/en/documentation/openshift_container_platform/4.18/html-single/updating_clusters/index#updating-cluster-cli. ↗

Solution

For OpenShift Container Platform 4.18 see the following documentation, which will be updated shortly for this release, for important instructions on how to upgrade your cluster and fully apply this asynchronous errata update:

https://docs.redhat.com/en/documentation/openshift_container_platform/4.18/html/release_notes/
↗

You may download the oc tool and use it to inspect release image metadata for x86_64, s390x, ppc64le, and aarch64 architectures. The image digests may be found at <https://quay.io/repository/openshift-release-dev/ocp-release?tab=tags>. ↗

The sha values for the release are as follows:

(For x86_64 architecture)

The image digest is {x864_DIGEST}

(For s390x architecture)


The image digest is {s390x_DIGEST}

(For ppc64le architecture)

The image digest is {ppc64le_DIGEST}

(For aarch64 architecture)








The image digest is {aarch64_DIGEST}

All OpenShift Container Platform 4.18 users are advised to upgrade to these updated packages and images when they are available in the appropriate release channel. To check for available updates, use the OpenShift CLI (oc) or web console. Instructions for upgrading a cluster are available at https://docs.redhat.com/en/documentation/openshift_container_platform/4.18/html-single/updating_clusters/index#updating-cluster-cli. 




Affected Products




- Red Hat OpenShift Container Platform 4.18 for RHEL 9 x86_64
- Red Hat OpenShift Container Platform 4.18 for RHEL 8 x86_64
- Red Hat OpenShift Container Platform for Power 4.18 for RHEL 9 ppc64le
- Red Hat OpenShift Container Platform for Power 4.18 for RHEL 8 ppc64le
- Red Hat OpenShift Container Platform for IBM Z and LinuxONE 4.18 for RHEL 9 s390x
- Red Hat OpenShift Container Platform for IBM Z and LinuxONE 4.18 for RHEL 8 s390x
- Red Hat OpenShift Container Platform for ARM 64 4.18 for RHEL 9 aarch64
- Red Hat OpenShift Container Platform for ARM 64 4.18 for RHEL 8 aarch64

Fixes

- [BZ - 2370861](#)  - CVE-2025-5914 libarchive: Double free at archive_read_format_rar_seek_data() in archive_read_support_format_rar.c
- [BZ - 2372373](#)  - CVE-2025-49794 libxml: Heap use after free (UAF) leads to Denial of service (DoS)
- [BZ - 2372385](#)  - CVE-2025-49796 libxml: Type confusion leads to Denial of service (DoS)
- [BZ - 2380149](#)  - CVE-2025-6965 sqlite: Integer Truncation in SQLite
- [BZ - 2380949](#)  - CVE-2025-5994 unbound: Unbound Cache poisoning
- [BZ - 2393152](#)  - CVE-2025-9566 podman: Podman kube play command may overwrite host files
- [OCPBUGS-62810](#)  - [4.18] Bootimage bump tracker

CVEs


- [CVE-2025-5914](#) 
- [CVE-2025-5994](#) 
- [CVE-2025-6965](#) 

- [CVE-2025-9566](#) 
- [CVE-2025-49794](#) 
- [CVE-2025-49796](#) 


References

- <https://access.redhat.com/security/updates/classification/#important> 

The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.



The image shows the Red Hat logo (a red hat icon) and the text "Red Hat" in white on a dark background. To the right of the logo are four social media icons: LinkedIn, YouTube, Facebook, and X. Below the logo and icons is a navigation menu with four items: "Quick Links", "Help", "Site Info", and "Related Sites". Each item has a white downward-pointing chevron icon to its right.

 Service under maintenance



The image shows a footer navigation menu on a dark background. It starts with a small white hat icon. Below the icon are five links: "About Red Hat", "Jobs", "Events", "Locations", and "Contact Red Hat".

[Red Hat Blog](#)

[Inclusion at Red Hat](#)

[Cool Stuff Store](#)

[Red Hat Summit](#)

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

[Cookie Preferences and Opt-Out Rights](#)