



Red Hat F

RHSA



2025-11-11

Overview

Updated P

Synop

Importa

Type/Severity

Security Advisory: Important

Red Hat Lightspeed patch analysis

Identify and remediate systems affected by this advisory.

[View affected systems](#)

Topic

An update for podman is now available for Red Hat Enterprise Linux 10.

Red Hat Product Security has rated this update as having a security impact of Important. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

Description

The podman tool manages pods, container images, and containers. It is part of the libpod library, which is for applications that use container pods. Container pods is a concept in Kubernetes.

Security Fix(es):

- database/sql: Postgres Scan Race Condition (CVE-2025-47907)
- podman: Podman kube play command may overwrite host files (CVE-2025-9566)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

Solution

For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258>

Affected Products


- Red Hat Enterprise Linux for x86_64 10 x86_64
- Red Hat Enterprise Linux for IBM z Systems 10 s390x
- Red Hat Enterprise Linux for Power, little endian 10 ppc64le
- Red Hat Enterprise Linux for ARM 64 10 aarch64
- Red Hat CodeReady Linux Builder for x86_64 10 x86_64
- Red Hat CodeReady Linux Builder for Power, little endian 10 ppc64le
- Red Hat CodeReady Linux Builder for ARM 64 10 aarch64
- Red Hat CodeReady Linux Builder for IBM z Systems 10 s390x

Fixes


- [BZ - 2387083](#) - CVE-2025-47907 database/sql: Postgres Scan Race Condition
- [BZ - 2393152](#) - CVE-2025-9566 podman: Podman kube play command may overwrite host files
- [RHEL-110318](#) - Can not find network create and rm message from podman event when set --events-backend to journald - [RHEL 10.1] Oday
- [RHEL-111077](#) - Timeouts while pushing Sigstore logs to Rekor - [RHEL 10.1] Oday
- [RHEL-116090](#) - podman: create parent directories of mount targets with mode 0755 - [RHEL-10.1] Oday

CVEs

- [CVE-2025-9566](#)

- [CVE-2025-47907](#) 

References

- <https://access.redhat.com/security/updates/classification/#important> 

The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.



The navigation menu features the Red Hat logo on the left and social media icons for LinkedIn, YouTube, Facebook, and X on the right. Below these are four expandable menu items: 'Quick Links', 'Help', 'Site Info', and 'Related Sites', each with a downward-pointing chevron icon.

 Partial system outage



The footer navigation menu includes a small hat icon and a list of links: 'About Red Hat', 'Jobs', 'Events', 'Locations', 'Contact Red Hat', 'Red Hat Blog', and 'Inclusion at Red Hat'.

[Cool Stuff Store](#)

[Red Hat Summit](#)

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

[Cookie Preferences and Do Not Sell or Share My Personal Information](#)