

[Red Hat Product Errata](#) [RHSA-2025:7458 - Security Advisory](#)

RHSA-2025:7458 - Security Advisory

 Issued: 2025-05-13 Updated: 2025-05-13[Overview](#)[Updated Packages](#)

Synopsis

Important: xorg-x11-server-Xwayland security update

Type/Severity

Security Advisory: Important

Red Hat Lightspeed patch analysis

Identify and remediate systems affected by this advisory.

[View affected systems](#) 

Topic

An update for xorg-x11-server-Xwayland is now available for Red Hat Enterprise Linux 10.

Red Hat Product Security has rated this update as having a security impact of Important. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

Description

Xwayland is an X server for running X clients under Wayland.

Security Fix(es):

- xorg-x11-server: tigervnc: heap-based buffer overflow privilege escalation vulnerability (CVE-2024-9632)
- X.Org: Xwayland: Use-after-free of the root cursor (CVE-2025-26594)
- xorg: xwayland: Use-after-free in SynclnitTrigger() (CVE-2025-26601)
- xorg: xwayland: Use-after-free in PlayReleasedEvents() (CVE-2025-26600)
- xorg: xwayland: Use of uninitialized pointer in compRedirectWindow() (CVE-2025-26599)
- xorg: xwayland: Out-of-bounds write in CreatePointerBarrierClient() (CVE-2025-26598)
- xorg: xwayland: Buffer overflow in XkbChangeTypesOfKey() (CVE-2025-26597)
- xorg: xwayland: Heap overflow in XkbWriteKeySyms() (CVE-2025-26596)
- Xorg: xwayland: Buffer overflow in XkbVModMaskText() (CVE-2025-26595)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

Solution

For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258> 

Affected Products

- Red Hat Enterprise Linux for x86_64 10 x86_64
- Red Hat Enterprise Linux for x86_64 - Extended Update Support 10.0 x86_64
- Red Hat Enterprise Linux for IBM z Systems 10 s390x
- Red Hat Enterprise Linux for IBM z Systems - Extended Update Support 10.0 s390x
- Red Hat Enterprise Linux for Power, little endian 10 ppc64le
- Red Hat Enterprise Linux for Power, little endian - Extended Update Support 10.0 ppc64le
- Red Hat Enterprise Linux for ARM 64 10 aarch64
- Red Hat Enterprise Linux for ARM 64 - Extended Update Support 10.0 aarch64
- Red Hat CodeReady Linux Builder for x86_64 10 x86_64
- Red Hat CodeReady Linux Builder for Power, little endian 10 ppc64le
- Red Hat CodeReady Linux Builder for ARM 64 10 aarch64
- Red Hat CodeReady Linux Builder for IBM z Systems 10 s390x
- Red Hat CodeReady Linux Builder for x86_64 - Extended Update Support 10.0 x86_64
- Red Hat CodeReady Linux Builder for Power, little endian - Extended Update Support 10.0 ppc64le
- Red Hat CodeReady Linux Builder for IBM z Systems - Extended Update Support 10.0 s390x
- Red Hat CodeReady Linux Builder for ARM 64 - Extended Update Support 10.0 aarch64
- Red Hat Enterprise Linux for ARM 64 - 4 years of updates 10.0 aarch64

- [Red Hat Enterprise Linux for IBM z Systems - 4 years of updates 10.0 s390x](#)
- [Red Hat Enterprise Linux for Power, little endian - 4 years of support 10.0 ppc64le](#)
- [Red Hat Enterprise Linux for x86_64 - 4 years of updates 10.0 x86_64](#)

Fixes

- [BZ - 2317233](#) [↗](#) - [CVE-2024-9632](#) xorg-x11-server: tigervnc: heap-based buffer overflow privilege escalation vulnerability
- [BZ - 2345248](#) [↗](#) - [CVE-2025-26594](#) X.Org: Xwayland: Use-after-free of the root cursor
- [BZ - 2345251](#) [↗](#) - [CVE-2025-26601](#) xorg: xwayland: Use-after-free in SynclnitTrigger()
- [BZ - 2345252](#) [↗](#) - [CVE-2025-26600](#) xorg: xwayland: Use-after-free in PlayReleasedEvents()
- [BZ - 2345253](#) [↗](#) - [CVE-2025-26599](#) xorg: xwayland: Use of uninitialized pointer in compRedirectWindow()
- [BZ - 2345254](#) [↗](#) - [CVE-2025-26598](#) xorg: xwayland: Out-of-bounds write in CreatePointerBarrierClient()
- [BZ - 2345255](#) [↗](#) - [CVE-2025-26597](#) xorg: xwayland: Buffer overflow in XkbChangeTypesOfKey()
- [BZ - 2345256](#) [↗](#) - [CVE-2025-26596](#) xorg: xwayland: Heap overflow in XkbWriteKeySyms()
- [BZ - 2345257](#) [↗](#) - [CVE-2025-26595](#) Xorg: xwayland: Buffer overflow in XkbVModMaskText()
- [RHEL-66317](#) [↗](#) - Drop unused build dependencies in Xwayland in el10
- [RHEL-78562](#) [↗](#) - Please backport Fedora 40 changes in xorg-x11-server-Xwayland if needed (2025-02-09)

CVEs

- [CVE-2024-9632](#) [↗](#)
- [CVE-2025-26594](#) [↗](#)
- [CVE-2025-26595](#) [↗](#)
- [CVE-2025-26596](#) [↗](#)
- [CVE-2025-26597](#) [↗](#)
- [CVE-2025-26598](#) [↗](#)
- [CVE-2025-26599](#) [↗](#)
- [CVE-2025-26600](#) [↗](#)
- [CVE-2025-26601](#) [↗](#)

References

- <https://access.redhat.com/security/updates/classification/#important> [↗](#)

The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.



Quick Links



Help



Site Info



Related Sites



Loading



About Red Hat

Jobs

Events

Locations

Contact Red Hat

Red Hat Blog

Inclusion at Red Hat

Cool Stuff Store

Red Hat Summit

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

All policies and guidelines

Digital accessibility

Cookie preferences