



## Bug 2369388 (CVE-2025-5372) - CVE-2025-5372 libssh: Incorrect Return Code Handling in ssh\_kdf() in libssh

**Keywords:** Security Security x

**Reported:** 2025-05-30 11:36 UTC by OSIDB Bzimport

**Status:** NEW

**Modified:** 2026-04-06 15:01 UTC ([History](#))

**Alias:** CVE-2025-5372

**CC List:** 7 users ([show](#))

**Deadline:** 2025-06-24

**Product:** Security Response

**Fixed In Version:**

**Clone Of:**

**Component:** vulnerability vulnerability +

**Environment:**

**Last Closed:**

**Embargoed:**

**Version:** unspecified

**Hardware:** All

**OS:** Linux

**Priority:** medium

**Severity:** medium

**Target Milestone:** ---

**Assignee:** Product Security DevOps Team

**QA Contact:**

**Docs Contact:**

**URL:**

**Whiteboard:**

**Depends On:** 2376282 2376277 2376278  
2376279 2376280 2376281  
2455370

**Blocks:**


**TreeView+** [depends on](#) / [blocked](#)

<b>Attachments</b>	<a href="#">(Terms of Use)</a>
--------------------	--------------------------------

**Links**

System	ID	Private	Priority	Status	Summary	Last Updated
Red Hat Product Errata	<a href="#">RHBA-2025:21997</a>	0	None	None	None	2025-11-24 20:24:03 UTC
Red Hat Product Errata	<a href="#">RHBA-2025:21998</a>	0	None	None	None	2025-11-24 20:34:07 UTC

Red Hat Product Errata	<a href="#">RHBA-2025:22081</a>	0	None	None	None	2025-11-25 16:06:04 UTC
Red Hat Product Errata	<a href="#">RHBA-2025:22756</a>	0	None	None	None	2025-12-04 12:55:16 UTC
Red Hat Product Errata	<a href="#">RHBA-2025:22932</a>	0	None	None	None	2025-12-09 15:35:22 UTC
Red Hat Product Errata	<a href="#">RHBA-2025:22933</a>	0	None	None	None	2025-12-09 16:05:47 UTC
Red Hat Product Errata	<a href="#">RHSA-2025:21977</a>	0	None	None	None	2025-11-24 16:54:13 UTC
Red Hat Product Errata	<a href="#">RHSA-2025:23024</a>	0	None	None	None	2025-12-10 10:17:48 UTC

OSIDB Bzimport  2025-05-30 11:36:30 UTC[Description](#)

Incorrect Success Return vulnerability in the ssh\_kdf() function of libssh when built with OpenSSL versions prior to 3.0. This issue arises because libssh interprets OpenSSL's return value 0 (indicating failure) as SSH\_OK (indicating success). As a result, on failure, the function may return success without initializing the output key buffers. This can lead to the use of uninitialized cryptographic keys, affecting the encryption and decryption of SSH traffic. The vulnerability allows an attacker to exploit improper key handling, potentially resulting in data leakage, integrity issues, or denial of service during SSH communication.

errata-xmlrpc 2025-11-24 16:54:12 UTC

[Comment 1](#)

This issue has been addressed in the following products:

Red Hat Enterprise Linux 8

Via [RHSA-2025:21977](#) <https://access.redhat.com/errata/RHSA-2025:21977>

errata-xmlrpc 2025-12-10 10:17:46 UTC

[Comment 5](#)

This issue has been addressed in the following products:

Red Hat Enterprise Linux 9.0 Update Services for SAP Solutions

Via RHSA-2025:23024 <https://access.redhat.com/errata/RHSA-2025:23024>

---

Note

You need to [log in](#) before you can comment on or make changes to this bug.

