

Documentation

Spotify for Developers

Community

Web API

Overview

Getting started

Building with AI

Concepts

Concepts

Tutorials

Tutorials

How-Tos

How-Tos

Changelog

Changelog

REFERENCE

Albums

Albums

Artists

Artists

Audiobooks

Audiobooks

Categories

Categories

Chapters

Web API

References / Users / Get Current User's Profile

Get Current User's Profile

Get detailed profile information about the current user (including the current user's username).

Authorization scopes

user-read-private

user-read-email

Request

GET /me

Response

A user

account_id string

A public, immutable, pseudoanonymous identifier for the user's account. Use this field for account linking rather than the id field, as it is stable and will not change over the lifetime of the account.

Example: "aB3dE5fG7h"

country string

The country of the user, as set in the user's account profile. An ISO 3166-1 alpha-2 country

[code](#). This field is only available when the current user has granted access to the [user-read-private](#) scope.

display_name string

The name displayed on the user's profile. `null` if not available.

email string Deprecated

The user's email address, as entered by the user when creating their account. **Important!** This email address is unverified; there is no proof that it actually belongs to the user. This field is only available when the current user has granted access to the [user-read-email](#) scope.

▼ **explicit_content** object Deprecated

The user's explicit content settings. This field is only available when the current user has granted access to the [user-read-private](#) scope.

filter_enabled boolean

When `true`, indicates that explicit content should not be played.

filter_locked boolean

When `true`, indicates that the explicit content setting is locked and can't be changed by the user.

▼ **external_urls** object

Known external URLs for this user.

spotify stringThe [Spotify URL](#) for the object.▼ **followers** object **Deprecated**

Information about the followers of the user.

href string **Nullable**

This will always be set to null, as the Web API does not support it at the moment.

total integer

The total number of followers.

href string

A link to the Web API endpoint for this user.

id stringThe [Spotify user ID](#) for the user. Do not use this field for account linking — use `account_id` instead, which is immutable.▼ **images** array of ImageObject

The user's profile image.

url string **Required**

The source URL of the image.

Example:

```
"https://i.scdn.co/image/ab67616d00001e02ff9ca10b55ce82ae553c8228"
```

height integer Required Nullable

The image height in pixels.

Example: 300

width integer Required Nullable

The image width in pixels.

Example: 300

product string Deprecated

The user's Spotify subscription level: "premium", "free", etc. (The subscription level "open" can be considered the same as "free".) *This field is only available when the current user has granted access to the [user-read-private](#) scope.*

type string

The object type: "user"

uri string

The [Spotify URI](#) for the user.

ENDPOINT <https://api.spotify.com/v1/me>

[Try it](#)

► REQUEST SAMPLE

● RESPONSE SAMPLE

```
1  {
2    "account_id": "aB3dE5fG7h",
3    "country": "string",
4    "display_name": "string",
5    "email": "string",
6    "explicit_content": {
7      "filter_enabled": false,
8      "filter_locked": false
9    },
10   "external_urls": {
11     "spotify": "string"
12   },
13   "followers": {
14     "href": "string",
15     "total": 0
16   },
17   "href": "string",
18   "id": "string",
19   "images": [
20     {
21       "url":
22         "https://i.scdn.co/image/ab67616d00001e02ff9ca10
23         b55ce82ae553c8228",
24       "height": 300,
25       "width": 300
26     }
27   ],
28   "product": "string",
29   "type": "string",
30   "uri": "string"
31 }
```