

Commit 4a852cf



Gpetrak authored last month · ✓ 3/3 · Verified

[Fixes #14057] Disable thumbnail generation in the remote documents upload (#14058)

* disable thumbnail generation in the remote documents upload

master (#14058)

1 parent [784c527](#) commit 4a852cf

3 files changed +11 -9 lines changed

Top

- ✓ geonode
 - ✓ documents
 - tests.py
 - views.py
 - ✓ upload/handlers/common
 - remote.py

3 files changed +11 -9 lines changed



```

  ✓ geonode/documents/tests.py
  ...
  @@ -296,14 +296,8 @@ def test_documents_thumbnail(self):
296 296         with self.settings(THUMBNAIL_SIZE={"width": 400, "height": 200}):
297 297             self.client.post(reverse("document_upload"), data=data)
298 298             d = Document.objects.get(title="Remote img File Doc")
299 - self.assertIsNotNone(d.thumbnail_url)
300 - thumb_file = os.path.join(

```

```

301 -                 settings.MEDIA_ROOT,
                 f"thumbs/{os.path.basename(urlparse(d.thumbnail_url).path)}"
302 -                 )
303 -                 file = Image.open(thumb_file)
304 -                 self.assertEqual(file.size, (400, 200))
305 -                 # check thumbnail quality and extention
306 -                 self.assertEqual(file.format, "JPEG")
299 +                 self.assertIsNone(d.thumbnail_url, "Thumbnails are not allowed
                 for remote documents.")
300 +
307 301                 # test pdf doc
308 302                 with open(os.path.join(f"{self.project_root}",
                 "tests/data/pdf_doc.pdf"), "rb") as f:
309 303                 data = {

```

▼ geonode/documents/views.py

```

@@ -217,7 +217,12 @@ def form_valid(self, form):
217 217                 ),
218 218                 notify=True,
219 219                 )
220 -                 resource_manager.set_thumbnail(self.object.uuid, instance=self.object,
                 overwrite=False)
220 +
221 +                 # Only trigger thumbnailing for local documents, not for remote URLs
222 +                 if self.object.is_local:
223 +                 resource_manager.set_thumbnail(self.object.uuid,
                 instance=self.object, overwrite=False)
224 +                 else:
225 +                 logger.info(f"Skipping thumbnail generation for remote document:
                 {self.object.doc_url}")
221 226
222 227                 register_event(self.request, enumerations.EventType.EVENT_UPLOAD,
                 self.object)
223 228

```

▼ geonode/upload/handlers/common/remote.py

```

@@ -220,6 +220,9 @@ def create_geonode_resource(

```

```
220 220         resource_type=resource_type,
221 221         defaults=self.generate_resource_payload(layer_name, alternate,
222 222         asset, _exec, None, **params),
223 223     )
224 224     + # The thumbnail is not created for the following data types: "3dtiles",
225 225     + # because of the can_have_thumbnail property
226 226     resource_manager.set_thumbnail(None, instance=resource)
227 227
228 228     resource = self.create_link(resource, params, alternate)
```



Comments 0



Please [sign in](#) to comment.