

Secsys-FDU / AF\_CVEs Public[Code](#) [Issues 27](#) [Pull requests](#) [Actions](#) [Projects](#) [Security and quality](#)[New issue](#)

# InTouch Contacts & Caller ID APP Arbitrary File Overwrite Vulnerability #19

[Open](#)

Secsys-FDU opened 3 weeks ago

Owner



Vendor : InTouchApp(<https://www.intouchapp.com/>)

Affected product : InTouch Contacts & Caller ID APP (net.IntouchApp),  
<https://play.google.com/store/apps/details?id=net.IntouchApp>

Version : 6.38.1

Google Play link : <https://play.google.com/store/apps/details?id=net.IntouchApp>

Description of the vulnerability for use in the CVE : An arbitrary file overwrite vulnerability in the InTouch Contacts app allows attackers to overwrite critical internal files via the file import process, potentially enabling code execution, exposure of sensitive information, denial of service, and other severe security impacts.

Vulnerability Component : com.intouchapp.activities.ext\_share.ExternalShareActivity

Additional information : This vulnerability is caused by insufficient security validation when handling imported files. A malicious app can control the filename and content and use path traversal to overwrite sensitive files in the app's internal storage. When critical configuration or executable files are modified, the app may malfunction, fail to launch, or execute arbitrary code. The attack requires no complex user interaction and can be triggered automatically once the victim opens the malicious app.

Before Overwrite:

```
OP5D0DL1:/data/data/net.IntouchApp/shared_prefs # cat com.google.android.gms.appid.xml
<?xml version='1.0' encoding='utf-8' standalone='yes' ?>
<map>
  <string name="|T|233242896108|*">{"token":&quot;;&quot;;cSHL8Fm6RwMOC63LXwpX-L:APA91bGTFK7LvUsoIyxMMSg1prM7YZHf0jr3wNDFJbK9AGk-R1uhRw1zDqBpPUyxT
I20mVlh5JQFmve7aXFEN6EVW0VY0GwtyDmXuyO7R38KQsbLU3_EYU&quot;;&quot;;appVersion&quot;;&quot;;2026012101&quot;;&quot;;timestamp&quot;;:1770004479712}</string>
</map>
```

After Overwrite:

```
OP5D0DL1:/data/data/net.IntouchApp/shared_prefs # cat com.google.android.gms.appid.xml  
<b>Attack@Test</b>OP5D0DL1:/data/data/net.IntouchApp/shared_prefs #
```

By overwriting executable files, an attacker can achieve arbitrary code execution, or overwrite critical configuration files to perform privilege escalation.

[Sign up for free](#) to join this conversation on **GitHub**. Already have an account? [Sign in to comment](#)

## Metadata

### Assignees

No one assigned

### Labels

No labels

### Projects

No projects

### Milestone

No milestone

### Relationships

None yet

### Development

No branches or pull requests

### Participants



