

SiliconLabs / **simplicity\_sdk** Public

<> **Code** Issues 37 Pull requests 15 Actions Projects Security and qua

Releases

Tags

Find a release

Feb 23

silabsbot v2025.6.3 b41bec3 Compare








# v2025.6.3

Latest

## Simplicity SDK Version 2025.6.3

Release notes for this release are located at: [Simplicity SDK Version 2025.6.3 \(February 18, 2026\) - Release Notes](#).

### Assets 9

 <a href="#">Bluetooth_Mesh_ADK_v9.0.3-2.zip</a>	56 MB	Feb 23
 <a href="#">debian-bookworm.zip</a>	21.8 MB	Feb 23
 <a href="#">demo-applications.zip</a>	411 MB	Feb 23
 <a href="#">documentation.zip</a>	63.8 MB	Feb 23
 <a href="#">openwrt-23.05.3.zip</a>	1.44 MB	Feb 23
 <a href="#">pintool.zip</a>	8.5 MB	Feb 23
 <a href="#">simplicity-sdk.zip</a>		

559 MB

Feb 23

 [Source code \(zip\)](#)

Feb 23

 [Source code \(tar.gz\)](#)

Feb 23

Sep 24, 2025

 silabsbot  v2025.6.2  9932cb1

Compare ▾

## v2025.6.2

# Simplicity SDK Version 2025.6.2

Release notes for this release are located at: [Simplicity SDK Version 2025.6.2 \(September 24, 2025\) - Release Notes](#).

Full Changelog: [v2025.6.1...v2025.6.2](#)

▶ **Assets** 9

Aug 7, 2025

 silabsbot  v2024.12.3  3a3410c

Compare ▾

## v2024.12.3

# Simplicity SDK Version 2024.12.3

Component	Version	Summary	Details
<a href="#">Bluetooth SDK</a>	9.1.1.0	<p><b>Bluetooth</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Bluetooth Location Services</a>	9.1.0.0	<ul style="list-style-type: none"> <li>- Same as previous release.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Bluetooth Mesh SDK</a>	8.1.0.0	<ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Gecko Platform</a>	5.1.3.0	<p><b>Peripherals</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Services</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>CPC</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>RAIL</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">OpenThread SDK</a>	2.6.3.0	<p><b>OpenThread</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">RAIL SDK</a>	2.18.3.0	<p><b>RAIL Apps and Library</b></p> <ul style="list-style-type: none"> <li>- Underlying platform changes only.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Connect SDK</a>	4.0.3.0	<p><b>Connect Apps and Stack</b></p> <ul style="list-style-type: none"> <li>- Underlying platform changes only.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">USB Device Stack</a>	1.4.1.0	<ul style="list-style-type: none"> <li>- Same as previous release.</li> </ul>	<a href="#">Release Notes</a>

Component	Version	Summary	Details
<a href="#">Wi-SUN SDK</a>	2.5.1.0	<p><b>Wi-SUN Stack</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Wi-SUN Applications</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.23.4.0	<ul style="list-style-type: none"> <li>- Z-Wave and Z-Wave Long Range 800 SDK 7.23.4 GA is self-certified according to the 2024B-3 Z-Wave Alliance Cert Program.</li> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Zigbee EmberZNet SDK</a>	8.1.3.0	<p><b>Zigbee</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>

Full Changelog: [v2024.12.2...v2024.12.3](#)

► **Assets** 9

Jul 22, 2025

 silabsbot  v2025.6.1  4c4c715

Compare ▼

## v2025.6.1

# Simplicity SDK Version 2025.6.1

Release notes for this release are located at: [Simplicity SDK Version 2025.6.1 \(July 21, 2025\) - Release Notes](#).

▶ **Assets** 9

Jun 16, 2025

 silabsbot  v2025.6.0  f107f75 Compare ▼

## v2025.6.0

# Simplicity SDK Version 2025.6.0

Release notes for this release are located at: [Simplicity SDK Version 2025.6.0 \(June 16, 2025\)](#) - [Release Notes](#).

▶ **Assets** 9

Apr 26, 2025

 silabsbot  v2024.6.3  82f49ba Compare ▼

## v2024.6.3

# Simplicity SDK Version 2024.6.3

Component	Version	Summary	Details
<a href="#">Bluetooth SDK</a>	8.3.0.0	<b>Bluetooth</b> - Minimal GATT client for ATT MTU exchange only. - Security manager code optimization.	<a href="#">Release Notes</a>
		<b>Multiprotocol</b>	

Component	Version	Summary	Details
		- Targeted quality improvements and bug fixes.	
<a href="#">Bluetooth Location Services</a>	8.3.0.0	- Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>
<a href="#">Bluetooth Mesh SDK</a>	7.0.3.0	- Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>
<a href="#">Gecko Platform</a>	5.0.3.0	- Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>
<a href="#">OpenThread SDK</a>	2.5.3.0	<p><b>OpenThread</b></p> <p>- Targeted quality improvements and bug fixes.</p> <p><b>Multiprotocol</b></p> <p>- Targeted quality improvements and bug fixes.</p>	<a href="#">Release Notes</a>
<a href="#">Proprietary Flex SDK</a>	3.8.3.0	<p><b>RAIL Apps and Library</b></p> <p>- Targeted quality improvements and bug fixes.</p> <p><b>Connect Apps and Stack</b></p> <p>- Underlying platform changes only.</p>	<a href="#">Release Notes</a>
<a href="#">USB Device Stack</a>	1.3.1.0	- Same as previous release	<a href="#">Release Notes</a>
<a href="#">Wi-SUN SDK</a>	2.2.1.0	<p><b>Wi-SUN Stack</b></p> <p>- Targeted quality improvements and bug fixes.</p> <p><b>Wi-SUN Applications</b></p> <p>- Same as previous release.</p>	<a href="#">Release Notes</a>
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.22.4.0	<p>- Z-Wave and Z-Wave Long Range 800 SDK 7.22.4 GA is self-certified according to the approved 2024A Specification test suite.</p> <p>- User Credential Command Class implementation is adapted based on the state of the Z-Wave Specification at the time of the 7.22.4 GA release, which may change until the 2024-B1 Z-Wave Specification</p>	<a href="#">Release Notes</a>

Component	Version	Summary	Details
		release. - 7.22.0 GA is officially certified according to the approved 2023B Specification test suite and can be selected on Z-Wave Alliance Certification Portal for End Device product certification.	
<a href="#">Zigbee EmberZNet SDK</a>	8.0.3.0	<b>Zigbee</b> - Targeted quality improvements and bug fixes. <b>Multiprotocol</b> - Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>

► **Assets** 9

Apr 1, 2025

 silabsbot  v2024.12.2  1f19b37 Compare ▼

## v2024.12.2

# Simplicity SDK Version 2024.12.2

Component	Version	Summary	Details
<a href="#">Bluetooth SDK</a>	9.1.0.0	<b>Bluetooth</b> - BG22L and BG24L enablement. - Targeted quality improvements and bug fixes. <b>Multiprotocol</b> - Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>

Component	Version	Summary	Details
<a href="#">Bluetooth Location Services</a>	9.1.0.0	- Underlying platform changes only	<a href="#">Release Notes</a>
<a href="#">Bluetooth Mesh SDK</a>	8.0.2.0	- Bug fixes and minor enhancements.	<a href="#">Release Notes</a>
<a href="#">Gecko Platform</a>	5.1.2.0	<p><b>CMSIS Device</b> - Added support for EFR32BG22L and EFR32BG24L families.</p> <p><b>CPC</b> - Targeted quality improvements and bug fixes.</p> <p><b>RAIL 5.1.2</b> - Targeted quality improvements and bug fixes.</p>	<a href="#">Release Notes</a>
<a href="#">OpenThread SDK</a>	2.6.2.0	<p><b>OpenThread</b> - Targeted quality improvements and bug fixes.</p> <p><b>Multiprotocol</b> - Targeted quality improvements and bug fixes.</p>	<a href="#">Release Notes</a>
<a href="#">RAIL SDK</a>	2.18.2.0	<p><b>RAIL Apps and Library</b> - Underlying platform changes only.</p>	<a href="#">Release Notes</a>
<a href="#">Connect SDK</a>	4.0.2.0	<p><b>Connect Apps and Stack</b> - Underlying platform changes only.</p>	<a href="#">Release Notes</a>
<a href="#">USB Device Stack</a>	1.4.1.0	- Same as previous release.	<a href="#">Release Notes</a>
<a href="#">Wi-SUN SDK</a>	2.5.0.0	<p><b>Wi-SUN Stack</b> - Targeted quality improvements and bug fixes.</p> <p><b>Wi-SUN Applications</b> - Targeted quality improvements and bug fixes.</p>	<a href="#">Release Notes</a>
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.23.2.0	- Z-Wave and Z-Wave Long Range 800 SDK 7.23.2 GA is self-certified according to the 2024B-1 Z-Wave Alliance Cert	<a href="#">Release Notes</a>

Component	Version	Summary	Details
		Program. - Targeted quality improvements and bug fixes.	
<a href="#">Zigbee EmberZNet SDK</a>	8.1.2.0	<b>Zigbee</b> - Targeted quality improvements and bug fixes. <b>Multiprotocol</b> - Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>

► **Assets** 9

Feb 8, 2025

 silabsbot  v2024.12.1-0  da66128 Compare ▾

## v2024.12.1-0

# Simplicity SDK Version 2024.12.1

Component	Version	Summary	Details
<a href="#">Bluetooth SDK</a>	9.0.1.0	<b>Bluetooth</b> - Targeted quality improvements and bug fixes. <b>Multiprotocol</b> - Targeted quality improvements and bug fixes.	<a href="#">Release Notes</a>
<a href="#">Bluetooth Location Services</a>	9.0.1.0	- Underlying platform changes only	<a href="#">Release Notes</a>
<a href="#">Bluetooth Mesh SDK</a>	8.0.1.0	- Bug fixes and minor enhancements.	<a href="#">Release Notes</a>

Component	Version	Summary	Details
<a href="#">Gecko Platform</a>	5.1.1.0	<p><b>CMSIS Device</b></p> <ul style="list-style-type: none"> <li>- Added support for xGM260 modules</li> </ul> <p><b>CPC</b></p> <ul style="list-style-type: none"> <li>- Fixed a potential security vulnerability.</li> </ul> <p><b>Security</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Boards and External Devices</b></p> <ul style="list-style-type: none"> <li>- Added support for BRD2505A, BRD2713A, BRD4120A, BRD4121A, BRD4402C, BRD4403C.</li> </ul> <p><b>RAIL 5.1.1</b></p> <ul style="list-style-type: none"> <li>- Added support for the xGM260P modules.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">OpenThread SDK</a>	2.6.1.0	<p><b>OpenThread</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">RAIL SDK</a>	2.18.1.0	<p><b>RAIL Apps and Library</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Connect SDK</a>	4.0.1.0	<p><b>Connect Apps and Stack</b></p> <ul style="list-style-type: none"> <li>- Underlying platform changes only.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">USB Device Stack</a>	1.4.1.0	<ul style="list-style-type: none"> <li>- Underlying platform changes only</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Wi-SUN SDK</a>	2.4.0.0	<p><b>Wi-SUN Stack</b></p> <ul style="list-style-type: none"> <li>- Introduced a new API to select a preferred PAN.</li> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Wi-SUN Applications</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>

Component	Version	Summary	Details
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.23.1.0	<ul style="list-style-type: none"> <li>- Z-Wave and Z-Wave Long Range 800 SDK 7.23.1 GA is self-certified according to the 2024B-1 Z-Wave Alliance Cert Program.</li> <li>- Z-Wave Long Range European frequency has shifted to align the implementation to the specification change.</li> <li>- A firmware upgrade over-the-air issue is fixed. An end device is required to be included again after the OTA process.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Zigbee EmberZNet SDK</a>	8.1.1.0	<p><b>Zigbee</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>

► **Assets** 9

Dec 17, 2024



silabsbot



v2024.12.0



8627f84

Compare ▼

## v2024.12.0

# Simplicity SDK Version 2024.12.0

Component	Version	Summary
<a href="#">Bluetooth SDK</a>	9.0.0.0	<p><b>Bluetooth</b></p> <ul style="list-style-type: none"> <li>- GA release of Periodic Advertisement BGAPI event</li> <li>- BT LE Connection Subrating</li> </ul>

Component	Version	Summary
		<ul style="list-style-type: none"> <li>- Accept List Based Auto-connect</li> <li>- BT Atlanta (v6.0) LL and Host Qualification</li> <li>- Channel Sounding sparse channel map support</li> <li>- Channel Sounding antenna switching support</li> <li>- CBAP - CPMS integration</li> <li>- Note: Work will continue in 25Q2 to support multi-level certificate further enhancements</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- ZigbeeD and OTBR support on OpenWRT - GA</li> <li>- DMP BLE + CMP ZB &amp; Matter/OT with Concurrent Listening on for SoC - GA</li> <li>- 802.15.4 Unified radio scheduler priority component</li> <li>- Debian packaging support for MP host applications - Alpha</li> </ul>
<a href="#">Bluetooth Location Services</a>	9.0.0.0	<ul style="list-style-type: none"> <li>- Channel Sounding sparse channel map support</li> <li>- Channel Sounding antenna switching support</li> </ul>
<a href="#">Bluetooth Mesh SDK</a>	8.0.0.0	<ul style="list-style-type: none"> <li>- Support added for Micrium and FreeRTOS.</li> <li>- Bug fixes and minor enhancements.</li> </ul>
<a href="#">Gecko Platform</a>	5.1.0.0	<p><b>CMSIS Device</b></p> <ul style="list-style-type: none"> <li>- Added support for new EFR32xG27 OPN, EFR32xG26 OPN's, Module OPN's(MGM260PB22VNA2,MGM260PB32VNA2,MGM260PB32VNA2)</li> </ul> <p><b>CPC</b></p> <ul style="list-style-type: none"> <li>- Experimental support of NETLINK-SDIO interface on the SiWx9 platform</li> </ul> <p><b>Security</b></p> <ul style="list-style-type: none"> <li>- Mbed TLS upgraded to latest version 3.6.2</li> </ul> <p><b>Boards and External Devices</b></p> <ul style="list-style-type: none"> <li>- Added support for board OPN's BRD2709A, BRD2711A, BRD4351A, BRD4351A, BRD4412A, BRD4413A.</li> </ul> <p><b>RAIL 5.1.0</b></p> <ul style="list-style-type: none"> <li>- Added support for Bluetooth Low Energy (BLE) Channel Sounding (CS) on the EFR32xG24.</li> </ul> <p>This feature enables accurate distance measurement between two devices when used with the Silicon Labs BLE stack and distance measurement libraries.</p> <ul style="list-style-type: none"> <li>- Added support for Concurrent listening feature on the EFR32xG24.</li> </ul>

Component	Version	Summary
		<p>part.</p> <ul style="list-style-type: none"> <li>- Added support for 1 Mbps and 2 Mbps custom 802.15.4 SUN PI on the EFR32xG26 part.</li> </ul>
<a href="#">OpenThread SDK</a>	2.6.0.0	<p><b>OpenThread</b></p> <ul style="list-style-type: none"> <li>- Thread 1.4 certification compliance for Thread devices (SoC)</li> <li>- Thread 1.3 certification compliance, and 1.4 Alpha support for O</li> <li>- OTBR NCP mode support - Alpha</li> <li>- OTBR RCP mode with MCU host (x917) - Alpha</li> <li>- KNX IOT API support (delivered in Silabs GitHub)</li> <li>- xG26 Module support</li> <li>- TrustZone secure key storage support for Thread / MP SoC proj</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- ZigbeeD and OTBR support on OpenWRT - GA</li> <li>- DMP BLE + CMP ZB &amp; Matter/OT with Concurrent Listening on for SoC - GA</li> <li>- 802.15.4 Unified radio scheduler priority component</li> <li>- Debian packaging support for MP host applications - Alpha</li> </ul>
<a href="#">RAIL SDK</a>	2.18.0.0	<p><b>RAIL Apps and Library</b></p> <ul style="list-style-type: none"> <li>- RAIL Tutorial moved to docs.silabs.com: <a href="https://docs.silabs.com/rail/latest/rail-start/rail-training">https://docs.silabs.com/rail/latest/rail-start/rail-training</a></li> <li>- RAIL SDK supported on BRD4276A radio board with EFR32FG; and SKY66122-11 frontend module for high TX power application</li> <li>- Improved RangeTest Sample Application to fully support multi-P configurations and added new feature to control measurements o side - in alpha quality</li> <li>- Sigfox TX PHYs and RX PHYs supported on EFR32FG23 and EFR32FG28 parts for EU and NA region</li> </ul>
<a href="#">Connect SDK</a>	4.0.0.0	<p><b>Connect Apps and Stack</b></p> <ul style="list-style-type: none"> <li>- PSA Crypto hardware acceleration for payload encryption enable Connect Stack on Series-2 parts</li> <li>- Connect stack and Connect SDK enabled on BRD4276A radio k with EFR32FG25 and SKY66122-11 frontend module for high TX power applications</li> </ul>
<a href="#">USB Device Stack</a>	1.4.0.0	<ul style="list-style-type: none"> <li>- Underlying platform changes only</li> </ul>

Component	Version	Summary
<a href="#">Wi-SUN SDK</a>	2.3.0.0	<p><b>Wi-SUN Stack</b></p> <ul style="list-style-type: none"> <li>- Direct Connect</li> <li>- PAN Defect</li> </ul> <p><b>Wi-SUN Applications</b></p> <ul style="list-style-type: none"> <li>- Border Router CLI source code</li> <li>- Border Router CLI with Wi-Fi Backhaul</li> </ul>
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.23.0.0	<ul style="list-style-type: none"> <li>- Z-Wave and Z-Wave Long Range 800 SDK 7.23.0 GA is self-certified according to the 2024B-1 Z-Wave Alliance Cert Program.</li> <li>- Z-Wave Long Range European region is officially supported</li> <li>- The Z-Wave stack includes an S2V2 Alpha implementation.</li> <li>- Introduced certifiable User Credential Command Class implementation.</li> <li>- Simplified GPIO handling.</li> </ul>
<a href="#">Zigbee EmberZNet SDK</a>	8.1.0.0	<p><b>Zigbee</b></p> <ul style="list-style-type: none"> <li>- 250+ entries in APS link key table</li> <li>- ZigbeeD support on Android 12 (v21.0.6113669) and Tizen (v0.13.1)</li> <li>- xG26 Module support</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- ZigbeeD and OTBR support on OpenWRT - GA</li> <li>- DMP BLE + CMP ZB &amp; Matter/OT with Concurrent Listening on for SoC - GA</li> <li>- 802.15.4 Unified radio scheduler priority component</li> <li>- Debian packaging support for MP host applications - Alpha</li> </ul>

► **Assets** 9

Sep 19, 2024

 silabsbot  v2024.6.2  36e12f0

Compare ▼

## v2024.6.2: Simplicity SDK 2024.6.2

# Simplicity SDK Version 2024.6.2

Component	Version	Summary	Details
<a href="#">Bluetooth SDK</a>	8.2.0.0	<p><b>Bluetooth</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Bluetooth Location Services</a>	8.2.0.0	<ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Bluetooth Mesh SDK</a>	7.0.2.0	<ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Gecko Platform</a>	5.0.2.0	<ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">OpenThread SDK</a>	2.5.2.0	<p><b>OpenThread</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Multiprotocol</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Proprietary Flex SDK</a>	3.8.2.0	<p><b>RAIL Apps and Library</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Connect Apps and Stack</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul>	<a href="#">Release Notes</a>
<a href="#">USB Device Stack</a>	1.3.1.0	<ul style="list-style-type: none"> <li>- Same as previous release</li> </ul>	<a href="#">Release Notes</a>
<a href="#">Wi-SUN SDK</a>	2.2.0.0	<p><b>Wi-SUN Stack</b></p> <ul style="list-style-type: none"> <li>- Targeted quality improvements and bug fixes.</li> </ul> <p><b>Wi-SUN Applications</b></p>	<a href="#">Release Notes</a>

Component	Version	Summary	Details
		- Targeted quality improvements and bug fixes.	
<a href="#">Z-Wave and Z-Wave Long Range 800 SDK</a>	7.22.2.0	<ul style="list-style-type: none"><li>- 7.22.2 GA is self-certified according to the approved 2024A Specification test suite.</li><li>- User Credential Command Class implementation is adapted based on the state of the Z-Wave Specification at the time of the 7.22.2 GA release, which may change until the 2024-B1 Z-Wave Specification release.</li><li>- 7.22.0 GA is officially certified according to the approved 2023B Specification test suite and can be selected on Z-Wave Alliance Certification Portal for End Device product certification.</li></ul>	<a href="#">Release Notes</a>
<a href="#">Zigbee EmberZNet SDK</a>	8.0.2.0	<b>Zigbee</b> <ul style="list-style-type: none"><li>- Targeted quality improvements and bug fixes.</li></ul> <b>Multiprotocol</b> <ul style="list-style-type: none"><li>- Targeted quality improvements and bug fixes.</li></ul>	<a href="#">Release Notes</a>

▶ **Assets** 8