

envoyproxy / envoy Public

<> Code Issues 1.6k Pull requests 166 Actions Projects Wiki

⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

# Commit f8f4f1e



botengyao committed on Feb 17 · ✓ 13 / 28

Merge remote-tracking branch 'upstream/main' into header\_mutation\_bug

Signed-off-by: Boteng Yao <boteng@google.com>

2 parents [b894035](#) + [7a45b03](#) commit f8f4f1e

73 files changed

+2,559 -126

↑ Top































🔍 Filter files...

📁 .github/workflows

- [\\_check\\_coverage.yml](#)
- [\\_cve\\_fetch.yml](#)
- [\\_cve\\_scan.yml](#)
- [\\_finish.yml](#)
- [\\_load.yml](#)
- [\\_load\\_env.yml](#)
- [\\_precheck\\_publish.yml](#)
- [\\_publish\\_release.yml](#)
- [\\_publish\\_release\\_container.yml](#)
- [\\_publish\\_verify.yml](#)
- [\\_request.yml](#)

- ± \_request\_cache\_bazel.yml
- ± \_request\_cache\_docker.yml
- ± \_request\_checks.yml
- ± \_run.yml
- ± \_upload\_gcs.yml
- ± codeql-daily.yml
- ± codeql-push.yml
- ± command.yml
- ± envoy-dependency.yml
- ± envoy-release.yml
- ± envoy-sync.yml
- ± mobile-android\_build.yml
- ± mobile-ios\_build.yml
- ± CODEOWNERS
- ▼ **api**
  - ± BUILD
  - ▼ **envoy/extensions/matching**
    - ▼ **http/dynamic\_modules/v3**
      - + BUILD
      - + dynamic\_modules.proto
    - ▼ **input\_matchers/dynamic\_modules/v3**
      - + BUILD
      - + dynamic\_modules.proto
  - ▼ **versioning**
    - ± BUILD
- ▼ **bazel**
  - ± deps.yaml
  - ± repository\_locations.bzl
- ▼ **changelogs**
  - ± current.yaml

- ▼ docs/root
  - ▼ api-v3/common\_messages
    - common\_messages.rst
  - ▼ intro/arch\_overview/advanced
    - dynamic\_modules.rst
- ▼ source
  - ▼ common/router
    - BUILD
    - matcher\_visitor.cc
  - ▼ extensions
    - ▼ access\_loggers/stats
      - stats.cc
    - ▼ dynamic\_modules
      - abi\_impl.cc
    - ▼ abi
      - abi.h
    - ▼ sdk/rust/src
      - lib.rs
      - matcher.rs
    - extensions\_build\_config.bzl
    - extensions\_metadata.yaml
  - ▼ filters/http/mcp\_router
    - mcp\_router.cc
    - session\_codec.cc
  - ▼ matching
    - ▼ http/dynamic\_modules
      - BUILD
      - data\_input.cc
      - data\_input.h
    - ▼ input\_matchers/dynamic\_modules

-  BUILD
-  abi\_impl.cc
-  config.cc
-  config.h
-  matcher.cc
-  matcher.h
- ▼  test/extensions
  - ▼  dynamic\_modules
    -  abi\_impl\_test.cc
  - ▼  test\_data/c
    -  BUILD
    -  matcher\_check\_headers.c
    -  matcher\_config\_new\_fail.c
    -  matcher\_missing\_config\_destroy.c
    -  matcher\_missing\_config\_new.c
    -  matcher\_missing\_match.c
    -  matcher\_no\_op.c
  - ▼  filters/http/mcp\_router
    -  mcp\_router\_integration\_test.cc
    -  session\_codec\_test.cc
  - ▼  matching
    - ▼  http/dynamic\_modules
      -  BUILD
      -  data\_input\_test.cc
    - ▼  input\_matchers/dynamic\_modules
      -  BUILD
      -  abi\_impl\_test.cc
      -  config\_test.cc
      -  integration\_test.cc
      -  matcher\_test.cc

**⚠ Some content is hidden**

Large Commits have some content hidden by default. Use the searchbox below for content that may be hidden.





▼ .github/workflows/\_check\_coverage.yml ⋮

```

↑↑↑      @@ -58,7 +58,7 @@ jobs:
58 58          upload-name: coverage
59 59          upload-path: generated/coverage/html
60 60          steps-post: |
61      -          - uses:
              envoyproxy/toolshed/actions/jq@35f9bcf37d0ceaadea0250da014348ce4bdf8d35 #
              v0.4.1
61  +          - uses:
              envoyproxy/toolshed/actions/jq@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 #
              v0.4.5
62 62          with:
63 63              output-path: generated/coverage/html/gcs-metadata.json
64 64              input-format: yaml

```

```

⇅      @@ -79,7 +79,7 @@ jobs:
79 79          - target: fuzz_coverage
80 80          name: Fuzz coverage
81 81          steps-post: |
82      -          - uses:
              envoyproxy/toolshed/actions/jq@35f9bcf37d0ceaadea0250da014348ce4bdf8d35 #
              v0.4.1

```

▼ .github/workflows/\_cve\_fetch.yml ⋮

```

↑↑↑      @@ -35,7 +35,7 @@ jobs:
35 35          else
36 36              echo "weekly_run=false" >> $GITHUB_OUTPUT
37 37          fi
38      -          - uses:
              envoyproxy/toolshed/actions/gcp/setup@35f9bcf37d0ceaadea0250da014348ce4bdf8d35
              # v0.4.1
38  +          - uses:
              envoyproxy/toolshed/actions/gcp/setup@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231
              # v0.4.5

```

```

39 39      name: Setup GCP
  .github/workflows/_cve_scan.yml
  ↑... @@ -28,7 +28,7 @@ jobs:
28 28      id: vars
29 29      run: |
30 30          echo "cve-data-path=${{ inputs.cve-data-path }}" > $GITHUB_OUTPUT
31 31      -   - uses:
          envoyproxy/toolshed/actions/gcp/setup@35f9bcf37d0cea0250da014348ce4bdf8d35
          # v0.4.1
31 31      +   - uses:
          envoyproxy/toolshed/actions/gcp/setup@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231
          # v0.4.5
32 32      name: Setup GCP
  .github/workflows/_finish.yml
  ↑... @@ -36,7 +36,7 @@ jobs:
36 36      actions: read
37 37      contents: read
38 38      steps:
39 39      -   - uses:
          envoyproxy/toolshed/actions/jq@35f9bcf37d0cea0250da014348ce4bdf8d35 #
          v0.4.1
39 39      +   - uses:
          envoyproxy/toolshed/actions/jq@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 #
          v0.4.5
40 40      name: Incoming data
41 41      id: needs
42 42      with:
  ↓...
  ↑... @@ -87,21 +87,21 @@ jobs:
87 87          summary: "Check has finished",
88 88          text: $text}}}}
89 89
90 90      -   - uses:
          envoyproxy/toolshed/actions/jq@35f9bcf37d0cea0250da014348ce4bdf8d35 #
          v0.4.1
90 90      +   - uses:
          envoyproxy/toolshed/actions/jq@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 #
          v0.4.5
91 91      name: Print summary
  ...

```

```

92 92      with:
93 93          input: ${{ toJSON(steps.needs.outputs.value).summary-title }}
94 94          filter: |
95 95              "## \(.)"
96 96          options: -Rr
97 97          output-path: GITHUB_STEP_SUMMARY
98 98      -   - uses:
          envoyproxy/toolshed/actions/appauth@35f9bcf37d0ceaede0250da014348ce4bdf8d35
          # v0.4.1
98 98      +   - uses:
          envoyproxy/toolshed/actions/appauth@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231

```

▼ .github/workflows/\_load.yml

```

@@ -100,7 +100,7 @@ jobs:
100 100     # Handle any failure in triggering job
101 101     # Remove any `checks` we dont care about
102 102     # Prepare a check request
103 103     -   - uses:
          envoyproxy/toolshed/actions/github/env/load@35f9bcf37d0ceaede0250da014348ce4b
          df8d35 # v0.4.1
103 103     +   - uses:
          envoyproxy/toolshed/actions/github/env/load@8d5d8d4b9eeb5e4e76b92341b0b1b1f643
          8af231 # v0.4.5
104 104     name: Load env
105 105     id: data
106 106     with:
@@ -111,21 +111,21 @@ jobs:
111 111     GH_TOKEN: ${{ github.token }}
112 112
113 113     # Update the check
114 114     -   - uses:
          envoyproxy/toolshed/actions/appauth@35f9bcf37d0ceaede0250da014348ce4bdf8d35
          # v0.4.1
114 114     +   - uses:
          envoyproxy/toolshed/actions/appauth@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231
          # v0.4.5
115 115     name: Appauth
116 116     id: appauth
117 117     with:
118 118         app_id: ${{ secrets.app-id }}
119 119         key: ${{ secrets.app-key }}

```

```

120 - - uses:
      envoyproxy/toolshed/actions/github/checks@35f9bcf37d0ceaede0250da014348ce4bdf
      8d35 # v0.4.1
120 + - uses:
      envoyproxy/toolshed/actions/github/checks@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438a
      f231 # v0.4.5
121 121     name: Update check
122 122     if: ${{ fromJSON(steps.data.outputs.data).data.check.action == 'RUN' }}
123 123     with:
124 124         action: update
125 125         checks: ${{ toJSON(fromJSON(steps.data.outputs.data).checks) }}
126 126         token: ${{ steps.appauth.outputs.token }}
127 127
128 - - uses:
      envoyproxy/toolshed/actions/jq@35f9bcf37d0ceaede0250da014348ce4bdf8d35 #
      v0.4.1

```

⌵
⋮
 .github/workflows/\_load\_env.yml

```

⬆ @@ -63,18 +63,18 @@ jobs:
63 63     request: ${{ steps.env.outputs.data }}
64 64     trusted: true
65 65     steps:
66 - - uses:
      envoyproxy/toolshed/actions/jq@35f9bcf37d0ceaede0250da014348ce4bdf8d35 #
      v0.4.1
66 + - uses:
      envoyproxy/toolshed/actions/jq@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 #
      v0.4.5
67 67     id: started
68 68     name: Create timestamp
69 69     with:
70 70         options: -r
71 71         filter: |
72 72             now
73 - - uses:
      envoyproxy/toolshed/actions/github/checkout@35f9bcf37d0ceaede0250da014348ce4bd
      f8d35 # v0.4.1
73 + - uses:
      envoyproxy/toolshed/actions/github/checkout@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438
      af231 # v0.4.5

```

74	74	<code>id: checkout</code>
75	75	<code>name: Checkout Envoy repository</code>
76	76	<code>- name: Generate environment variables</code>
77	-	<code>uses:</code> <code>envoyproxy/toolshed/actions/envoy/ci/env@35f9bcf37d0ceaadea0250da014348ce4bdf8d35 # v0.4.1</code>
77	+	<code>uses:</code> <code>envoyproxy/toolshed/actions/envoy/ci/env@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 # v0.4.5</code>
78	78	<code>id: env</code>
<div style="background-color: #f0f0f0; padding: 5px;"> <span style="float: left;">▼</span> <span style="float: right;">...</span> <code>.github/workflows/_precheck_publish.yml</code> </div>		
		<code>@@ -85,7 +85,7 @@ jobs:</code>
85	85	<code>upload-name: docs</code>
86	86	<code>upload-path: generated/docs</code>
87	87	<code>steps-post:  </code>
88	-	<code>- uses:</code> <code>envoyproxy/toolshed/actions/jq@35f9bcf37d0ceaadea0250da014348ce4bdf8d35 # v0.4.1</code>
88	+	<code>- uses:</code> <code>envoyproxy/toolshed/actions/jq@8d5d8d4b9eeb5e4e76b92341b0b1b1f6438af231 # v0.4.5</code>
89	89	<code>with:</code>
90	90	<code>output-path: generated/docs/gcs-metadata.json</code>
91	91	<code>input-format: yaml</code>
		<span style="font-size: 2em;">⋮</span> <span style="font-size: 2em;">↓</span>
















**Comments** 0



Please [sign in](#) to comment.