

grokability / snipe-it Public

Code Issues 973 Pull requests 76 Discussions Actions Projects

Commit b6d397b

snipe committed on Aug 25, 2025

Updated `->present()->fullName()` to `->display_name`

Signed-off-by: snipe <snipe@snipe.net>

master (#17709) · v8.4.1 ... v8.3.0

1 parent [fc091c1](#) commit b6d397b

72 files changed +217 -199 lines changed

↑ Top ⚙️

Filter files...

- ✓ app
 - ✓ Console/Commands
 - SendAcceptanceReminder.php
 - ✓ Http
 - ✓ Controllers
 - ✓ Api
 - AssetsController.php
 - ConsumablesController.php
 - UsersController.php
 - Assets
 - AssetsController.php
 - Licenses
 - LicensesController.php
 - ReportsController.php
 - Users

- UsersController.php
- ViewAssetsController.php
- ▼ Transformers
 - AccessoriesTransformer.php
 - ActionlogsTransformer.php
 - AssetModelsTransformer.php
 - AssetsTransformer.php
 - CategoriesTransformer.php
 - CompaniesTransformer.php
 - ComponentsTransformer.php
 - ConsumablesTransformer.php
 - DepartmentsTransformer.php
 - DepreciationsTransformer.php
 - GroupsTransformer.php
 - LicensesTransformer.php
 - MaintenancesTransformer.php
 - ManufacturersTransformer.php
 - PredefinedKitsTransformer.php
 - ProfileTransformer.php
 - StatuslabelsTransformer.php
 - UsersTransformer.php
- ▼ Mail
 - CheckoutAssetMail.php
 - CheckoutLicenseMail.php
- ▼ Models/Labels
 - FieldOption.php
- ▼ Notifications
 - AuditNotification.php
 - CheckinAccessoryNotification.php
 - CheckinAssetNotification.php

- ├── CheckinComponentNotification.php
- ├── CheckinLicenseSeatNotification.php
- ├── CheckoutAccessoryNotification.php
- ├── CheckoutAssetNotification.php
- ├── CheckoutComponentNotification.php
- ├── CheckoutConsumableNotification.php
- ├── CheckoutLicenseSeatNotification.php
- ├── RequestAssetCancelation.php
- ├── RequestAssetNotification.php
- ├── Presenters
 - ├── Presenter.php
 - ├── UserPresenter.php
- ├── Providers
 - ├── BreadcrumbsServiceProvider.php
- ├── database/factories
 - ├── UserFactory.php
- ├── resources/views
 - ├── account
 - ├── profile.blade.php
 - ├── view-assets.blade.php
 - ├── blade
 - ├── full-user-name.blade.php
 - ├── hardware
 - ├── requested.blade.php
 - ├── view.blade.php
 - ├── layouts
 - ├── default.blade.php
 - ├── locations
 - ├── print.blade.php
 - ├── mail/markdown

- checkin-accessory.blade.php
- checkin-asset.blade.php
- checkin-component.blade.php
- checkin-license.blade.php
- checkout-acceptance-response.blade.php
- checkout-accessory.blade.php
- checkout-asset.blade.php
- checkout-component.blade.php
- checkout-consumable.blade.php
- checkout-license.blade.php
- models
 - view.blade.php
- notifications/markdown
 - asset-requested.blade.php
- users
 - confirm-bulk-delete.blade.php
 - confirm-merge.blade.php
 - edit.blade.php
 - print.blade.php
 - view.blade.php
- tests
 - Feature/Console
 - SendAcceptanceReminderTest.php
 - Unit/BladeComponents
 - UserFullNameTest.php

 **Some content is hidden** 

Large Commits have some content hidden by default. Use the searchbox below for content that may be hidden.


```
...Controllers/Licenses/LicensesController.php
@@ -364,7 +364,7 @@ public function getExportLicensesCsv()
    $license->order_number,
    $license->free_seat_count,
    $license->seats,
-   ($license->adminuser ? $license->adminuser-
+   ($license->adminuser ? $license->adminuser-
    >present()->fullName() : trans('admin/reports/general.deleted_user')),
+   >display_name : trans('admin/reports/general.deleted_user')),
    $license->depreciation ? $license->depreciation-
    >name: '',
    $license->updated_at,
    $license->deleted_at,

app/Http/Controllers/ReportsController.php
@@ -275,7 +275,7 @@ public function postActivityReport(Request $request) :
    StreamedResponse
```

275	275	
276	276	if (\$actionlog->target) {
277	277	if (\$actionlog->targetType() == 'user') {
278	-	\$target_name = \$actionlog->target->getFullNameAttribute();
278	+	\$target_name = \$actionlog->target->display_name;
279	279	} else {
280	280	\$target_name = \$actionlog->target->getDisplaynameAttribute();
281	281	}
		@@ -289,7 +289,7 @@ public function postActivityReport(Request \$request) : StreamedResponse
289	289	
290	290	\$row = [
291	291	\$actionlog->created_at,
292	-	(\$actionlog->adminuser) ? e(\$actionlog->adminuser->getFullNameAttribute()) : '',
292	+	(\$actionlog->adminuser) ? e(\$actionlog->adminuser->display_name) : '',
293	293	\$actionlog->present()->actionType(),
294	294	e(\$actionlog->itemType()),
295	295	(\$actionlog->itemType() == 'user') ? \$actionlog->filename : \$item_name,
		@@ -856,7 +856,7 @@ public function postCustom(CustomAssetReportRequest \$request) : StreamedResponse
856	856	}
857	857	
858	858	if (\$request->filled('assigned_to')) {
<div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ .../Http/Controllers/Users/UsersController.php ... </div> <div style="background-color: #e0f0ff; padding: 5px; margin-top: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ⬆️ @@ -564,10 +564,10 @@ public function getExportUserCsv() </div> <div style="margin-top: 5px;"> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 564 564 \$user->employee_num, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 565 565 \$user->first_name, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 566 566 \$user->last_name, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 567 - \$user->present()->fullName(), </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 567 + \$user->display_name, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 568 568 \$user->username, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 569 569 \$user->email, </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> 570 - (\$user->manager) ? \$user->manager->present()->fullName() : '', </div> </div> </div> </div>		

```
570 + ($user->manager) ? $user->manager->display_name :
```

```
''
```

72 files changed +217 -199 lines changed ↑ Top ⚙

```
''
```

app/Http/Controllers/ViewAssetsController.php

```
↑
```

```
@@ -185,7 +185,7 @@ public function getRequestItem(Request $request,
$itemType, $itemId = null, $scan
```

```
185 185 $logaction->target_type = User::class;
```

```
186 186
```

```
187 187 $data['item_quantity'] = $request->has('request-quantity') ?
e($request->input('request-quantity')) : 1;
```

```
188 - $data['requested_by'] = $user->present()->fullName();
```

```
188 + $data['requested_by'] = $user->display_name;
```

```
189 189 $data['item'] = $item;
```

```
190 190 $data['item_type'] = $itemType;
```

```
191 191 $data['target'] = auth()->user();
```

...ttp/Transformers/AccessoriesTransformer.php

```
↑
```

```
@@ -44,7 +44,7 @@ public function transformAccessory(Accessory $accessory)
```

```
44 44 'checkouts_count' => $accessory->checkouts_count,
```

```
45 45 'created_by' => ($accessory->adminuser) ? [
```

```
46 46 'id' => (int) $accessory->adminuser->id,
```

```
47 - 'name'=> e($accessory->adminuser->present()->fullName()),
```

```
47 + 'name'=> e($accessory->adminuser->display_name),
```

```
48 48 ] : null,
```

```
49 49 'created_at' => Helper::getFormattedDateObject($accessory-
>created_at, 'datetime'),
```

```
50 50 'updated_at' => Helper::getFormattedDateObject($accessory-
>updated_at, 'datetime'),
```

...Http/Transformers/ActionlogsTransformer.php

```
↑
```

```
@@ -150,7 +150,7 @@ public function transformActionlog (Actionlog
$actionlog, $settings = null)
```

```
150 150
```

```
151 151 'item' => ($actionlog->item) ? [
```

```
152 152 'id' => (int) $actionlog->item->id,
```

```
153 - 'name' => ($actionlog->itemType()=='user') ? e($actionlog-
>item->getFullNameAttribute()) : e($actionlog->item-
>getDisplaynameAttribute()),
```

```
153 + 'name' => e($actionlog->item->display_name) ?? null,
```

```

154 154         'type' => e($actionlog->itemType()),
155 155         'serial' =>e($actionlog->item->serial) ? e($actionlog->item-
    >serial) : null
156 156     ] : null,
@@ -165,19 +165,19 @@ public function transformActionlog (Actionlog
    $actionlog, $settings = null)
165 165         'action_type' => $actionlog->present()->actionType(),
166 166         'admin' => ($actionlog->adminuser) ? [
167 167             'id' => (int) $actionlog->adminuser->id,
168 -             'name' => e($actionlog->adminuser->getFullNameAttribute()),
+             'name' => e($actionlog->adminuser->display_name),
169 169             'first_name'=> e($actionlog->adminuser->first_name),
170 170             'last_name'=> e($actionlog->adminuser->last_name)
171 171         ] : null,
172 172         'created_by' => ($actionlog->adminuser) ? [
173 173             'id' => (int) $actionlog->adminuser->id,
174 -             'name' => e($actionlog->adminuser->getFullNameAttribute()),
+             'name' => e($actionlog->adminuser->display_name),
175 175             'first_name'=> e($actionlog->adminuser->first_name),
176 176             'last_name'=> e($actionlog->adminuser->last_name)
177 177         ] : null,
178 178         'target' => ($actionlog->target) ? [
179 179             'id' => (int) $actionlog->target->id,
180 -             'name' => ($actionlog->targetType()=='user') ? e($actionlog-
    >target->getFullNameAttribute()) : e($actionlog->target-
    >getDisplayNameAttribute()),

```

▼ ...ttp/Transformers/AssetModelsTransformer.php ...



```

@@ -68,7 +68,7 @@ public function transformAssetModel(AssetModel
    $assetmodel)

```

```

68 68         'notes' => Helper::parseEscapedMarkdownInline($assetmodel->notes),
69 69         'created_by' => ($assetmodel->adminuser) ? [
70 70             'id' => (int) $assetmodel->adminuser->id,
71 -             'name'=> e($assetmodel->adminuser->present()->fullName()),
+             'name'=> e($assetmodel->adminuser->display_name),
72 72         ] : null,
73 73         'created_at' => Helper::getFormattedDateObject($assetmodel-
    >created_at, 'datetime'),
74 74         'updated_at' => Helper::getFormattedDateObject($assetmodel-

```

▼ app/Http/Transformers/AssetsTransformer.php ...

		@@ -84,7 +84,7 @@ public function transformAsset(Asset \$asset)
84	84	'warranty_expires' => (\$asset->warranty_months > 0) ?
		Helper::getFormattedDateObject(\$asset->warranty_expires, 'date') : null,
85	85	'created_by' => (\$asset->adminuser) ? [
86	86	'id' => (int) \$asset->adminuser->id,
87	-	'name'=> e(\$asset->adminuser->present()->fullName()),
87	+	'name'=> e(\$asset->adminuser->display_name),
88	88] : null,
89	89	'created_at' => Helper::getFormattedDateObject(\$asset->created_at,
		'datetime'),
90	90	'updated_at' => Helper::getFormattedDateObject(\$asset->updated_at,
		'datetime'),
		@@ -280,7 +280,7 @@ public function transformAssetCompact(Asset \$asset)
280	280	'id' => (int) \$asset->id,
281	281	'image' => (\$asset->getImageUrl()) ? \$asset->getImageUrl() : null,
282	282	'type' => 'asset',
283	-	'name' => e(\$asset->present()->fullName()),
283	+	'name' => e(\$asset->display_name),
284	284	'model' => (\$asset->model) ? e(\$asset->model->name) : null,
285	285	'model_number' => ((\$asset->model) && (\$asset->model->
		>model_number)) ? e(\$asset->model->model_number) : null,
<div style="background-color: #f0f0f0; padding: 5px;"> ▼ ...Http/Transformers/CategoriesTransformer.php ... </div>		
		@@ -64,7 +64,7 @@ public function transformCategory(Category \$category = null)
64	64	'licenses_count' => (int) \$category->licenses_count,
65	65	'created_by' => (\$category->adminuser) ? [
66	66	'id' => (int) \$category->adminuser->id,
67	-	'name'=> e(\$category->adminuser->present()->fullName()),
67	+	'name'=> e(\$category->adminuser->display_name),
68	68] : null,
69	69	'notes' => Helper::parseEscapedMarkdownInline(\$category->
		>notes),
70	70	'created_at' => Helper::getFormattedDateObject(\$category->
<div style="background-color: #f0f0f0; padding: 5px;"> ▼ .../Http/Transformers/CompaniesTransformer.php ... </div>		
		@@ -38,7 +38,7 @@ public function transformCompany(Company \$company = null)
38	38	'users_count' => (int) \$company->users_count,
39	39	'created_by' => (\$company->adminuser) ? [
40	40	'id' => (int) \$company->adminuser->id,

```
41 - 'name'=> e($company->adminuser->present()->fullName()),
41 + 'name'=> e($company->adminuser->display_name),
42 42 ] : null,
43 43 'notes' => Helper::parseEscapedMarkdownInline($company-
>notes),
44 44 'created_at' => Helper::getFormattedDateObject($company-
>created_at, 'datetime'),

...Http/Transformers/ComponentsTransformer.php ...

@@ -51,7 +51,7 @@ public function transformComponent(Component $component)
51 51 'notes' => ($component->notes) ?
Helper::parseEscapedMarkdownInline($component->notes) : null,
52 52 'created_by' => ($component->adminuser) ? [
53 53 'id' => (int) $component->adminuser->id,
54 - 'name'=> e($component->adminuser->present()->fullName()),
54 + 'name'=> e($component->adminuser->display_name),
55 55 ] : null,
56 56 'created_at' => Helper::getFormattedDateObject($component-
>created_at, 'datetime'),
57 57 'updated_at' => Helper::getFormattedDateObject($component-
>updated_at, 'datetime'),
```




Comments 0

