



























































- ✓  Users
  -  UsersController.php
  -  ViewAssetsController.php
- ✓  Transformers
  -  AccessoriesTransformer.php
  -  ActionlogsTransformer.php
  -  AssetModelsTransformer.php
  -  AssetsTransformer.php
  -  CategoriesTransformer.php
  -  CompaniesTransformer.php
  -  ComponentsTransformer.php
  -  ConsumablesTransformer.php
  -  DepartmentsTransformer.php
  -  DepreciationsTransformer.php
  -  GroupsTransformer.php
  -  LicensesTransformer.php
  -  MaintenancesTransformer.php
  -  ManufacturersTransformer.php
  -  PredefinedKitsTransformer.php
  -  ProfileTransformer.php
  -  StatuslabelsTransformer.php
  -  UsersTransformer.php
- ✓  Mail
  -  CheckoutAssetMail.php
  -  CheckoutLicenseMail.php
- ✓  Models/Labels
  -  FieldOption.php
- ✓  Notifications
  -  AuditNotification.php
  -  CheckinAccessoryNotification.php

- ⊞ CheckinAssetNotification.php
- ⊞ CheckinComponentNotification.php
- ⊞ CheckinLicenseSeatNotification.php
- ⊞ CheckoutAccessoryNotification.php
- ⊞ CheckoutAssetNotification.php
- ⊞ CheckoutComponentNotification.php
- ⊞ CheckoutConsumableNotification.php
- ⊞ CheckoutLicenseSeatNotification.php
- ⊞ RequestAssetCancelation.php
- ⊞ RequestAssetNotification.php
- ▼ **Presenters**
  - ⊞ Presenter.php
  - ⊞ UserPresenter.php
- ▼ **Providers**
  - ⊞ BreadcrumbsServiceProvider.php
- ▼ **database/factories**
  - ⊞ UserFactory.php
- ▼ **resources/views**
  - ▼ **account**
    - ⊞ profile.blade.php
    - ⊞ view-assets.blade.php
  - ▼ **blade**
    - ⊞ full-user-name.blade.php
  - ▼ **hardware**
    - ⊞ requested.blade.php
    - ⊞ view.blade.php
  - ▼ **layouts**
    - ⊞ default.blade.php
  - ▼ **locations**
    - ⊞ print.blade.php

- ✓  mail/markdown
  -  checkin-accessory.blade.php
  -  checkin-asset.blade.php
  -  checkin-component.blade.php
  -  checkin-license.blade.php
  -  checkout-acceptance-response.blade.php
  -  checkout-accessory.blade.php
  -  checkout-asset.blade.php
  -  checkout-component.blade.php
  -  checkout-consumable.blade.php
  -  checkout-license.blade.php
- ✓  models
  -  view.blade.php
- ✓  notifications/markdown
  -  asset-requested.blade.php
- ✓  users
  -  confirm-bulk-delete.blade.php
  -  confirm-merge.blade.php
  -  edit.blade.php
  -  print.blade.php
  -  view.blade.php
- ✓  tests
  - ✓  Feature/Console
    -  SendAcceptanceReminderTest.php
  - ✓  Unit/BladeComponents
    -  UserFullNameTest.php

 **Some content is hidden**



Large Commits have some content hidden by default. Use the searchbox below for content that may be hidden.





```
...Controllers/Licenses/LicensesController.php
@@ -364,7 +364,7 @@ public function getExportLicensesCsv()
    $license->order_number,
    $license->free_seat_count,
    $license->seats,
-    ($license->adminuser ? $license->adminuser-
+>present()->fullName() : trans('admin/reports/general.deleted_user')),
+    ($license->adminuser ? $license->adminuser-
+>display_name : trans('admin/reports/general.deleted_user')),
    $license->depreciation ? $license->depreciation-
    >name: '',
    $license->updated_at,
    $license->deleted_at,

app/Http/Controllers/ReportsController.php
@@ -275,7 +275,7 @@ public function postActivityReport(Request $request) :
    StreamedResponse
```

275	275	
276	276	if (\$actionlog->target) {
277	277	if (\$actionlog->targetType() == 'user') {
278	-	\$target_name = \$actionlog->target->getFullNameAttribute();
278	+	\$target_name = \$actionlog->target->display_name;
279	279	} else {
280	280	\$target_name = \$actionlog->target->getDisplaynameAttribute();
281	281	}
⚡		@@ -289,7 +289,7 @@ public function postActivityReport(Request \$request) : StreamedResponse
289	289	
290	290	\$row = [
291	291	\$actionlog->created_at,
292	-	(\$actionlog->adminuser) ? e(\$actionlog->adminuser->getFullNameAttribute()) : '',
292	+	(\$actionlog->adminuser) ? e(\$actionlog->adminuser->display_name) : '',
293	293	\$actionlog->present()->actionType(),
294	294	e(\$actionlog->itemType()),
295	295	(\$actionlog->itemType() == 'user') ? \$actionlog->filename : \$item_name,
⚡		@@ -856,7 +856,7 @@ public function postCustom(CustomAssetReportRequest \$request) : StreamedResponse
856	856	}
857	857	
858	858	if (\$request->filled('assigned_to')) {
⌵		.../Http/Controllers/Users/UsersController.php
⚡		@@ -564,10 +564,10 @@ public function getExportUserCsv()
564	564	\$user->employee_num,
565	565	\$user->first_name,
566	566	\$user->last_name,
567	-	\$user->present()->fullName(),
567	+	\$user->display_name,
568	568	\$user->username,
569	569	\$user->email,
570	-	(\$user->manager) ? \$user->manager->present()->fullName() : '',

```
570 + ($user->manager) ? $user->manager->display_name :
```

```
''
```

↑ Top  ⚙

```
''
```

app/Http/Controllers/ViewAssetsController.php

↑

```
@@ -185,7 +185,7 @@ public function getRequestItem(Request $request,
$itemType, $itemId = null, $scan
```

```
185 185 $logaction->target_type = User::class;
```

```
186 186
```

```
187 187 $data['item_quantity'] = $request->has('request-quantity') ?
e($request->input('request-quantity')) : 1;
```

```
188 - $data['requested_by'] = $user->present()->fullName();
```

```
188 + $data['requested_by'] = $user->display_name;
```

```
189 189 $data['item'] = $item;
```

```
190 190 $data['item_type'] = $itemType;
```

```
191 191 $data['target'] = auth()->user();
```

...Http/Transformers/AccessoriesTransformer.php

↑

```
@@ -44,7 +44,7 @@ public function transformAccessory(Accessory $accessory)
```

```
44 44 'checkouts_count' => $accessory->checkouts_count,
```

```
45 45 'created_by' => ($accessory->adminuser) ? [
```

```
46 46 'id' => (int) $accessory->adminuser->id,
```

```
47 - 'name'=> e($accessory->adminuser->present()->fullName()),
```

```
47 + 'name'=> e($accessory->adminuser->display_name),
```

```
48 48 ] : null,
```

```
49 49 'created_at' => Helper::getFormattedDateObject($accessory-
>created_at, 'datetime'),
```

```
50 50 'updated_at' => Helper::getFormattedDateObject($accessory-
>updated_at, 'datetime'),
```

...Http/Transformers/ActionlogsTransformer.php

↑

```
@@ -150,7 +150,7 @@ public function transformActionlog (Actionlog
$actionlog, $settings = null)
```

```
150 150
```

```
151 151 'item' => ($actionlog->item) ? [
```

```
152 152 'id' => (int) $actionlog->item->id,
```

```
153 - 'name' => ($actionlog->itemType()=='user') ? e($actionlog-
>item->getFullNameAttribute()) : e($actionlog->item-
>getDisplaynameAttribute()),
```

```
153 + 'name' => e($actionlog->item->display_name) ?? null,
```

```

154 154         'type' => e($actionlog->itemType()),
155 155         'serial' =>e($actionlog->item->serial) ? e($actionlog->item-
    >serial) : null
156 156     ] : null,
@@ -165,19 +165,19 @@ public function transformActionlog (Actionlog
    $actionlog, $settings = null)
165 165         'action_type' => $actionlog->present()->actionType(),
166 166         'admin' => ($actionlog->adminuser) ? [
167 167             'id' => (int) $actionlog->adminuser->id,
168 -             'name' => e($actionlog->adminuser->getFullNameAttribute()),
+             'name' => e($actionlog->adminuser->display_name),
169 169             'first_name'=> e($actionlog->adminuser->first_name),
170 170             'last_name'=> e($actionlog->adminuser->last_name)
171 171         ] : null,
172 172         'created_by' => ($actionlog->adminuser) ? [
173 173             'id' => (int) $actionlog->adminuser->id,
174 -             'name' => e($actionlog->adminuser->getFullNameAttribute()),
+             'name' => e($actionlog->adminuser->display_name),
175 175             'first_name'=> e($actionlog->adminuser->first_name),
176 176             'last_name'=> e($actionlog->adminuser->last_name)
177 177         ] : null,
178 178         'target' => ($actionlog->target) ? [
179 179             'id' => (int) $actionlog->target->id,
180 -             'name' => ($actionlog->targetType()=='user') ? e($actionlog-
    >target->getFullNameAttribute()) : e($actionlog->target-
    >getDisplayNameAttribute()),

```

...ttp/Transformers/AssetModelsTransformer.php

...



```

@@ -68,7 +68,7 @@ public function transformAssetModel(AssetModel
    $assetmodel)

```

```

68 68         'notes' => Helper::parseEscapedMarkdownInline($assetmodel->notes),
69 69         'created_by' => ($assetmodel->adminuser) ? [
70 70             'id' => (int) $assetmodel->adminuser->id,
71 -             'name'=> e($assetmodel->adminuser->present()->fullName()),
+             'name'=> e($assetmodel->adminuser->display_name),
72 72         ] : null,
73 73         'created_at' => Helper::getFormattedDateObject($assetmodel-
    >created_at, 'datetime'),
74 74         'updated_at' => Helper::getFormattedDateObject($assetmodel-

```

app/Http/Transformers/AssetsTransformer.php

...

	↑...	@@ -84,7 +84,7 @@ public function transformAsset(Asset \$asset)
84	84	'warranty_expires' => (\$asset->warranty_months > 0) ?
		Helper::getFormattedDateObject(\$asset->warranty_expires, 'date') : null,
85	85	'created_by' => (\$asset->adminuser) ? [
86	86	'id' => (int) \$asset->adminuser->id,
87	-	'name'=> e(\$asset->adminuser->present()->fullName()),
87	+	'name'=> e(\$asset->adminuser->display_name),
88	88	] : null,
89	89	'created_at' => Helper::getFormattedDateObject(\$asset->created_at,
		'datetime'),
90	90	'updated_at' => Helper::getFormattedDateObject(\$asset->updated_at,
		'datetime'),
	↓	@@ -280,7 +280,7 @@ public function transformAssetCompact(Asset \$asset)
	↑...	
280	280	'id' => (int) \$asset->id,
281	281	'image' => (\$asset->getImageUrl()) ? \$asset->getImageUrl() : null,
282	282	'type' => 'asset',
283	-	'name' => e(\$asset->present()->fullName()),
283	+	'name' => e(\$asset->display_name),
284	284	'model' => (\$asset->model) ? e(\$asset->model->name) : null,
285	285	'model_number' => ((\$asset->model) && (\$asset->model->
		>model_number)) ? e(\$asset->model->model_number) : null,
<div style="background-color: #f0f0f0; padding: 5px;"> <span style="float: left;">▼</span> ...Http/Transformers/CategoriesTransformer.php <span style="float: right;">...</span> </div>		
	↑...	@@ -64,7 +64,7 @@ public function transformCategory(Category \$category = null)
64	64	'licenses_count' => (int) \$category->licenses_count,
65	65	'created_by' => (\$category->adminuser) ? [
66	66	'id' => (int) \$category->adminuser->id,
67	-	'name'=> e(\$category->adminuser->present()->fullName()),
67	+	'name'=> e(\$category->adminuser->display_name),
68	68	] : null,
69	69	'notes' => Helper::parseEscapedMarkdownInline(\$category->
		>notes),
70	70	'created_at' => Helper::getFormattedDateObject(\$category->
<div style="background-color: #f0f0f0; padding: 5px;"> <span style="float: left;">▼</span> .../Http/Transformers/CompaniesTransformer.php <span style="float: right;">...</span> </div>		
	↑...	@@ -38,7 +38,7 @@ public function transformCompany(Company \$company = null)
38	38	'users_count' => (int) \$company->users_count,
39	39	'created_by' => (\$company->adminuser) ? [
40	40	'id' => (int) \$company->adminuser->id,

```

41 41 - 'name'=> e($company->adminuser->present()->fullName()),
42 42 + 'name'=> e($company->adminuser->display_name),
43 43 ] : null,
44 44 'notes' => Helper::parseEscapedMarkdownInline($company->notes),
45 45 'created_at' => Helper::getFormattedDateObject($company->created_at, 'datetime'),
46 46
47 47
48 48
49 49
50 50
51 51 @@ -51,7 +51,7 @@ public function transformComponent(Component $component)
52 52     'notes' => ($component->notes) ?
53 53     Helper::parseEscapedMarkdownInline($component->notes) : null,
54 54     'created_by' => ($component->adminuser) ? [
55 55     'id' => (int) $component->adminuser->id,
56 56     'name'=> e($component->adminuser->present()->fullName()),
57 57     'name'=> e($component->adminuser->display_name),
58 58     ] : null,
59 59     'created_at' => Helper::getFormattedDateObject($component->created_at, 'datetime'),
60 60     'updated_at' => Helper::getFormattedDateObject($component->updated_at, 'datetime'),
61 61
62 62
63 63
64 64
65 65
66 66
67 67
68 68
69 69
70 70
71 71
72 72
73 73
74 74
75 75
76 76
77 77
78 78
79 79
80 80
81 81
82 82
83 83
84 84
85 85
86 86
87 87
88 88
89 89
90 90
91 91
92 92
93 93
94 94
95 95
96 96
97 97
98 98
99 99
100 100

```







**Comments** 0

