

Commit e80b30b

JaylinYu committed on Jan 9 · ✖ 2 / 8

* MDF [broker_tls] move log around

Signed-off-by: Jaylin <jaylin@emqx.io>

main (#1405) · 0.24.11 ... 0.24.8

1 parent [15e2d3f](#) commit e80b30b

1 file changed +1 -2 lines changed

↑ Top ⚙️

Filter files...

src/sp/transport/mqtts

broker_tls.c

1 file changed +1 -2 lines changed

Search within code ⚙️

src/sp/transport/mqtts/broker_tls.c

```

@@ -248,8 +248,8 @@ tlstran_pipe_fini(void *arg)
248 248
249 249     nni_lmqs_fini(&p->rslmqs);
250 250     nni_mtx_fini(&p->mtx);
251 - NNI_FREE_STRUCT(p);
252 251     log_trace(" ***** tlstran_pipe_finit [%p] ***** ", p);
252 + NNI_FREE_STRUCT(p);
253 253 }
254 254
255 255 static void
@@ -2227,7 +2227,6 @@ tlstran_ep_accept(void *arg, nni_aio *aio)
2227 2227     nni_mtx_unlock(&ep->mtx);

```

```
2228 2228 }
2229 2229
2230 -
2231 2230 // Customized NNG session/pipe peer API for MQTT Broker transport only.
2232 2231 static uint16_t
2233 2232 tlstran_pipe_peer(void *arg)
```



Comments 0



Please [sign in](#) to comment.