

pi-hole / FTL Public

<> Code Issues 20 Pull requests 8 Actions Security and quality 7

# Commit 0c46e4e

PromoFaux authored 2 weeks ago · ✓ 17 / 19 · Verified

Merge commit from fork

Update DNS interface validation to prevent newlines in `dns.interface`

master (#2863) · v6.6.1

2 parents 88c569a + f597afb commit 0c46e4e

1 file changed

+1 -1

↑ Top

Filter files...

src/config

config.c

Search within code

src/config/config.c

```

@@ -529,7 +529,7 @@ void initConfig(struct config *conf)
529 529     conf->dns.interface.t = CONF_STRING;
530 530     conf->dns.interface.f = FLAG_RESTART_FTL;
531 531     conf->dns.interface.d.s = (char*)"";
532 -     conf->dns.interface.c = validate_stub; // Type-based checking + dnsmasq
      syntax checking
532 +     conf->dns.interface.c = validate_str_no_newline;
533 533
534 534     conf->dns.hostRecord.k = "dns.hostRecord";
535 535     conf->dns.hostRecord.h = "Add an A, AAAA and PTR record to the DNS. This
      adds a singular name to the DNS with associated IPv4 (A) and IPv6 (AAAA)

```

```
records\n\n Example: \"laptop,laptop.lan,192.168.0.1,1234::100\";
```



**Comments** 0



Please [sign in](#) to comment.