

python / cpython Public

<> Code Issues 5k+ Pull requests 2.1k Actions Projects Security and q

# Commit 482d6f8



miss-islington and zooba authored on Mar 4

[3.13] [gh-145506](#): Fixes [CVE-2026-2297](#) by ensuring SourcelessFileLoader uses `io.open_code` ([GH-145507](#))

(cherry picked from commit [a51b1b5](#))

Co-authored-by: Steve Dower <[steve.dower@python.org](mailto:steve.dower@python.org)>

1 parent [fb83592](#) commit 482d6f8

2 files changed +3 -1 lines changed

↑ Top ⚙️

Filter files...

- Lib/importlib
  - `_bootstrap_external.py`
- Misc/NEWS.d/next/Security
  - `2026-03-04-18-59-17.gh-issue-145506.6hwwEh.rst`

2 files changed +3 -1 lines changed

Search within code ⚙️

```

Lib/importlib/_bootstrap_external.py
  ...
  @@ -1210,7 +1210,7 @@ def get_filename(self, fullname):
1210 1210
1211 1211     def get_data(self, path):
1212 1212         """Return the data from path as raw bytes."""
1213 -     if isinstance(self, (SourceLoader, ExtensionFileLoader)):
1213 +     if isinstance(self, (SourceLoader, SourcelessFileLoader,
1214 +                         ExtensionFileLoader)):
1214 1214         with _io.open_code(str(path)) as file:

```

```
1215     1215         return file.read()
1216     1216     else:
```



...6-03-04-18-59-17.gh-issue-145506.6hvwEh.rst



... @@ -0,0 +1,2 @@

1 + Fixes `:cve: `2026-2297`` by ensuring that ```SourcelessFileLoader``` uses

2 + `:func: `io.open_code`` when opening ```.pyc``` files.

## Comments 0