

sfewer-r7	add ref to the Rapid7 disclosure blog post	2909a4d · 10 months ago
CVE-2024-51977.rb	update	11 months ago
CVE-2024-51978.rb	be explicit and state its the administrator pa...	11 months ago
CVE-2024-51979.rb	update	11 months ago
CVE-2024-51980.rb	update	11 months ago
CVE-2024-51981.rb	update	11 months ago
CVE-2024-51982.rb	update	11 months ago
CVE-2024-51983.rb	update	11 months ago
ReadMe.md	add ref to the Rapid7 disclosure blog post	10 months ago
sinatra_server.rb	first commit	11 months ago

README

# Multiple Brother Devices: Multiple Vulnerabilities

## Overview

[Rapid7](#) conducted a zero-day research project into multifunction printers (MFP) from [Brother Industries, Ltd.](#) This research resulted in the discovery of eight new vulnerabilities. Some or all of these vulnerabilities have been identified as affecting 689 models across Brother's range of printer, scanner, and label maker devices. Additionally, 46 printer models from FUJIFILM Business Innovation, 5 printer models from Ricoh, printer models from Toshiba Tec Corporation, and 6 models from Konica Minolta, Inc. are affected by some or all of these vulnerabilities. In total, 748 models across 5 vendors are affected.

A summary of the eight vulnerabilities is shown below:

CVE	Description	Affected Service	CVSS
<a href="#">CVE-2024-51977</a>	An unauthenticated attacker can leak sensitive information.	HTTP (Port 80), HTTPS (Port 443), IPP (Port 631)	<a href="#">5.3 (Medium)</a>
<a href="#">CVE-2024-51978</a>	An unauthenticated attacker can generate the device's default administrator password.	HTTP (Port 80), HTTPS (Port 443), IPP (Port 631)	<a href="#">9.8 (Critical)</a>
<a href="#">CVE-2024-51979</a>	An authenticated attacker can trigger a stack based buffer overflow.	HTTP (Port 80), HTTPS (Port 443), IPP (Port 631)	<a href="#">7.2 (High)</a>
<a href="#">CVE-2024-51980</a>	An unauthenticated attacker can force the device to open a TCP connection.	Web Services over HTTP (Port 80)	<a href="#">5.3 (Medium)</a>
<a href="#">CVE-2024-51981</a>	An unauthenticated attacker can force the device to perform an arbitrary HTTP request.	Web Services over HTTP (Port 80)	<a href="#">5.3 (Medium)</a>
<a href="#">CVE-2024-51982</a>	An unauthenticated attacker can crash the device.	PJL (Port 9100)	<a href="#">7.5 (High)</a>

CVE	Description	Affected Service	CVSS
<a href="#">CVE-2024-51983</a>	An unauthenticated attacker can crash the device.	Web Services over HTTP (Port 80)	<a href="#">7.5 (High)</a>
CVE-2024-51984	An authenticated attacker can disclose the password of a configured external service.	LDAP, FTP	<a href="#">6.8 (Medium)</a>

For more details on this disclosure, please read the Rapid7 disclosure blog post [here](#).

## Technical Analysis

A detailed technical analysis of these vulnerabilities can be found in Rapid7's white paper "[Print Scan Hacks: Identifying multiple vulnerabilities across multiple Brother devices](#)" (PDF).

The accompanying proof of concept source code for the white paper can be found [here](#).

## Credit

These vulnerabilities were discovered by Stephen Fewer, Principal Security Researcher at Rapid7 and are being disclosed in accordance with

### Contributors 1



**sfewer-r7** Stephen Fewer

### Languages

- Ruby 100.0%