

wildfly-security / wildfly-elytron Public

<> Code Pull requests 34 Actions Projects Wiki Security and quality 1

Commit 5ac5e6b



rsearls authored and darran! committed on Mar 18, 2025

[ELY-2887] Add a nonce to OIDC requests for [CVE-2024-12369](#)


2.x · 3.0.0.Alpha1 ··· 2.6.2.Final

1 parent [8b40fbd](#) commit 5ac5e6b

13 files changed +209 -34 lines changed

Top

- ✓ http/oidc/src
- ✓ main/java/org/wildfly/security/http/oidc
 - AuthenticationError.java
 - ElytronMessages.java
 - IDToken.java
 - Oidc.java
 - OidcCookieTokenStore.java
 - OidcRequestAuthenticator.java
 - RefreshableOidcSecurityContext.java
 - RequestAuthenticator.java
 - TokenValidator.java
- ✓ test/java/org/wildfly/security/http/oidc
 - OidcBaseTest.java
 - OidcSecurityRealmTest.java
 - OidcTest.java
- ✓ tests/base/src/test/java/org/wildfly/security/http/impl

 AbstractBaseHttpTest.java

 **13 files changed** +209 -34 lines changed


 ▾ ...security/http/oidc/AuthenticationError.java ...

```

↑...      @@ -36,7 +36,8 @@ public enum Reason {
36 36          INVALID_TOKEN,
37 37          STALE_TOKEN,
38 38          NO_AUTHORIZATION_HEADER,
39 -          NO_QUERY_PARAMETER_ACCESS_TOKEN
+          NO_QUERY_PARAMETER_ACCESS_TOKEN,
+          INVALID_NONCE
40 41      }
41 42
42 43      private Reason reason;
  
```

 ▾ ...fly/security/http/oidc/ElytronMessages.java ...

```

↑...      @@ -278,5 +278,14 @@ interface ElytronMessages extends BasicLogger {
278 278
279 279          @Message(id = 23070, value = "Authentication request format must be one of
the following: oauth2, request, request_uri.")
280 280          RuntimeException invalidAuthenticationRequestFormat();
+
+          @Message(id = 23071, value = "Invalid ID token nonce: %s")
+          String invalidNonceValue(String name);
+
+          @Message(id = 23072, value = "No such algorithm: '%s'")
+          IllegalArgumentException noSuchAlgorithm(String algorithm);
+
+          @Message(id = 23073, value = "Nonce cookie does not exist")
+          String nonceCookieDoesNotExist();
281 290      }
282 291
  
```

 ▾ ...org/wildfly/security/http/oidc/IDToken.java ...

```

↑...      @@ -53,6 +53,7 @@ public class IDToken extends JsonWebToken {
53 53          public static final String CLAIMS_LOCALES = "claims_locales";
  
```

```

54 54      public static final String ACR = "acr";
55 55      public static final String S_HASH = "s_hash";
56 56 +    public static final String NONCE = "nonce";
56 57
57 58      /**
58 59      * Construct a new instance.
59 59
60 60      ↓
61 61      @@ -228,4 +229,7 @@ public String getAcr() {
62 62
63 63      228 229          return getClaimValueAsString(ACR);
64 64      229 230      }
65 65      230 231
66 66      232 +    public String getNonce() {
67 67      233 +        return getClaimValueAsString(NONCE);
68 68      234 +    }
69 69
70 70      231 235      }

```

```

...va/org/wildfly/security/http/oidc/Oidc.java
↑
@@ -19,11 +19,15 @@
19 19      package org.wildfly.security.http.oidc;
20 20
21 21      import static org.wildfly.security.http.oidc.ElytronMessages.log;
22 22 +    import static org.wildfly.security.jose.jwk.JWKUtil.BASE64_URL;
23 23
24 24      import java.io.IOException;
25 25      import java.io.InputStream;
26 26      import java.net.InetAddress;
27 27      import java.net.UnknownHostException;
28 28 +    import java.nio.charset.StandardCharsets;
29 29 +    import java.security.MessageDigest;
30 30 +    import java.security.NoSuchAlgorithmException;
31 31
32 32      import java.util.Map;
33 33      import java.util.StringTokenizer;
34 34      import java.util.UUID;
35 35      @@ -34,6 +38,7 @@
36 36      34 38      import org.apache.http.HttpResponse;
37 37      35 39      import org.apache.http.client.methods.HttpRequestBase;
38 38      36 40      import org.jose4j.jws.AlgorithmIdentifiers;
39 39      41 +    import org.wildfly.common.iteration.ByteIterator;
40 40
41 41      37 42      import org.wildfly.security.jose.util.JsonSerialization;
42 42
43 43      38 43

```

```

39    44    /**
    ↓
    ↑
    @@ -111,6 +116,7 @@ public class Oidc {
111   116        public static final String REDIRECT_URI = "redirect_uri";
112   117        public static final String REFRESH_TOKEN = "refresh_token";
113   118        public static final String RESPONSE_TYPE = "response_type";
119   +    public static final String SESSION_RANDOM_VALUE="session_random_value";
114   120        public static final String SESSION_STATE = "session_state";
115   121        public static final String SOAP_ACTION = "SOAPAction";
116   122        public static final String SSL_REQUIRED = "ssl-required";
    ⇕
    @@ -119,6 +125,7 @@ public class Oidc {
119   125        public static final int INVALID_ISSUED_FOR_CLAIM = -1;
120   126        public static final int INVALID_AT_HASH_CLAIM = -2;
121   127        public static final int INVALID_TYPE_CLAIM = -3;
128   +    public static final int INVALID_SESSION_RANDOM_VALUE = -4;
122   129        static final String OIDC_CLIENT_CONFIG_RESOLVER = "oidc.config.resolver";
123   130        static final String OIDC_CONFIG_FILE_LOCATION = "oidc.config.file";
124   131        static final String OIDC_JSON_FILE = "/WEB-INF/oidc.json";
    ↓
    ↑
    @@ -445,4 +452,14 @@ protected static boolean
    checkCachedAccountMatchesRequest(OidcAccount account, 0
445   452            return true;
446   453        }
447   454
455   +    protected static String getCryptographicValue(final String src) {
456   +        try {
457   +            MessageDigest md = MessageDigest.getInstance(SHA256);
458   +            md.update(src.getBytes(StandardCharsets.UTF_8));
459   +            return ByteIterator.ofBytes(md.digest())
460   +                .base64Encode(BASE64_URL, false).drainToString();
461   +        } catch (NoSuchAlgorithmException e) {
462   +            throw log.noSuchAlgorithm(e.getMessage());
463   +        }
464   +    }
448   465    }

```

▼ ...curity/http/oidc/OidcCookieTokenStore.java ...

```

    ↑
    @@ -21,6 +21,7 @@
21   21    import static org.wildfly.security.http.oidc.ElytronMessages.log;
22   22    import static org.wildfly.security.http.oidc.Oidc.OIDC_STATE_COOKIE;

```

```

23 23  import static
      org.wildfly.security.http.oidc.Oidc.checkCachedAccountMatchesRequest;
24 24  + import static org.wildfly.security.http.oidc.Oidc.SESSION_RANDOM_VALUE;
24 25
25 26  import java.net.URISyntaxException;
26 27  import java.util.List;
  ↓
  ↑
@@ -227,7 +228,7 @@ public static
OidcPrincipal<RefreshableOidcSecurityContext> getPrincipalFromCook
227 228      idToken = new IDToken(new
      JwtConsumerBuilder().setSkipSignatureVerification().setSkipAllValidators().build().processToClaims(idTokenString));
228 229  }
229 230  log.debug("Token obtained from cookie");
230 230  - RefreshableOidcSecurityContext secContext = new
      RefreshableOidcSecurityContext(deployment, tokenStore, accessTokenString,
      accessToken, idTokenString, idToken, refreshTokenString);
231 231  + RefreshableOidcSecurityContext secContext = new
      RefreshableOidcSecurityContext(deployment,
      facade.getRequest().getCookie(SESSION_RANDOM_VALUE), tokenStore,
      accessTokenString, accessToken, idTokenString, idToken, refreshTokenString);
231 232      return new OidcPrincipal<>(idToken.getPrincipalName(deployment),
      secContext);
232 233  } catch (InvalidJwtException e) {
233 234  log.failedToParseTokenFromCookie(e);
  ↓

```

```

  ...ity/http/oidc/OidcRequestAuthenticator.java
  ↑
@@ -23,6 +23,7 @@
23 23  import static org.jose4j.jws.AlgorithmIdentifiers.HMAC_SHA512;
24 24  import static org.jose4j.jws.AlgorithmIdentifiers.NONE;
25 25  import static org.wildfly.security.http.oidc.ElytronMessages.log;
26 26  + import static org.wildfly.security.http.oidc.IDToken.NONCE;
26 27  import static
      org.wildfly.security.http.oidc.Oidc.ALLOW_QUERY_PARAMS_PROPERTY_NAME;
27 28  import static org.wildfly.security.http.oidc.Oidc.CLIENT_ID;
28 29  import static org.wildfly.security.http.oidc.Oidc.CODE;
  ↓
@@ -39,6 +40,7 @@
39 40  import static org.wildfly.security.http.oidc.Oidc.REQUEST;
40 41  import static org.wildfly.security.http.oidc.Oidc.REQUEST_URI;
41 42  import static org.wildfly.security.http.oidc.Oidc.SCOPE;

```

43	+ import static org.wildfly.security.http.oidc.Oidc.SESSION_RANDOM_VALUE;
42	44 import static org.wildfly.security.http.oidc.Oidc.SESSION_STATE;
43	45 import static org.wildfly.security.http.oidc.Oidc.STATE;
44	46 import static org.wildfly.security.http.oidc.Oidc.UI_LOCALES;
↕	@@ -59,6 +61,7 @@
59	61 import java.security.Key;
60	62 import java.security.KeyPair;
61	63 import java.security.PublicKey;
64	+ import java.security.SecureRandom;
62	65 import java.util.ArrayList;
63	66 import java.util.Arrays;
64	67 import java.util.HashSet;
↕	@@ -76,6 +79,7 @@
76	79 import org.jose4j.jwt.JwtClaims;
77	80 import org.jose4j.keys.HmacKey;
78	81 import org.jose4j.lang.JoseException;
82	+ import org.wildfly.common.iteration.ByteIterator;
79	83 import org.wildfly.security.http.HttpConstants;
80	84
81	85 /**
↕	@@ -96,6 +100,8 @@ public class OidcRequestAuthenticator {
96	100 protected String refreshToken;
97	101 protected String strippedOauthParametersRequestUri;
98	102
103	+ private int NONCE_SIZE = 36;
104	+
99	105 static final boolean ALLOW_QUERY_PARAMS_PROPERTY;
100	106
101	107 static {
↕	@@ -181,7 +187,7 @@ protected String getCode() {
181	187 return getQueryParamValue(facade, CODE);
182	188 }
183	189
184	- protected String getRedirectUri(String state) {
190	+ protected String getRedirectUri(String state, String sessionRandomValueHash) {
185	191 String url = getRequestUrl();
186	192 log.debugf("callback uri: %s", url);
187	193

		@@ -229,31 +235,31 @@ protected String getRedirectUri(String state) {
229	235	if (deployment.getRequestParameterSupported()) {
230	236	// add request objects into request parameter
231	237	try {
232	-	createRequestWithRequestParameter(REQUEST, redirectUriBuilder, redirectUri, state, forwardedQueryParams);
238	+	createRequestWithRequestParameter(REQUEST, redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);
233	239	} catch (IOException JoseException e) {
234	240	throw
		log.unableToCreateRequestWithRequestParameter(e);
235	241	}
236	242	} else {
237	243	// send request as usual
238	-	createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams);
244	+	createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);
239	245	log.requestParameterNotSupported();
240	246	}
241	247	break;
242	248	case REQUEST_URI:
243	249	if (deployment.getRequestUriParameterSupported()) {
244	250	try {
245	-	createRequestWithRequestParameter(REQUEST_URI, redirectUriBuilder, redirectUri, state, forwardedQueryParams);
251	+	createRequestWithRequestParameter(REQUEST_URI, redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);
246	252	} catch (IOException JoseException e) {
247	253	throw
		log.unableToCreateRequestUriWithRequestParameter(e);
248	254	}
249	255	} else {
250	256	// send request as usual
251	-	createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams);

257	+	<code>createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);</code>
252	258	<code>log.requestParameterNotSupported();</code>
253	259	<code>}</code>
254	260	<code>break;</code>
255	261	<code>default:</code>
256	-	<code>createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams);</code>
262	+	<code>createOAuthRequest(redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);</code>
257	263	<code>break;</code>
258	264	<code>}</code>
259	265	<code>return redirectUriBuilder.build().toString();</code>
	@@ -262,15 +268,16 @@	<code>protected String getRedirectUri(String state) {</code>
262	268	<code>}</code>
263	269	<code>}</code>
264	270	
265	-	<code>protected UriBuilder createOAuthRequest(UriBuilder redirectUriBuilder, String redirectUri, String state, List<NameValuePair> forwardedQueryParams) {</code>
271	+	<code>protected UriBuilder createOAuthRequest(UriBuilder redirectUriBuilder, String redirectUri, String state, List<NameValuePair> forwardedQueryParams, String sessionRandomValueHash) {</code>
266	272	<code>redirectUriBuilder.addParameter(REDIRECT_URI, redirectUri)</code>
267	273	<code>.addParameter(STATE, state)</code>
268	-	<code>.addParameters(forwardedQueryParams);</code>
274	+	<code>.addParameters(forwardedQueryParams)</code>
275	+	<code>.addParameter(NONCE, sessionRandomValueHash);</code>
269	276	<code>return redirectUriBuilder;</code>
270	277	<code>}</code>
271	278	
272	-	<code>protected UriBuilder createRequestWithRequestParameter(String requestFormat, UriBuilder redirectUriBuilder, String redirectUri, String state, List<NameValuePair> forwardedQueryParams) throws JoseException, IOException {</code>
273	-	<code>String request = convertToRequestParameter(redirectUriBuilder, redirectUri, state, forwardedQueryParams);</code>
279	+	<code>protected UriBuilder createRequestWithRequestParameter(String requestFormat, UriBuilder redirectUriBuilder, String redirectUri, String state, List<NameValuePair> forwardedQueryParams, String sessionRandomValueHash) throws JoseException, IOException {</code>

280	+	String request = <code>convertToRequestParameter</code> (redirectUriBuilder, redirectUri, state, forwardedQueryParams, sessionRandomValueHash);
274	281	
275	282	<code>switch</code> (requestFormat) {
276	283	<code>case REQUEST:</code>
↕		<code>@@ -296,7 +303,8 @@ protected String getStateCode() {</code>
296	303	
297	304	<code>protected AuthChallenge loginRedirect() {</code>
298	305	<code>final String state = getStateCode();</code>
299	-	<code>final String redirect = getRedirectUri(state);</code>
306	+	<code>final String sessionRandomValue = generateSessionRandomValue();</code>
307	+	<code>final String redirect = getRedirectUri(state, Oidc.getCryptographicValue(sessionRandomValue));</code>
300	308	<code>if (redirect == null) {</code>
301	309	<code>return challenge(HttpStatus.SC_FORBIDDEN, AuthenticationError.Reason.NO_REDIRECT_URI, null);</code>
302	310	<code>}</code>
↕		<code>@@ -314,6 +322,8 @@ public boolean challenge(OidcHttpFacade exchange) {</code>
314	322	<code>exchange.getResponse().setStatus(HttpStatus.SC_MOVED_TEMPORARILY);</code>
315	323	<code>exchange.getResponse().setCookie(deployment.getStateCookieName(), state, "/", null, -1, deployment.getSSLRequired().isRequired(facade.getRequest().getRemoteAddr()), true);</code>
316	324	<code>exchange.getResponse().setHeader(HttpConstants.LOCATION, redirect);</code>
325	+	<code>exchange.getResponse().setCookie(SESSION_RANDOM_VALUE, sessionRandomValue, "/", null, -1, deployment.getSSLRequired().isRequired(facade.getRequest().getRemoteAddr()), true);</code>
326	+	
317	327	<code>return true;</code>
318	328	<code>}</code>
319	329	<code>};</code>
↕		<code>@@ -336,6 +346,7 @@ protected AuthChallenge checkStateCookie() {</code>
336	346	<code>log.warn("state parameter was null");</code>
337	347	<code>return challenge(HttpStatus.SC_BAD_REQUEST, AuthenticationError.Reason.INVALID_STATE_COOKIE, null);</code>
338	348	<code>}</code>

349	+	
339	350	<code>if (!state.equals(stateCookieValue)) {</code>
340	351	<code>log.warn("state parameter invalid");</code>
341	352	<code>log.warn("cookie: " + stateCookieValue);</code>
⌵		<code>@@ -441,9 +452,12 @@ protected AuthChallenge resolveCode(String code) {</code>
441	452	
442	453	<code>try {</code>
443	454	<code>TokenValidator tokenValidator =</code> <code>TokenValidator.builder(deployment).build();</code>
444	-	<code>TokenValidator.VerifiedTokens verifiedTokens =</code> <code>tokenValidator.parseAndVerifyToken(idTokenString, tokenString);</code>
455	+	
456	+	<code>TokenValidator.VerifiedTokens verifiedTokens =</code> <code>tokenValidator.parseAndVerifyToken(idTokenString, tokenString,</code>
457	+	<code>facade.getRequest().getCookie(SESSION_RANDOM_VALUE));</code>
445	458	<code>idToken = verifiedTokens.getIdToken();</code>
446	459	<code>token = verifiedTokens.getAccessToken();</code>
460	+	
447	461	<code>log.debug("Token Verification succeeded!");</code>
448	462	<code>} catch (OidcException e) {</code>
449	463	<code>log.failedVerificationOfToken(e.getMessage());</code>
⌵		<code>@@ -456,6 +470,7 @@ protected AuthChallenge resolveCode(String code) {</code>
456	470	<code>log.error("Stale token");</code>
457	471	<code>return challenge(HttpStatus.SC_FORBIDDEN,</code> <code>AuthenticationError.Reason.STALE_TOKEN, null);</code>
458	472	<code>}</code>
473	+	
459	474	<code>log.debug("successfully authenticated");</code>
460	475	<code>return null;</code>
461	476	<code>}</code>
⌵		<code>@@ -535,7 +550,7 @@ private void addScopes(String scopes, Set<String></code> <code>allScopes) {</code>
535	550	<code>}</code>
536	551	<code>}</code>
537	552	
538	-	<code>private String convertToRequestParameter(URIBuilder redirectUriBuilder,</code> <code>String redirectUri, String state, List<NameValuePair> forwardedQueryParams)</code> <code>throws JoseException, IOException {</code>

```

553 +     private String convertToRequestParameter(URIBuilder redirectUriBuilder,
String redirectUri, String state, List<NameValuePair> forwardedQueryParams,
String sessionRandomValueHash) throws JoseException, IOException {
539 554         redirectUriBuilder.addParameter(SCOPE, OIDC_SCOPE);
540 555
541 556         JwtClaims jwtClaims = new JwtClaims();
@@ -545,10 +560,12 @@ private String convertToRequestParameter(URIBuilder
redirectUriBuilder, String r
545 560         for (NameValuePair parameter: forwardedQueryParams) {
546 561             jwtClaims.setClaim(parameter.getName(), parameter.getValue());
547 562         }
563 +
548 564         jwtClaims.setClaim(STATE, state);
549 565         jwtClaims.setClaim(REDIRECT_URI, redirectUri);
550 566         jwtClaims.setClaim(RESPONSE_TYPE, CODE);
551 567         jwtClaims.setClaim(CLIENT_ID, deployment.getResourceName());
568 +         jwtClaims.setClaim(NONCE, sessionRandomValueHash);
552 569
553 570         // sign JWT first before encrypting
554 571         JsonWebSignature signedRequest = signRequest(jwtClaims, deployment);
@@ -622,4 +639,11 @@ private JsonWebEncryption
encryptRequest(JsonWebSignature signedRequest) throws
622 639         return jsonEncryption;
623 640     }
624 641 }
642 +
643 +     private String generateSessionRandomValue() {
644 +         SecureRandom random = new SecureRandom();
645 +         byte[] nonceData = new byte[NONCE_SIZE];
646 +         random.nextBytes(nonceData);
647 +         return ByteIterator.ofBytes(nonceData).base64Encode().drainToString();
648 +     }
625 649 }

```

```

...tp/oidc/RefreshableOidcSecurityContext.java
@@ -34,16 +34,18 @@ public class RefreshableOidcSecurityContext extends
OidcSecurityContext {
34 34     protected transient OidcClientConfiguration clientConfiguration;
35 35     protected transient OidcTokenStore tokenStore;
36 36     protected String refreshToken;

```

```

37 +   protected transient OidcHttpFacade.Cookie cookie;
37 38
38 39   public RefreshableOidcSecurityContext() {
39 40   }
40 41
41 -   public RefreshableOidcSecurityContext(OidcClientConfiguration
clientConfiguration, OidcTokenStore tokenStore, String tokenString,
42 +   public RefreshableOidcSecurityContext(OidcClientConfiguration
clientConfiguration, OidcHttpFacade.Cookie cookie, OidcTokenStore tokenStore,
String tokenString,
42 43   AccessToken token, String
idTokenString, IDToken idToken, String refreshToken) {
43 44   super(tokenString, token, idTokenString, idToken);
44 45   this.clientConfiguration = clientConfiguration;
45 46   this.tokenStore = tokenStore;
46 47   this.refreshToken = refreshToken;
48 +   this.cookie = cookie;
47 49   }
48 50
49 51   @Override
@@ -149,7 +151,7 @@ public boolean refreshToken(boolean checkActive) {
149 151   IDToken idToken;
150 152   try {
151 153   TokenValidator tokenValidator =
TokenValidator.builder(clientConfiguration).build();
152 -   TokenValidator.VerifiedTokens verifiedTokens =
tokenValidator.parseAndVerifyToken(idTokenString, accessTokenString);
154 +   TokenValidator.VerifiedTokens verifiedTokens =
tokenValidator.parseAndVerifyToken(idTokenString, accessTokenString, cookie);
153 155   idToken = verifiedTokens.getIdToken();
154 156   accessToken = verifiedTokens.getAccessToken();
155 157   log.debug("Token Verification succeeded!");

```

...ecurity/http/oidc/RequestAuthenticator.java

```

@@ -24,6 +24,7 @@
24 24   import static org.wildfly.security.http.oidc.Oidc.FACES_REQUEST;
25 25   import static org.wildfly.security.http.oidc.Oidc.HTML_CONTENT_TYPE;
26 26   import static org.wildfly.security.http.oidc.Oidc.PARTIAL;

```

27	+	<code>import static org.wildfly.security.http.oidc.Oidc.SESSION_RANDOM_VALUE;</code>
27	28	<code>import static org.wildfly.security.http.oidc.Oidc.SOAP_ACTION;</code>
28	29	<code>import static org.wildfly.security.http.oidc.Oidc.TEXT_CONTENT_TYPE;</code>
29	30	<code>import static org.wildfly.security.http.oidc.Oidc.WILDCARD_CONTENT_TYPE;</code>
		<code>@@ -200,14 +201,14 @@ protected boolean verifySSL() {</code>
200	201	<code>}</code>
201	202	
202	203	<code>protected void completeAuthentication(OidcRequestAuthenticator oidc) {</code>
203	-	<code>RefreshableOidcSecurityContext session = new</code> <code>RefreshableOidcSecurityContext(deployment, facade.getTokenStore(),</code> <code>oidc.getTokenString(), oidc.getToken(), oidc.getIDTokenString(),</code> <code>oidc.getIDToken(), oidc.getRefreshToken());</code>
204	+	<code>RefreshableOidcSecurityContext session = new</code> <code>RefreshableOidcSecurityContext(deployment,</code> <code>facade.getRequest().getCookie(SESSION_RANDOM_VALUE), facade.getTokenStore(),</code> <code>oidc.getTokenString(), oidc.getToken(), oidc.getIDTokenString(),</code> <code>oidc.getIDToken(), oidc.getRefreshToken());</code>
204	205	<code>final OidcPrincipal<RefreshableOidcSecurityContext> principal = new</code> <code>OidcPrincipal<>(oidc.getIDToken().getPrincipalName(deployment), session);</code>
205	206	<code>completeOidcAuthentication(principal);</code>
206	207	<code>log.debugv("User '{0}' invoking '{1}' on client '{2}'",</code> <code>principal.getName(), facade.getRequest().getURI(),</code> <code>deployment.getResourceName());</code>
207	208	<code>}</code>
208	209	
209	210	<code>protected void completeAuthentication(BearerTokenRequestAuthenticator</code> <code>bearer) {</code>
210	-	<code>RefreshableOidcSecurityContext session = new</code> <code>RefreshableOidcSecurityContext(deployment, null, bearer.getTokenString(),</code> <code>bearer.getToken(), null, null, null);</code>
211	+	<code>RefreshableOidcSecurityContext session = new</code> <code>RefreshableOidcSecurityContext(deployment,</code> <code>facade.getRequest().getCookie(SESSION_RANDOM_VALUE), null,</code> <code>bearer.getTokenString(), bearer.getToken(), null, null, null);</code>
211	212	<code>final OidcPrincipal<RefreshableOidcSecurityContext> principal = new</code> <code>OidcPrincipal<>(bearer.getToken().getPrincipalName(deployment), session);</code>
212	213	<code>completeBearerAuthentication(principal);</code>
213	214	<code>log.debugv("User '{0}' invoking '{1}' on client '{2}'",</code> <code>principal.getName(), facade.getRequest().getURI(),</code>

```
deployment.getResourceName());
```



...dfly/security/http/oidc/TokenValidator.java



```
@@ -23,6 +23,7 @@
```

```
23 23 import static
    org.wildfly.security.http.oidc.Oidc.DISABLE_TYP_CLAIM_VALIDATION_PROPERTY_NAME;
24 24 import static org.wildfly.security.http.oidc.Oidc.INVALID_AT_HASH_CLAIM;
25 25 import static org.wildfly.security.http.oidc.Oidc.INVALID_ISSUED_FOR_CLAIM;
26 + import static org.wildfly.security.http.oidc.Oidc.INVALID_SESSION_RANDOM_VALUE;
26 27 import static org.wildfly.security.http.oidc.Oidc.INVALID_TYPE_CLAIM;
27 28 import static org.wildfly.security.http.oidc.Oidc.getJavaAlgorithmForHash;
28 29 import static org.wildfly.security.jose.jwk.JWKUtil.BASE64_URL;
```



```
@@ -82,12 +83,14 @@ private TokenValidator(Builder builder) {
```

```
82 83 * @return the {@code VerifiedTokens} if the ID token was valid
83 84 * @throws OidcException if the ID token is invalid
84 85 */
85 - public VerifiedTokens parseAndVerifyToken(final String idToken, final
    String accessToken) throws OidcException {
86 + public VerifiedTokens parseAndVerifyToken(final String idToken, final
    String accessToken, OidcHttpFacade.Cookie cookie) throws OidcException {
86 87     try {
87 88         JwtContext idJwtContext = setVerificationKey(idToken,
            jwtConsumerBuilder);
88 89
            jwtConsumerBuilder.setExpectedAudience(clientConfiguration.getResourceName());
89 90         jwtConsumerBuilder.registerValidator(new
            AzpValidator(clientConfiguration.getResourceName()));
90 91         jwtConsumerBuilder.registerValidator(new
            AtHashValidator(accessToken,
            clientConfiguration.getTokenSignatureAlgorithm()));
92 +         jwtConsumerBuilder.registerValidator(new NonceValidator(cookie));
93 +
91 94         // second pass to validate
92 95         jwtConsumerBuilder.build().processContext(idJwtContext);
93 96         JwtClaims idJwtClaims = idJwtContext.getJwtClaims();
@@ -288,6 +291,33 @@ private static String getAccessTokenHash(String
accessTokenString, String jwsAlg
```

```
288 291
```

```
289 292     }
290 293
294 +
295 +     private static class NonceValidator implements ErrorValidator {
296 +         private OidcHttpFacade.Cookie cookie;
297 +
298 +         public NonceValidator(OidcHttpFacade.Cookie cookie) {
299 +             this.cookie = cookie;
300 +         }
301 +
302 +         public ErrorValidator.Error validate(JwtContext jwtContext) throws
MalformedClaimException {
303 +             JwtClaims idJwtClaims = jwtContext.getJwtClaims();
304 +             IDToken idToken = new IDToken(idJwtClaims);
305 +
306 +             if (cookie != null) {
307 +                 String sessionRandomValue =
Oidc.getCryptographicValue(cookie.getValue());
308 +                 String nonceValue = idToken.getNonce();
309 +                 if (!sessionRandomValue.equals(nonceValue)) {
310 +                     return new
ErrorValidator.Error(INVALID_SESSION_RANDOM_VALUE,
311 +                         log.invalidNonceValue(nonceValue));
312 +                 }
313 +             } else {
314 +                 return new
ErrorValidator.Error(INVALID_SESSION_RANDOM_VALUE,
315 +                     log.nonceCookieDoesNotExist());
316 +             }
317 +             return null;
318 +         }
319 +     }
320 +
321 321     private static class TypeValidator implements ErrorValidator {
322 322         public static final String TYPE = "typ";
323 323         private final String expectedType;
```



...ildfly/security/http/oidc/OidcBaseTest.java



@@ -22,6 +22,7 @@

```

22 22 import static org.junit.Assert.assertNotNull;
23 23 import static org.junit.Assert.assertTrue;
24 24 import static org.wildfly.security.http.oidc.Oidc.OIDC_NAME;
25 + import static org.wildfly.security.http.oidc.Oidc.SESSION_RANDOM_VALUE;
25 26
26 27 import java.io.ByteArrayInputStream;
27 28 import java.io.IOException;
  ↓
  ↑
@@ -211,6 +212,33 @@ public MockResponse dispatch(RecordedRequest
recordedRequest) throws InterruptedException
211 212     };
212 213     }
213 214
215 +     protected static Dispatcher
createAppResponse(HttpServerAuthenticationMechanism mechanism,
216 +                 int expectedStatusCode,
String expectedLocation,
217 +                 String clientPageText,
List<HttpServerCookie> cookies) {
218 +         return new Dispatcher() {
219 +             @Override
220 +             public MockResponse dispatch(RecordedRequest recordedRequest)
throws InterruptedException {
221 +                 String path = recordedRequest.getPath();
222 +                 if (path.contains("/") + CLIENT_APP) && path.contains("&code="))
{
223 +                     try {
224 +
225 +                         TestingHttpRequest request = new
TestingHttpRequest(new String[0],
226 +                             new
URI(recordedRequest.getRequestUrl().toString()), cookies);
227 +                         mechanism.evaluateRequest(request);
228 +                         TestingHttpResponse response =
request.getResponse();
229 +                         assertEquals(expectedStatusCode,
response.getStatusCode());
230 +                         assertEquals(expectedLocation, response.getLocation());
231 +                         return new MockResponse().setBody(clientPageText);
232 +                     } catch (Exception e) {
233 +                         throw new RuntimeException(e);

```

```

234 +         }
235 +     }
236 +     return new MockResponse()
237 +         .setBody("");
238 +     }
239 + };
240 + }
241 +
214 242     protected static Dispatcher
createAppResponse(HttpServerAuthenticationMechanism mechanism, int
expectedStatusCode, String expectedLocation, String clientPageText,
215 243         Map<String, Object>
sessionScopeAttachments) {
216 244     return new Dispatcher() {
@@ -351,24 +379,37 @@ protected void checkForScopeClaims(Callback callback,
String expectedScopes) thr
351 379     protected void performAuthentication(InputStream oidcConfig, String
username, String password, boolean loginToKeycloak,
352 380         int expectedDispatcherStatusCode, String
expectedLocation, String clientPageText) throws Exception {
353 381     performAuthentication(oidcConfig, username, password, loginToKeycloak,
expectedDispatcherStatusCode, getClientUrl(), expectedLocation,
354 -         clientPageText, null, false);
382 +         clientPageText, null, false, false );
383 +     }
384 +
385 +     protected void performAuthentication(InputStream oidcConfig, String
username, String password, boolean loginToKeycloak,
386 +         int expectedDispatcherStatusCode,
String expectedLocation, String clientPageText,
387 +         boolean changeSessionId) throws
Exception {
388 +     performAuthentication(oidcConfig, username, password, loginToKeycloak,
expectedDispatcherStatusCode, getClientUrl(), expectedLocation,
389 +         clientPageText, null, false, changeSessionId);
355 390     }
356 391
357 392     protected void performAuthentication(InputStream oidcConfig, String
username, String password, boolean loginToKeycloak,

```

```

358 393         int expectedDispatcherStatusCode,
String clientId, String expectedLocation, String clientPageText) throws
Exception {
359 394         performAuthentication(oidcConfig, username, password, loginToKeycloak,
expectedDispatcherStatusCode, clientId, expectedLocation,
360 -         clientIdPageText, null, false);
395 +         clientIdPageText, null, false, false);
361 396     }
362 397
398 +     protected void performAuthentication(InputStream oidcConfig, String
username, String password, boolean loginToKeycloak, int
expectedDispatcherStatusCode,
399 +         String expectedLocation, String
clientIdPageText, String expectedScope, boolean checkInvalidScopeError,
400 +         boolean changeSessionId) throws
Exception {
401 +         performAuthentication(oidcConfig, username, password, loginToKeycloak,
expectedDispatcherStatusCode, getClientUrl(), expectedLocation, clientIdPageText,
402 +         expectedScope, checkInvalidScopeError, changeSessionId);
403 +     }
363 404     protected void performAuthentication(InputStream oidcConfig, String
username, String password, boolean loginToKeycloak, int
expectedDispatcherStatusCode,
364 405         String expectedLocation, String
clientIdPageText, String expectedScope, boolean checkInvalidScopeError) throws
Exception {
365 406         performAuthentication(oidcConfig, username, password, loginToKeycloak,
expectedDispatcherStatusCode, getClientUrl(), expectedLocation, clientIdPageText,
366 -         expectedScope, checkInvalidScopeError);
407 +         expectedScope, checkInvalidScopeError, false);
367 408     }
368 409
369 410     private void performAuthentication(InputStream oidcConfig, String username,
String password, boolean loginToKeycloak,
370 411         int expectedDispatcherStatusCode, String
clientId, String expectedLocation, String clientIdPageText,
371 -         String expectedScope, boolean
checkInvalidScopeError) throws Exception {
412 +         String expectedScope, boolean
checkInvalidScopeError, boolean changeSessionId) throws Exception {

```

```

372 413         try {
373 414             Map<String, Object> props = new HashMap<>();
374 415             OidcClientConfiguration oidcClientConfiguration =
OidcClientConfigurationBuilder.build(oidcConfig);
@@ -394,7 +435,21 @@ private void performAuthentication(InputStream
oidcConfig, String username, Stri
394 435         }
395 436
396 437         if (loginToKeycloak) {
397 -             client.setDispatcher(createAppResponse(mechanism,
expectedDispatcherStatusCode, expectedLocation, clientPageText));
438 +             // change the sessionRandomValue value so that the compare to
nonce will fail.
439 +             List<HttpServerCookie> tmpCookies = response.getCookies();
440 +             if (changeSessionId) {
441 +                 for (HttpServerCookie c : tmpCookies) {
442 +                     if (c.getName().equals(SESSION_RANDOM_VALUE)) {
443 +                         HttpServerCookie tmpCookie =
HttpServerCookie.getInstance(c.getName(),
444 +                             "9999" + c.getValue(), c.getDomain(),
c.getMaxAge(), c.getPath(),
445 +                             c.isSecure(), c.getVersion(),
c.isHttpOnly());
446 +                         tmpCookies.remove(c);
447 +                         tmpCookies.add(tmpCookie);
448 +                     }
449 +                 }
450 +             }
451 +             client.setDispatcher(createAppResponse(mechanism,
expectedDispatcherStatusCode,
452 +                 expectedLocation, clientPageText, tmpCookies));
398 453
399 454         if (checkInvalidScopeError) {
400 455             WebClient webClient = getWebClient();

```

▼ ...curity/http/oidc/OidcSecurityRealmTest.java ...



```

@@ -72,7 +72,7 @@ public void testGetRealmIdentityWithNonOidcPrincipal()
throws RealmUnavailableEx

```

72 72 @Test

73	73	<code>public void testGetRealmIdentityNoRoles() throws RealmUnavailableException</code>
		<code>{</code>
74	74	<code>// setup</code>
75	-	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(new OidcClientConfiguration(),</code>
75	+	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(new OidcClientConfiguration(), null,</code>
76	76	<code>null, null, new AccessToken(new JwtClaims()), null, null, null);</code>
77	77	<code>OidcPrincipal principal = new OidcPrincipal("john", securityContext);</code>
78	78	
⌵		<code>@@ -108,7 +108,7 @@ public void testGetRealmIdentityRolesCombined() throws RealmUnavailableException</code>
108	108	<code>jwtClaims.setClaim("resource_access", resourceAccess);</code>
109	109	<code>jwtClaims.setClaim("realm_access", createRoles("roleC", "roleD"));</code>
110	110	
111	-	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration,</code>
111	+	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration, null,</code>
112	112	<code>null, null, new AccessToken(jwtClaims), null, null, null);</code>
113	113	<code>OidcPrincipal principal = new OidcPrincipal("john", securityContext);</code>
114	114	
⌵		<code>@@ -137,7 +137,7 @@ public void testGetRealmIdentityOnlyRealmRoles() throws RealmUnavailableExceptio</code>
137	137	<code>jwtClaims.setClaim("resource_access", resourceAccess);</code>
138	138	<code>jwtClaims.setClaim("realm_access", createRoles("roleC", "roleD"));</code>
139	139	
140	-	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration,</code>
140	+	<code>RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration, null,</code>
141	141	<code>null, null, new AccessToken(jwtClaims), null, null, null);</code>
142	142	<code>OidcPrincipal principal = new OidcPrincipal("john", securityContext);</code>
143	143	
⌵		<code>@@ -165,7 +165,7 @@ public void testGetRealmIdentityOnlyResourceRoles() throws RealmUnavailableExcep</code>
165	165	<code>jwtClaims.setClaim("resource_access", resourceAccess);</code>
166	166	<code>jwtClaims.setClaim("", new RealmAccessClaim(createRoles("roleC", "roleD")));</code>

167	167	
168	-	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration,
168	+	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration, null,
169	169	null, null, new AccessToken(jwtClaims), null, null, null);
170	170	OidcPrincipal principal = new OidcPrincipal("john", securityContext);
171	171	
		@@ -193,7 +193,7 @@ public void testGetRealmIdentityNoMappings() throws RealmUnavailableException {
193	193	jwtClaims.setClaim("resource_access", resourceAccess);
194	194	jwtClaims.setClaim("", new RealmAccessClaim(createRoles("roleC", "roleD")));
195	195	
196	-	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration,
196	+	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration, null,
197	197	null, null, new AccessToken(jwtClaims), null, null, null);
198	198	OidcPrincipal principal = new OidcPrincipal("john", securityContext);
199	199	
		@@ -390,7 +390,7 @@ private static String getRealmAndResourceRolesClaims(boolean includeRealmAndReso
390	390	}
391	391	
392	392	private Attributes.Entry getRealmIdentityRoles(OidcClientConfiguration clientConfiguration, JwtClaims jwtClaims) throws RealmUnavailableException {
393	-	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration,
393	+	RefreshableOidcSecurityContext securityContext = new RefreshableOidcSecurityContext(clientConfiguration, null,
394	394	null, null, new AccessToken(jwtClaims), null, null, null);
395	395	OidcPrincipal principal = new OidcPrincipal("john", securityContext);
396	396	

... rg/wildfly/security/http/oidc/OidcTest.java ...
@@ -367,6 +367,28 @@ public void testRequestObjectConfigMissingENCValue() throws Exception {


```

...ecurity/http/impl/AbstractBaseHttpTest.java
@@ -213,11 +213,20 @@ public TestingHttpRequest(String[]
authorization, URI requestURI, String c
213 213      }
214 214      this.remoteUser = null;
215 215      this.requestURI = requestURI;
216 +
216 217      this.cookies = new ArrayList<>();
217 218      if (cookie != null) {
218 -          final String cookieName = cookie.substring(0,
cookie.indexOf('='));
219 -          final String cookieValue = cookie.substring(cookie.indexOf('=')
+ 1);
220 -          cookies.add(HttpServerCookie.getInstance(cookieName,
cookieValue, null, -1, "/", false, 0, true));
219 +          String[] cookiesArr = cookie.split(";");
220 +          if (cookiesArr.length == 0) {
221 +              cookiesArr[0] = cookie;
222 +          }
223 +          for (int i = 0; i < cookiesArr.length; i++) {
224 +              String[] cookiePair = cookiesArr[i].trim().split("=");
225 +              if (cookiePair.length == 2) {
226 +                  this.cookies.add(HttpServerCookie.getInstance(
227 +                      cookiePair[0], cookiePair[1], null, -1, "/",
false, 0, true));
228 +              }
229 +          }
221 230      }
222 231      }
223 232

```

Comments 0



Please [sign in](#) to comment.