

xwiki / xwiki-platform Public

<> Code Pull requests 209 Actions Projects Security and quality 227

# Commit 9fe84da



michitux committed on Dec 10, 2025 · ✓ 1 / 1

XWIKI-23698: ScriptXWikiServletRequest#getRequest() should only be available with programming right

- \* Check for programming right in com.xpn.xwiki.render.ScriptXWikiServletRequest.getRequest.
- \* Add a unit test.

master · xwiki-platform-18.2.1 ··· xwiki-platform-18.0.0-rc-1

1 parent [2d1ec5c](#) commit 9fe84da

2 files changed +31 -0 lines changed

Top

Filter files...



▼ xwiki-platform-core/xwiki-platform-oldcore/src

▼ main/java/com/xpn/xwiki/render

ScriptXWikiServletRequest.java

3

▼ test/java/com/xpn/xwiki/internal/render

ScriptXWikiServletRequestTest.java

2 files changed +31 -0 lines changed

Search within code



▼ ...xwiki/render/ScriptXWikiServletRequest.java



@@ -22,6 +22,7 @@

22 22 import java.util.Set;

23 23

24 24 import javax.servlet.ServletContext;

25 + import javax.servlet.HttpServletRequest;

25 26 import javax.servlet.http.HttpServletRequest;

26 27 import javax.servlet.http.HttpSession;

```

27 28
  ↓
  ↑
@@ -80,6 +81,24 @@ public ServletContext getServletContext()
80 81         return null;
81 82     }
82 83
84 + /**
85 +  * {@inheritDoc}
86 +  * <p>
87 +  * Only allowed to author with programming right because it allows access
      to the underlying request that doesn't
88 +  * enforce any security checks.
89 +  *
90 +  * @see javax.servlet.ServletRequestWrapper#getRequest()
91 +  */
92 + @Override
93 + public ServletRequest getRequest()
94 + {
95 +     if (this.authorization.hasAccess(Right.PROGRAM)) {
96 +         return super.getRequest();
97 +     }
98 +
99 +     return null;
100 + }
101 +
83 102     /**
84 103     * {@inheritDoc}
85 104     * <p>
  ↓

```

```

  .../render/ScriptXWikiServletRequestTest.java
  ↑
@@ -147,6 +147,18 @@ void getHttpServletRequest()
147 147         assertSame(this.scriptRequest,
      this.scriptRequest.getHttpServletRequest());
148 148     }
149 149
150 + @Test
151 + void getRequest()
152 + {

```

```
153 +     setProramingRight(true);
154 +
155 +     assertSame(this.request, this.scriptRequest.getRequest());
156 +
157 +     setProramingRight(false);
158 +
159 +     assertNull(this.scriptRequest.getRequest());
160 + }
161 +
```

```
150 162 @Test
151 163 void sessionGetServletContext()
152 164 {
```



## Comments 0



Please [sign in](#) to comment.