

[Products](#)[Services](#)[Publications](#)[Resources](#)[What's new](#)

[Follow @Openwall on Twitter for new release announcements and other news](#)

[\[<prev\]](#) [\[next>\]](#) [\[<thread-prev\]](#) [\[thread-next>\]](#) [\[day\]](#) [\[month\]](#) [\[year\]](#) [\[list\]](#)

Message-ID: <1327660847.20016.9.camel@oban>
Date: Fri, 27 Jan 2012 11:40:47 +0100
From: Yves-Alexis Perez <corsac@...ian.org>
To: oss-security@...ts.openwall.com
Subject: Re: CVE Request: Debian (others?) openssh-server:
Forced Command handling leaks private information to ssh clients

On jeu., 2012-01-26 at 19:49 -0500, Marc Deslauriers wrote:
> > Please use CVE-2012-0814 for this issue. Also please let me know if
> > other Linux distributions are affected!
> >
> >
> >
> Looks like this (I haven't tried...):
>
> <http://www.openssh.org/cgi-bin/cvsweb/src/usr.bin/ssh/auth-options.c.diff?r1=1.53;r2=1.54>

By the way, is the ForceCommand (and other directives) really supposed to be private for different keys (or, more widely, for different matches for the same user).

Regards,
--
Yves-Alexis

[Powered by blists - more mailing lists](#)

Please check out the [Open Source Software Security Wiki](#), which is counterpart to this [mailing list](#).

Confused about [mailing lists](#) and their use? [Read about mailing lists on Wikipedia](#) and check out these [guidelines on proper formatting of your messages](#).