



# EEF-CVE- 2026-32146

[See a problem?](#)

Please try reporting it [to the source](#) [↗](#) first.

Source	<a href="https://cna.erlef.org/osv/EEF-CVE-2026-32146.html">https://cna.erlef.org/osv/EEF-CVE-2026-32146.html</a> <a href="#">↗</a>
Import Source	<a href="https://cna.erlef.org/osv/EEF-CVE-2026-32146.json">https://cna.erlef.org/osv/EEF-CVE-2026-32146.json</a> <a href="#">↗</a>
JSON Data	<a href="https://api.osv.dev/v1/vulns/EEF-CVE-2026-32146">https://api.osv.dev/v1/vulns/EEF-CVE-2026-32146</a> <a href="#">↗</a>
Aliases	CVE-2026-32146 GHSA-vq5j-55vx-wq8j
Published	2026-04-11T12:59:22.911Z
Modified	2026-04-11T13:26:22.495842076Z
Severity	<b>6.2 (Medium)</b> CVSS_V4 - CVSS:4.0/AV:L/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:H/SI:H/SA:H <a href="#">CVSS Calculator</a> <a href="#">↗</a>

**Summary** Improper Path Validation in Git Dependency Handling Allows Arbitrary File System Modification

## Details

### Summary

Improper path validation vulnerability in the Gleam compiler's handling of git dependencies allows arbitrary file system modification during dependency download.

Dependency names from gleam.toml and manifest.toml are incorporated into filesystem paths without sufficient validation or confinement to the intended dependency directory, allowing attacker-controlled paths (via relative traversal such as ../ or absolute paths) to target filesystem locations outside that directory. When resolving git dependencies (e.g. via gleam deps download), the computed path is used for filesystem operations including directory deletion and creation.

This vulnerability occurs during the dependency resolution and download phase, which is generally expected to be limited to fetching and preparing dependencies within a confined directory. A malicious direct or transitive git

dependency can exploit this issue to delete and overwrite arbitrary directories outside the intended dependency directory, including attacker-chosen absolute paths, potentially causing data loss. In some environments, this may be further leveraged to achieve code execution, for example by overwriting git hooks or shell configuration files.

This issue affects Gleam from 1.9.0-rc1 until 1.15.3 and 1.16.0-rc1.

## Workaround

- Avoid using untrusted git dependencies, especially without pinning to a specific commit SHA
- Review dependency trees carefully, including transitive git dependencies
- Run dependency resolution commands in a restricted or isolated environment (e.g. containers)

## Configuration


The project must use git-based dependencies (direct or transitive). Projects that exclusively use Hex dependencies are not affected.

Projects that exclusively use trusted or personally controlled git dependencies, or dependencies pinned to verified commit SHAs, are not exposed.


**Database specific** 


```
{
  "cwe_ids": [
    "CWE-22"
  ],
  "cpe_ids": [],
  "capec_ids": [
    "CAPEC-139",
    "CAPEC-597"
  ]
}
```

### References

<https://github.com/gleam-lang/gleam/security/advisories/GHSA-vq5j-55vx-wq8j> 

<https://cna.erlef.org/cves/CVE-2026-32146.html> 

<https://github.com/gleam-lang/gleam/commit/1aa5d8e594b0aa240bb213fce6ee19c65e6d5bcf> 

<https://github.com/gleam-lang/gleam/commit/55bb36e6d7febfbbc48c4d001e0ae13eb0312d78> 

### Credits

John Downey - REMEDIATION\_DEVELOPER

Louis Pilfold - ANALYST

Jonatan Männchen / EEF - COORDINATOR

## Affected packages

**Git**  
[github.com/gleam-lang/gleam](https://github.com/gleam-lang/gleam)

---

### Affected ranges [↗](#)

**Type** GIT  
**Repo** <https://github.com/gleam-lang/gleam>  
**Events** Introduced  
[a4fde22445ab8e5cc79c2ff48971616cb570702c](#) [↗](#)  
Fixed  
[1aa5d8e594b0aa240bb213fce6ee19c65e6d5bcf](#) [↗](#)  
Fixed  
[55bb36e6d7febfbbc48c4d001e0ae13eb0312d78](#) [↗](#)

---

### Affected versions [↗](#)

▶ v1.\*

---

### Database specific [↗](#)

▶ source

---