



# Plugin Directory

source: [zip-code-based-content-protection / trunk / public / class-zipcode-bcp-public.php](#)

Last change on this file was 3464999, checked in by PressTigers, 6 weeks ago

Released security update version 1.0.3

File size: 10.0 KB

Line	
1	<code>&lt;?php</code>
2	<code>/**</code>
3	<code> * The public-facing functionality of the plugin.</code>
4	<code> *</code>
5	<code> * @link      https://www.presstigers.com/</code>
6	<code> * @since    1.0.0</code>
7	<code> *</code>
8	<code> * @package  Zipcode_BCP</code>
9	<code> * @subpackage Zipcode_BCP/public</code>
10	<code> */</code>
11	
12	<code>/**</code>
13	<code> * The public-facing functionality of the plugin.</code>
14	<code> *</code>
15	<code> * Defines the plugin name, version, and two examples hooks for how to</code>
16	<code> * enqueue the public-facing stylesheet and JavaScript.</code>
17	<code> *</code>
18	<code> * @package  Zipcode_BCP</code>
19	<code> * @subpackage Zipcode_BCP/public</code>
20	<code> * @author   PressTigers &lt;support@presstigers.com&gt;</code>
21	<code> */</code>
22	<code>class Zipcode_BCP_Public {</code>
23	
24	<code>    /**</code>
25	<code>     * The ID of this plugin.</code>
26	<code>     *</code>
27	<code>     * @since    1.0.0</code>
28	<code>     * @access   private</code>
29	<code>     * @var      string    \$plugin_name    The ID of this plugin.</code>
30	<code>     */</code>
31	<code>    private \$plugin_name;</code>
32	
33	<code>    /**</code>
34	<code>     * The version of this plugin.</code>
35	<code>     *</code>
36	<code>     * @since    1.0.0</code>
37	<code>     * @access   private</code>
38	<code>     * @var      string    \$version    The current version of this plugin.</code>
39	<code>     */</code>
40	<code>    private \$version;</code>
41	
42	<code>    /**</code>
43	<code>     * Initialize the class and set its properties.</code>
44	<code>     *</code>
45	<code>     * @since    1.0.0</code>
46	<code>     * @param    string \$plugin_name    The name of the plugin.</code>

```

Line
47      * @param      string $version      The version of this plugin.
48      */
49      public function __construct( $plugin_name, $version ) {
50
51          $this->plugin_name = $plugin_name;
52          $this->version      = $version;
53      }
54
55      /**
56       * Register the stylesheets for the public-facing side of the site.
57       *
58       * @since      1.0.0
59       */
60      public function zbcplib_enqueue_styles() {
61
62          wp_enqueue_style( $this->plugin_name, plugin_dir_url( __FILE__ ) . 'css/zipcode-bcp-
public.css', array(), $this->version, 'all' );
63      }
64
65      /**
66       * Register the JavaScript for the public-facing side of the site.
67       *
68       * @since      1.0.0
69       */
70      public function zbcplib_enqueue_scripts() {
71
72          wp_enqueue_script( $this->plugin_name, plugin_dir_url( __FILE__ ) . 'js/zipcode-bcp-
public.js', array( 'jquery' ), $this->version, false );
73          $options
74          $cdzplib_settings_no_valid_email = get_option( 'cdzplib_settings_no_valid_email' );
75          wp_localize_script(
76              $this->plugin_name,
77              'frontend_ajax_object',
78              array(
79                  'ajaxurl' => admin_url( 'admin-ajax.php' ),
80                  'cdzplib_settings_no_zipcode_added' => __( $options, 'zipcode-bcp' ),
81                  'cdzplib_settings_no_valid_email'
=> __( $cdzplib_settings_no_valid_email, 'zipcode-bcp' ),
82              )
83          );
84      }
85
86      /**
87       * Filtering the content
88       *
89       * @since      1.0.0
90       */
91      public function zbcplib_filter_page_and_post_content() {
92
93          if ( is_singular() ) {
94              global $post;
95              $post_id
96              = $post->ID;
97
98              $activate_zipcode_checkbox = get_post_meta( $post_id, 'activate_zipcode_checkbox', true );
99              $screens
100             = get_option( 'cdzplib_settings_for_checkbox' );
101             $post_type
102             = get_post_type( $post_id );
103
104             if ( in_array( $post_type, $screens ) && $activate_zipcode_checkbox == 1 && ! isset( $_COOKIE[ 'zipcode-
view-content-' . $post_id ] ) ) {
105                 $url = site_url() . '/zipcode-bcp/redirect/zipcode/?id=' . $post_id . '';
106                 wp_safe_redirect( $url, '302' );
107                 exit();
108             }
109         }

```

Line	
104	}
105	}
106	
107	/**
108	* Function for setting the rule.
109	*
110	* @since 1.0.0
111	*/
112	public function <b>zbcpr_rewrite_rule</b> () {
113	add_rewrite_rule( '^zipcode-bcp/redirect/zipcode/?\$', 'index.php?pg=zipcode-
114	bcp', 'top' );
115	global \$wp_rewrite;
116	\$wp_rewrite->flush_rules();
117	}
118	/**
119	* Function for adding the query vars for the plugin.
120	*
121	* @since 1.0.0
122	*/
123	public function <b>zbcpr_register_query_var</b> ( \$vars ) {
124	\$vars[] = 'pg';
125	\$vars[] = 'id';
126	return \$vars;
127	}
128	
129	/**
130	* Function for loading the template.
131	*
132	* @since 1.0.0
133	*/
134	public function <b>zbcpr_load_templates</b> () {
135	
136	if ( get_query_var( 'pg' ) ) {
137	if ( get_query_var( 'pg' ) == 'zipcode-bcp' ) {
138	add_filter(
139	'template_include',
140	function () {
141	return plugin_dir_path( __DIR__ ) . 'public/partials/zipcode-bcp-public-display.php';
142	}
143	);
144	return;
145	}
146	}
147	}
148	
149	/**
150	* function for handling the ajax request of zipcode search form
151	*
152	* @since 1.0.0
153	*/
154	public function <b>is_valid_zip_code</b> ( \$zip_codes ) {
155	return ( preg_match( '/^[a-zA-Z0-9]{4,8}(-[0-9]{4})?\$/ ', \$zip_codes ) ) ? true : false;
156	}
157	public function <b>check_zipcode_from_post_page_meta</b> () {
158	
159	if (
160	! isset( \$_POST['nonce'] )
161	! wp_verify_nonce( \$_POST['nonce'], 'zbcpr_check_zipcode' )
162	) {

```

Line
163         wp_send_json_error( 'Invalid security token' );
164     }
165
166     $post_id           = sanitize_text_field( $_POST['post_id'] );
167     $zipcode           = sanitize_text_field( $_POST['zipcode'] );
168     $post_page_zipcode_select
= get_post_meta( $post_id, 'post_page_zipcode_select', true );
169
170 $cdzc_settings_not_providing_services = get_option( 'cdzc_settings_not_providing_services' );
171 $cdzc_settings_no_zipcode_added       = get_option( 'cdzc_settings_no_zipcode_added' );
172 $is_valid_format                       = $this-
>is_valid_zip_code( sanitize_text_field( $_POST['zipcode'] ) );
173     if ( $is_valid_format ) {
174         if ( isset( $_POST['zipcode'] ) ) {
175             if ( in_array( $zipcode, $post_page_zipcode_select ) ) {
176                 $cookie_name = 'zipcode-view-content-' . $post_id;
177                 $cookie_value = $zipcode . '-' . $post_id;
178                 setcookie( $cookie_name, $cookie_value, time() + ( 86400 * 30 ), '/' ); // 86400 = 1 day
179                 $url = get_the_permalink( $post_id );
180                 echo json_encode(
181                     array(
182                         'status'      => true,
183                         'showSearch' => false,
184                         'result'     => $url,
185                     )
186                 );
187             } else {
188                 global $wpdb;
189                 $prefix = $wpdb->prefix;
190                 // Check someone already requested for this ZIP Code
191                 $table = $prefix . 'zipcode_requested';
192                 $count = $wpdb->get_var(
193                     $wpdb->prepare(
194                         "SELECT COUNT(*) FROM {$table} WHERE zipcode =
195                         %s",
196                         $zipcode
197                     )
198                 );
199                 // Already requested by someone else
200                 if ( $this-
>zbcpc_is_cookies_exist( 'is_requested', $zipcode ) != 2 ) {
201                     // User not requested for this Zip code
202                     $this->zbcpc_set_ip_cookies( 'is_requested', $zipcode );
203                     if ( $count ) {
204                         $zip_codes = $wpdb->get_results(
205                             $wpdb->prepare(
206                                 "SELECT * FROM {$table} WHERE
207                                 zipcode = %s",
208                                 $zipcode
209                             ),
210                             ARRAY_A
211                         );
212                         $zip_codes      = $zip_codes[0];
213                         $request_count = $zip_codes['request_count'];
214                         ++$request_count;
215                         $zip_codes['request_count'] = $request_count;
216                         $wpdb->update( $wpdb-
>prefix . 'zipcode_requested', $zip_codes, array( 'id' => $zip_codes['id'] ) );
217                     } else {

```

Line	
218	<code>\$zipcode_data = array(</code>
219	<code>    'zipcode' =&gt; \$zipcode,</code>
220	<code>    'request_count' =&gt; 1,</code>
221	<code>);</code>
222	
223	<code>\$wpdb-&gt;insert(</code>
224	<code>    \$wpdb-&gt;prefix . 'zipcode_requested',</code>
225	<code>    \$zipcode_data,</code>
226	<code>    array( '%s', '%d' )</code>
227	<code>);</code>
228	<code>}</code>
229	<code>}</code>
230	<code>echo json_encode(</code>
231	<code>    array(</code>
232	<code>        'status' =&gt; false,</code>
233	<code>        'showSearch' =&gt; true,</code>
234	<code>        'result' =&gt; __(</code>
235	<code>            \$cdzc_settings_not_providing_services,</code>
236	<code>            'zipcode-bcp'</code>
237	<code>        ),</code>
238	<code>    );</code>
239	<code>};</code>
240	<code>}</code>
241	<code>} else {</code>
242	<code>    echo json_encode(</code>
243	<code>        array(</code>
244	<code>            'status' =&gt; false,</code>
245	<code>            'showSearch' =&gt; false,</code>
246	<code>            'result' =&gt; __(</code>
247	<code>                \$cdzc_settings_no_zipcode_added,</code>
248	<code>                'zipcode-bcp'</code>
249	<code>            ),</code>
250	<code>        );</code>
251	<code>};</code>
252	<code>}</code>
253	<code>} else {</code>
254	<code>    echo json_encode(</code>
255	<code>        array(</code>
256	<code>            'status' =&gt; false,</code>
257	<code>            'result' =&gt; __(</code>
258	<code>                'Invalid Format',</code>
259	<code>                'zipcode-bcp'</code>
260	<code>            ),</code>
261	<code>        );</code>
262	<code>};</code>
263	<code>}</code>
264	<code>die();</code>
265	<code>}</code>
266	
267	<code>// set cookies with IP</code>
268	<code>public function zbcg_set_ip_cookies( \$ip, \$zip ) {</code>
269	<code>    \$cookie_expire_on = time() + 60 * 60 * 24 * 30;</code>
270	<code>    \$cookies_exist = \$this-&gt;zbcg_is_cookies_exist( \$ip, \$zip );</code>
271	
272	<code>if ( \$cookies_exist == 0 ) {</code>
273	<code>    setcookie( \$ip, \$zip, \$cookie_expire_on, '/' );</code>
274	<code>} elseif ( \$cookies_exist == 1 ) {</code>
275	<code>    \$zips = sanitize_text_field( \$_COOKIE[ \$ip ] );</code>
276	<code>    \$zips = \$zips . ',' . \$zip;</code>
277	<code>    setcookie( \$ip, \$zips, \$cookie_expire_on, '/' );</code>
278	<code>}</code>

```

Line
279     }
280
281     /**
282     * Check cookies already exist or not
283     * 0 - Not exist
284     * 1 - Exist but not added Ip
285     * 2 - Exist with IP
286     *
287     * @since 1.0.0
288     */
289     public function zbcpc_is_cookies_exist( $ip, $zip ) {
290
291         if ( ! isset( $_COOKIE[ $ip ] ) ) {
292             return 0;
293         } else {
294             $ips      = array_map( 'sanitize_text_field', $_COOKIE[ $ip ] );
295             $zipcodes = explode( ',', $ips );
296             foreach ( $zipcodes as $zipcode ) {
297                 if ( $zipcode == $zip ) {
298                     return 2;
299                 }
300             }
301             return 1;
302         }
303     }
304
305     /**
306     * Function for validation of zipcode
307     *
308     * @since 1.0.0
309     */
310
311
312     /**
313     * function for handling the ajax request of submit email form
314     *
315     * @since 1.0.0
316     */
317     public function submit_email_against_zipcode() {
318
319         if (
320             ! isset( $_POST['nonce'] ) ||
321             ! wp_verify_nonce( $_POST['nonce'], 'zbcpc_submit_email_zipcode' )
322         ) {
323             wp_send_json_error( 'Invalid security token' );
324         }
325
326         $email      = sanitize_email( $_POST['email'] );
327         $zipcode     = sanitize_text_field( $_POST['zipcode'] );
328         $post_id    = intval( $_POST['post_id'] );
329         $post_type  = sanitize_text_field( $_POST['post_type'] );
330         $post_title = sanitize_title( $_POST['post_title'] );
331
332         $cdzpc_settings_not_providing_services = get_option( 'cdzpc_settings_not_providing_services' );
333         $cdzpc_settings_no_zipcode_added      = get_option( 'cdzpc_settings_no_zipcode_added' );
334
335         $cdzpc_settings_user_already_requested = get_option( 'cdzpc_settings_user_already_requested' );
336         $cdzpc_settings_thankyou_for_email    = get_option( 'cdzpc_settings_thankyou_for_email' );
337
338         global $wpdb;

```

```

Line
339     $prefix = $wpdb->prefix;
340     $table  = $prefix . 'zipcode_requested_users';
341
342     $count = $wpdb->get_var(
343         $wpdb->prepare(
344             "SELECT COUNT(*) FROM {$table} WHERE user_email = %s AND zipcode = %s",
345             $email,
346             $zipcode
347         )
348     );
349
350     if ( $count ) {
351         echo json_encode(
352             array(
353                 'status' => false,
354                 'result' => __(
355                     $cdzc_settings_user_already_requested,
356                     'zipcode-bcp'
357                 ),
358             )
359         );
360         die();
361     } else {
362         $zipcode_data = array();
363         $zipcode_data['zipcode'] = $zipcode;
364         $zipcode_data['user_email'] = $email;
365         $zipcode_data['post_id'] = $post_id;
366         $zipcode_data['post_type'] = $post_type;
367         $zipcode_data['post_title'] = $post_title;
368
369         $result = $wpdb->insert( $wpdb-
>prefix . 'zipcode_requested_users', $zipcode_data );
370         echo json_encode(
371             array(
372                 'status' => true,
373                 'result' => __(
374                     $cdzc_settings_thankyou_for_email,
375                     'zipcode-bcp'
376                 ),
377             )
378         );
379         die();
380     }
381     die();
382 }
383 }

```

[About](#)[Showcase](#)[Learn](#)[Get Involved](#)[News](#)[Themes](#)[Documentation](#)[Events](#)[Hosting](#)[Plugins](#)[Developers](#)[Donate ↗](#)[Privacy](#)[Patterns](#)[WordPress.tv ↗](#)[Five for the Future](#)

[WordPress.com ↗](#)

[Matt ↗](#)

[bbPress ↗](#)

[BuddyPress ↗](#)



CODE IS POETRY

The WordPress® trademark is the intellectual property of the WordPress Foundation.