



Plugin Directory

Changeset 3464204 for pagelayer

Timestamp: 02/18/2026 10:29:02 AM (6 weeks ago)

Author: softaculous

Message: New version 2.0.8

Location: [pagelayer/trunk](#)

Files: 6 edited

- [css/pagelayer-editor.css](#) (1 diff)
- [init.php](#) (1 diff)
- [main/ajax.php](#) (7 diffs)
- [main/functions.php](#) (2 diffs)
- [pagelayer.php](#) (1 diff)
- [readme.txt](#) (2 diffs)

Unmodified Added Removed

pagelayer/trunk/css/pagelayer-editor.css Tabular | Unified

r3384061r3464204

2601	2601	}
2602	2602	
	2603	.pagelayer-widget-group h5:only-child,
	2604	.pagelayer-leftbar-group h5:only-child{
	2605	display: none;
	2606	}
	2607	
2603	2608	.pagelayer-global-widget-pro{
2604	2609	text-align: center;

pagelayer/trunk/init.php Tabular | Unified

r3411050r3464204

6	6	define('PAGELAYER_BASE', plugin_basename(PAGELAYER_FILE));
7	7	define('PAGELAYER_PREMIUM_BASE', 'pagelayer-pro/pagelayer-pro.php');
8		define('PAGELAYER_VERSION', '2.0.7');
	8	define('PAGELAYER_VERSION', '2.0.8');
9	9	define('PAGELAYER_DIR', dirname(PAGELAYER_FILE));
10	10	define('PAGELAYER_SLUG', 'pagelayer');

pagelayer/trunk/main/ajax.php Tabular | Unified

r3384061r3464204

228	228	
229	229	// Restrict contributors from setting 'publish' or modifying unauthorized fields
230		\$can_publish = current_user_can(\$post_type_obj->cap->publish_posts);
231		if(!\$can_publish){
	230	\$current_user_can_publish = current_user_can(\$post_type_obj->cap->publish_posts);
	231	if(!\$current_user_can_publish){

```

r3384061r3464204
232 232         if(!in_array($post['post_status'], ['draft', 'pending'])){
233 233             $post['post_status'] = 'pending'; // Force pending status
...
337 337
338 338         // Any contact templates ?
339 339         if(!empty($_REQUEST['contacts'])){
340 340             if(!empty($_REQUEST['contacts']) && $current_user_can_publish){
341 341                 update_post_meta($postID, 'pagelayer_contact_templates', $_REQUEST['contacts']);
...
1271 1271         if(isset($formdata['cfa-custom-template']) && !empty($formdata['cfa-post-id'])){
1272 1272             $post_id = (int) $formdata['cfa-post-id'];
1273
1274             if(!empty($post_id)){
1275                 if(!empty($post_id) && ( get_post_status( $post_id ) === 'publish' ||
current_user_can('publish_posts') )){
1276                     $contact_array = get_post_meta($post_id, 'pagelayer_contact_templates', true);
...
1328 1328             }
1329 1329
1330 1330             if(is_array($i)){
1331                 $i = pagelayer_flat_join($i);
1332             }
1333
1334             // Record a reply to if it is to be used
1335             if(is_email(trim($i)) && empty($reply_to)){
1336                 $reply_to = trim($i);
1337             }
1338
1339             $body .= $k."\t : \t ".$k."\n";
1340
1341             $body .= "\n\n --\n This e-mail was sent from a contact form (".get_home_url().)";
1342
1343         }
1344
1345         // Add attachment
1346         if(!empty($_FILES)){
1347             add_action('phpmailer_init', 'pagelayer_cf_email_attachment', 10, 1);
1348         }
1349
1350         $sanitized_data = array();
1351
1352         // If we are using HTML, then we should escape html as well
1353         foreach($formdata as $k => $i){
1354             if(is_array($i)){
1355                 $i = pagelayer_flat_join($i);
1356             }
1357
1358             $i = pagelayer_esc_crlf($i);
1359
1360             if(!empty($use_html)){
1361                 $i = esc_html($i);
1362             }
1363
1364             // Sanitize text field
1365             $i = sanitize_text_field($i);
1366

```

r3384061r3464204	
1361	<code>// Record a reply to if it is to be used</code>
1362	<code>if(is_email(\$i) && empty(\$reply_to)){</code>
1363	<code> \$reply_to = \$i;</code>
1364	<code>}</code>
1365	
1366	<code> \$\$sanitized_data[\$k] = \$i;</code>
1345	<code>}</code>
1346	<code>1368</code>
...	...
1350	<code>1372</code>
1351	<code>1373</code>
1352	<code>// Add attachment</code>
1353	<code>if(!empty(\$_FILES)){</code>
1354	<code> add_action('phpmailer_init', 'pagelayer_cf_email_attachment', 10, 1);</code>
1355	<code>}</code>
1356	
1357	<code>// If we are using HTML, then we should escape html as well</code>
1358	<code>if(!empty(\$use_html)){</code>
1359	<code> foreach(\$formdata as \$k => \$i){</code>
1360	
1361	<code> if(is_array(\$i)){</code>
1362	<code> \$i = pagelayer_flat_join(\$i);</code>
1363	<code> }</code>
1364	
1365	<code> \$formdata[\$k] = esc_html(\$i);</code>
1366	<code> }</code>
1367	<code>}</code>
1368	
1369	<code>1374 // Add Site Title as option in formdata</code>
1370	<code>\$formdata['site_title'] = get_bloginfo('name');</code>
1375	<code>\$\$sanitized_data['site_title'] = get_bloginfo('name');</code>
1371	<code>1376</code>
1372	<code>1377 // Do parse a variables</code>
1373	<code>\$to_mail = pagelayer_replace_vars(\$to_mail, \$formdata, '\$');</code>
1374	<code>\$from_mail = pagelayer_replace_vars(\$from_mail, \$formdata, '\$');</code>
1375	<code>\$subject = pagelayer_replace_vars(\$subject, \$formdata, '\$');</code>
1376	<code>\$headers = pagelayer_replace_vars(\$headers, \$formdata, '\$');</code>
1377	<code>\$body = pagelayer_replace_vars(\$body, \$formdata, '\$');</code>
1378	<code>\$to_mail = pagelayer_replace_vars(\$to_mail, \$\$sanitized_data, '\$');</code>
1379	<code>\$from_mail = pagelayer_replace_vars(\$from_mail, \$\$sanitized_data, '\$');</code>
1380	<code>\$subject = pagelayer_replace_vars(\$subject, \$\$sanitized_data, '\$');</code>
1381	<code>\$headers = pagelayer_replace_vars(\$headers, \$\$sanitized_data, '\$');</code>
1382	<code>\$body = pagelayer_replace_vars(\$body, \$\$sanitized_data, '\$');</code>
1378	<code>1383</code>
1379	<code>1384 if (\$use_html && ! preg_match('%<html[>\s].*</html>%is', \$body)) {</code>
...	...
1388	<code>1393 }</code>
1389	<code>1394</code>
1390	<code>\$to_mail = apply_filters('pagelayer_contact_send', \$to_mail, \$formdata);</code>
1395	<code>\$to_mail = apply_filters('pagelayer_contact_send', \$to_mail, \$\$sanitized_data);</code>
1391	<code>1396</code>
1392	<code>1397 // Send the email</code>

pagelayer/trunk/main/functions.php

Tabular | Unified

r3411050r3464204	
1291	<code>1291</code>
1292	<code>1292 // These events not start with on</code>
1293	<code>\$not_allowed = array('click', 'dblclick', 'mousedown', 'mousemove', 'mouseout', 'mouseover', 'mouseup', 'load', 'unload', 'change', 'submit', 'reset', 'select', 'blur', 'focus', 'keydown', 'keypress', 'keyup', 'afterprint', 'beforeprint', 'beforeunload', 'error', 'hashchange',</code>

r3411050r3464204		'message', 'offline', 'online', 'pagehide', 'pageshow', 'popstate', 'resize', 'storage', 'contextmenu', 'input', 'invalid', 'search', 'mousewheel', 'wheel', 'drag', 'dragend', 'dragenter', 'dragleave', 'dragover', 'dragstart', 'drop', 'scroll', 'copy', 'cut', 'paste', 'abort', 'canplay', 'canplaythrough', 'cuechange', 'durationchange', 'emptied', 'ended', 'loadeddata', 'loadedmetadata', 'loadstart', 'pause', 'play', 'playing', 'progress', 'ratechange', 'seeked', 'seeking', 'stalled', 'suspend', 'timeupdate', 'volumechange', 'waiting', 'toggle', 'animationstart', 'animationcancel', 'animationend', 'animationiteration', 'auxclick', 'beforeinput', 'beforematch', 'beforexrselect', 'compositionend', 'compositionstart', 'compositionupdate', 'contentvisibilityautostatechange', 'focusout', 'focusin', 'fullscreenchange', 'fullscreenerror', 'gotpointercapture', 'lostpointercapture', 'mouseenter', 'mouseleave', 'pointercancel', 'pointerdown', 'pointerenter', 'pointerleave', 'pointermove', 'pointerout', 'pointerover', 'pointerrawupdate', 'pointerup', 'scrollend', 'securitypolicyviolation', 'touchcancel', 'touchend', 'touchmove', 'touchstart', 'transitioncancel', 'transitionend', 'transitionrun', 'transitionstart', 'MozMousePixelScroll', 'DOMActivate', 'afterscriptexecute', 'beforescriptexecute', 'DOMMouseScroll', 'willreveal', 'gesturechange', 'gestureend', 'gesturestart', 'mouseforcechanged', 'mouseforcedown', 'mouseforceup', 'mouseforceup');
1293		\$not_allowed = array('click', 'dblclick', 'mousedown', 'mousemove', 'mouseout', 'mouseover', 'mouseup', 'load', 'unload', 'change', 'submit', 'reset', 'select', 'blur', 'focus', 'keydown', 'keypress', 'keyup', 'afterprint', 'beforeprint', 'beforeunload', 'error', 'hashchange', 'message', 'offline', 'online', 'pagehide', 'pageshow', 'popstate', 'resize', 'storage', 'contextmenu', 'input', 'invalid', 'search', 'mousewheel', 'wheel', 'drag', 'dragend', 'dragenter', 'dragleave', 'dragover', 'dragstart', 'drop', 'scroll', 'copy', 'cut', 'paste', 'abort', 'canplay', 'canplaythrough', 'cuechange', 'durationchange', 'emptied', 'ended', 'loadeddata', 'loadedmetadata', 'loadstart', 'pause', 'play', 'playing', 'progress', 'ratechange', 'seeked', 'seeking', 'stalled', 'suspend', 'timeupdate', 'volumechange', 'waiting', 'toggle', 'animationstart', 'animationcancel', 'animationend', 'animationiteration', 'auxclick', 'beforeinput', 'beforematch', 'beforexrselect', 'compositionend', 'compositionstart', 'compositionupdate', 'contentvisibilityautostatechange', 'focusout', 'focusin', 'fullscreenchange', 'fullscreenerror', 'gotpointercapture', 'lostpointercapture', 'mouseenter', 'mouseleave', 'pointercancel', 'pointerdown', 'pointerenter', 'pointerleave', 'pointermove', 'pointerout', 'pointerover', 'pointerrawupdate', 'pointerup', 'scrollend', 'securitypolicyviolation', 'touchcancel', 'touchend', 'touchmove', 'touchstart', 'transitioncancel', 'transitionend', 'transitionrun', 'transitionstart', 'MozMousePixelScroll', 'DOMActivate', 'afterscriptexecute', 'beforescriptexecute', 'DOMMouseScroll', 'willreveal', 'gesturechange', 'gestureend', 'gesturestart', 'mouseforcechanged', 'mouseforcedown', 'mouseforceup', 'mouseforceup', 'beforetoggle');
1294	1294	
1295	1295	\$not_allowed = implode(' ', \$not_allowed);
...	...	
3985	3985	return false;
3986	3986	}
3987	3987	
3988	3988	function pagelayer_esc_crlf(\$value){
3989	3989	
3990	3990	// Remove CRLF to prevent header injection
3991	3991	\$value = str_replace(array("\r", "\n", "%0a", "%0d"), '', \$value);
3992	3992	
3993	3993	// Trim spaces
3994	3994	\$value = trim(\$value);
3995	3995	
3996	3996	return \$value;
3997	3997	}

pagelayer/trunk/pagelayer.php		Tabular Unified
r3411050r3464204		
4	4	Plugin URI: http://wordpress.org/plugins/pagelayer/
5	5	Description: Pagelayer is a WordPress page builder plugin. Its very easy to use and very light on the browser.
6	6	Version: 2.0.7
6	6	Version: 2.0.8
7	7	Author: Pagelayer Team
8	8	Author URI: https://pagelayer.com/

```

pagelayer/trunk/readme.txt
r3411050r3464204
5 5 Tested up to: 6.9
6 6 Requires PHP: 5.5
7 Stable tag: 2.0.7
7 Stable tag: 2.0.8
8 8 License: LGPL v2.1
9 9 License URI: http://www.gnu.org/licenses/lgpl-2.1.html
...
132 132 == Changelog ==
133 133
134 = 2.0.8 (FEB 16, 2026) =
135 * [Bug Fix] Improved XSS security checks.
136 * [Bug Fix] Sanitized the contact form "Reply-To" header to prevent CRLF injection.
137 * [Bug Fix] Restricted low-level users from adding custom templates in the contact form.
138
139 = 2.0.7 (DEC 02, 2025) =
140 * [Task] Tested compatibility with WordPress 6.9.

```

[About](#)

[Showcase](#)

[Learn](#)

[Get Involved](#)

[News](#)

[Themes](#)

[Documentation](#)

[Events](#)

[Hosting](#)

[Plugins](#)

[Developers](#)

[Donate ↗](#)

[Privacy](#)

[Patterns](#)

[WordPress.tv ↗](#)

[Five for the Future](#)

[WordPress.com ↗](#)

[Matt ↗](#)

[bbPress ↗](#)

[BuddyPress ↗](#)



CODE IS POETRY

The WordPress® trademark is the intellectual property of the WordPress Foundation.