



Plugin Directory

Changeset 3464204 for pagelayer

Timestamp: 02/18/2026 10:29:02 AM (6 weeks ago)

Author: softaculous

Message: New version 2.0.8

Location: [pagelayer/trunk](#)

Files: 6 edited

- [css/pagelayer-editor.css](#) (1 diff)
- [init.php](#) (1 diff)
- [main/ajax.php](#) (7 diffs)
- [main/functions.php](#) (2 diffs)
- [pagelayer.php](#) (1 diff)
- [readme.txt](#) (2 diffs)

Unmodified Added Removed

[pagelayer/trunk/css/pagelayer-editor.css](#) Tabular | Unified

r3384061r3464204

2601	2601	}
2602	2602	
	2603	.pagelayer-widget-group h5:only-child,
	2604	.pagelayer-leftbar-group h5:only-child{
	2605	display: none;
	2606	}
	2607	
2603	2608	.pagelayer-global-widget-pro{
2604	2609	text-align: center;

[pagelayer/trunk/init.php](#) Tabular | Unified

r3411050r3464204

6	6	define('PAGELAYER_BASE', plugin_basename(PAGELAYER_FILE));
7	7	define('PAGELAYER_PREMIUM_BASE', 'pagelayer-pro/pagelayer-pro.php');
8		define('PAGELAYER_VERSION', '2.0.7');
	8	define('PAGELAYER_VERSION', '2.0.8');
9	9	define('PAGELAYER_DIR', dirname(PAGELAYER_FILE));
10	10	define('PAGELAYER_SLUG', 'pagelayer');

[pagelayer/trunk/main/ajax.php](#) Tabular | Unified

r3384061r3464204

228	228	
229	229	// Restrict contributors from setting 'publish' or modifying unauthorized fields
230		\$can_publish = current_user_can(\$post_type_obj->cap->publish_posts);
231		if(!\$can_publish){
	230	\$current_user_can_publish = current_user_can(\$post_type_obj->cap->publish_posts);
	231	if(!\$current_user_can_publish){

```

r3384061r3464204
232 232         if(!in_array($post['post_status'], ['draft', 'pending'])){
233 233             $post['post_status'] = 'pending'; // Force pending status
...
337 337
338 338         // Any contact templates ?
339 339         if(!empty($_REQUEST['contacts'])){
340 340             if(!empty($_REQUEST['contacts']) && $current_user_can_publish){
341 341                 update_post_meta($postID, 'pagelayer_contact_templates', $_REQUEST['contacts']);
...
1271 1271         if(isset($formdata['cfa-custom-template']) && !empty($formdata['cfa-post-id'])){
1272 1272             $post_id = (int) $formdata['cfa-post-id'];
1273
1274             if(!empty($post_id)){
1273
1274                 if(!empty($post_id) && ( get_post_status( $post_id ) === 'publish' ||
current_user_can('publish_posts') )){
1275 1275                     $contact_array = get_post_meta($post_id, 'pagelayer_contact_templates', true);
1276 1276
...
1328 1328             }
1329 1329
1330
1331             if(is_array($i)){
1332                 $i = pagelayer_flat_join($i);
1333             }
1334
1335             // Record a reply to if it is to be used
1336             if(is_email(trim($i)) && empty($reply_to)){
1337                 $reply_to = trim($i);
1338             }
1339
1340             $body .= $k."\t : \t ".$i."\n";
1341
...
1343 1343         $body .= "\n\n --\n This e-mail was sent from a contact form (".get_home_url().)";
1344 1344
1336
1337     }
1338
1339     // Add attachment
1340     if(!empty($_FILES)){
1341         add_action('phpmailer_init', 'pagelayer_cf_email_attachment', 10, 1);
1342     }
1343
1344     $sanitized_data = array();
1345
1346     // If we are using HTML, then we should escape html as well
1347     foreach($formdata as $k => $i){
1348         if(is_array($i)){
1349             $i = pagelayer_flat_join($i);
1350         }
1351
1352         $i = pagelayer_esc_crlf($i);
1353
1354         if(!empty($use_html)){
1355             $i = esc_html($i);
1356         }
1357
1358         // Sanitize text field
1359         $i = sanitize_text_field($i);
1360

```

r3384061r3464204	
1361	<code>// Record a reply to if it is to be used</code>
1362	<code>if(is_email(\$i) && empty(\$reply_to)){</code>
1363	<code> \$reply_to = \$i;</code>
1364	<code>}</code>
1365	
1366	<code> \$\$sanitized_data[\$k] = \$i;</code>
1345	<code>}</code>
1346	<code>}</code>
...	...
1350	<code>}</code>
1351	<code>}</code>
1352	<code>// Add attachment</code>
1353	<code>if(!empty(\$_FILES)){</code>
1354	<code> add_action('phpmailer_init', 'pagelayer_cf_email_attachment', 10, 1);</code>
1355	<code>}</code>
1356	
1357	<code>// If we are using HTML, then we should escape html as well</code>
1358	<code>if(!empty(\$use_html)){</code>
1359	<code> foreach(\$formdata as \$k => \$i){</code>
1360	
1361	<code> if(is_array(\$i)){</code>
1362	<code> \$i = pagelayer_flat_join(\$i);</code>
1363	<code> }</code>
1364	
1365	<code> \$formdata[\$k] = esc_html(\$i);</code>
1366	<code> }</code>
1367	<code>}</code>
1368	
1369	<code>// Add Site Title as option in formdata</code>
1370	<code>\$formdata['site_title'] = get_bloggerinfo('name');</code>
1375	<code>\$\$sanitized_data['site_title'] = get_bloggerinfo('name');</code>
1371	<code>}</code>
1372	<code>// Do parse a variables</code>
1373	<code>\$to_mail = pagelayer_replace_vars(\$to_mail, \$formdata, '\$');</code>
1374	<code>\$from_mail = pagelayer_replace_vars(\$from_mail, \$formdata, '\$');</code>
1375	<code>\$subject = pagelayer_replace_vars(\$subject, \$formdata, '\$');</code>
1376	<code>\$headers = pagelayer_replace_vars(\$headers, \$formdata, '\$');</code>
1377	<code>\$body = pagelayer_replace_vars(\$body, \$formdata, '\$');</code>
1378	<code>\$to_mail = pagelayer_replace_vars(\$to_mail, \$\$sanitized_data, '\$');</code>
1379	<code>\$from_mail = pagelayer_replace_vars(\$from_mail, \$\$sanitized_data, '\$');</code>
1380	<code>\$subject = pagelayer_replace_vars(\$subject, \$\$sanitized_data, '\$');</code>
1381	<code>\$headers = pagelayer_replace_vars(\$headers, \$\$sanitized_data, '\$');</code>
1382	<code>\$body = pagelayer_replace_vars(\$body, \$\$sanitized_data, '\$');</code>
1378	<code>1383</code>
1379	<code>1384</code>
...	...
1388	<code>if (\$use_html && ! preg_match('%<html[>\s].*</html>%is', \$body)) {</code>
1389	<code>}</code>
1394	
1390	<code>\$to_mail = apply_filters('pagelayer_contact_send', \$to_mail, \$formdata);</code>
1395	<code>\$to_mail = apply_filters('pagelayer_contact_send', \$to_mail, \$\$sanitized_data);</code>
1391	<code>1396</code>
1392	<code>1397</code>
	<code>// Send the email</code>

pagelayer/trunk/main/functions.php

Tabular | Unified

r3411050r3464204	
1291	<code>1291</code>
1292	<code>1292</code>
1293	<code>// These events not start with on</code>
	<code>\$not_allowed = array('click', 'dblclick', 'mousedown', 'mousemove', 'mouseout', 'mouseover', 'mouseup', 'load', 'unload', 'change', 'submit', 'reset', 'select', 'blur', 'focus', 'keydown', 'keypress', 'keyup', 'afterprint', 'beforeprint', 'beforeunload', 'error', 'hashchange',</code>

r3411050r3464204		'message', 'offline', 'online', 'pagehide', 'pageshow', 'popstate', 'resize', 'storage', 'contextmenu', 'input', 'invalid', 'search', 'mousewheel', 'wheel', 'drag', 'dragend', 'dragenter', 'dragleave', 'dragover', 'dragstart', 'drop', 'scroll', 'copy', 'cut', 'paste', 'abort', 'canplay', 'canplaythrough', 'cuechange', 'durationchange', 'emptied', 'ended', 'loadeddata', 'loadedmetadata', 'loadstart', 'pause', 'play', 'playing', 'progress', 'ratechange', 'seeked', 'seeking', 'stalled', 'suspend', 'timeupdate', 'volumechange', 'waiting', 'toggle', 'animationstart', 'animationcancel', 'animationend', 'animationiteration', 'auxclick', 'beforeinput', 'beforematch', 'beforexrselect', 'compositionend', 'compositionstart', 'compositionupdate', 'contentvisibilityautostatechange', 'focusout', 'focusin', 'fullscreenchange', 'fullscreenerror', 'gotpointercapture', 'lostpointercapture', 'mouseenter', 'mouseleave', 'pointercancel', 'pointerdown', 'pointerenter', 'pointerleave', 'pointermove', 'pointerout', 'pointerover', 'pointerrawupdate', 'pointerup', 'scrollend', 'securitypolicyviolation', 'touchcancel', 'touchend', 'touchmove', 'touchstart', 'transitioncancel', 'transitionend', 'transitionrun', 'transitionstart', 'MozMousePixelScroll', 'DOMActivate', 'afterscriptexecute', 'beforescriptexecute', 'DOMMouseScroll', 'willreveal', 'gesturechange', 'gestureend', 'gesturestart', 'mouseforcechanged', 'mouseforcedown', 'mouseforceup', 'mouseforceup');
	1293	\$not_allowed = array('click', 'dblclick', 'mousedown', 'mousemove', 'mouseout', 'mouseover', 'mouseup', 'load', 'unload', 'change', 'submit', 'reset', 'select', 'blur', 'focus', 'keydown', 'keypress', 'keyup', 'afterprint', 'beforeprint', 'beforeunload', 'error', 'hashchange', 'message', 'offline', 'online', 'pagehide', 'pageshow', 'popstate', 'resize', 'storage', 'contextmenu', 'input', 'invalid', 'search', 'mousewheel', 'wheel', 'drag', 'dragend', 'dragenter', 'dragleave', 'dragover', 'dragstart', 'drop', 'scroll', 'copy', 'cut', 'paste', 'abort', 'canplay', 'canplaythrough', 'cuechange', 'durationchange', 'emptied', 'ended', 'loadeddata', 'loadedmetadata', 'loadstart', 'pause', 'play', 'playing', 'progress', 'ratechange', 'seeked', 'seeking', 'stalled', 'suspend', 'timeupdate', 'volumechange', 'waiting', 'toggle', 'animationstart', 'animationcancel', 'animationend', 'animationiteration', 'auxclick', 'beforeinput', 'beforematch', 'beforexrselect', 'compositionend', 'compositionstart', 'compositionupdate', 'contentvisibilityautostatechange', 'focusout', 'focusin', 'fullscreenchange', 'fullscreenerror', 'gotpointercapture', 'lostpointercapture', 'mouseenter', 'mouseleave', 'pointercancel', 'pointerdown', 'pointerenter', 'pointerleave', 'pointermove', 'pointerout', 'pointerover', 'pointerrawupdate', 'pointerup', 'scrollend', 'securitypolicyviolation', 'touchcancel', 'touchend', 'touchmove', 'touchstart', 'transitioncancel', 'transitionend', 'transitionrun', 'transitionstart', 'MozMousePixelScroll', 'DOMActivate', 'afterscriptexecute', 'beforescriptexecute', 'DOMMouseScroll', 'willreveal', 'gesturechange', 'gestureend', 'gesturestart', 'mouseforcechanged', 'mouseforcedown', 'mouseforceup', 'mouseforceup', 'beforetoggle');
	1294	1294
	1295	1295

	3985	3985
	3986	3986
	3987	3987
	3988	3988
	3989	3989
	3990	3990
	3991	3991
	3992	3992
	3993	3993
	3994	3994
	3995	3995
	3996	3996
	3997	3997

pagelayer/trunk/pagelayer.php

Tabular | Unified

r3411050r3464204		
4	4	Plugin URI: http://wordpress.org/plugins/pagelayer/
5	5	Description: Pagelayer is a WordPress page builder plugin. Its very easy to use and very light on the browser.
6	6	Version: 2.0.7
	6	Version: 2.0.8
7	7	Author: Pagelayer Team
8	8	Author URI: https://pagelayer.com/

pagelayer/trunk/readme.txt		Tabular	Unified
r3411050r3464204			
5	5	Tested up to: 6.9	
6	6	Requires PHP: 5.5	
7		Stable tag: 2.0.7	
	7	Stable tag: 2.0.8	
8	8	License: LGPL v2.1	
9	9	License URI: http://www.gnu.org/licenses/lgpl-2.1.html	
...	...		
132	132	== Changelog ==	
133	133		
	134	= 2.0.8 (FEB 16, 2026) =	
	135	* [Bug Fix] Improved XSS security checks.	
	136	* [Bug Fix] Sanitized the contact form "Reply-To" header to prevent CRLF injection.	
	137	* [Bug Fix] Restricted low-level users from adding custom templates in the contact form.	
	138		
134	139	= 2.0.7 (DEC 02, 2025) =	
135	140	* [Task] Tested compatibility with WordPress 6.9.	

[About](#)

[Showcase](#)

[Learn](#)

[Get Involved](#)

[News](#)

[Themes](#)

[Documentation](#)

[Events](#)

[Hosting](#)

[Plugins](#)

[Developers](#)

[Donate ↗](#)

[Privacy](#)

[Patterns](#)

[WordPress.tv ↗](#)

[Five for the Future](#)

[WordPress.com ↗](#)

[Matt ↗](#)

[bbPress ↗](#)

[BuddyPress ↗](#)



CODE IS POETRY

The WordPress® trademark is the intellectual property of the WordPress Foundation.