



Plugin Directory

Changeset 3495959 for w3-total-cache

Timestamp: 03/31/2026 07:38:33 PM (35 hours ago)

Author: boldgrid

Message: Release 2.9.4, see readme.txt for the changelog.

Location: [w3-total-cache/tags/2.9.4](#)

Files: ■ 1 deleted ■ 36 edited

- AGENTS.md
- BrowserCache_Plugin.php (1 diff)
- Cache_Memcached.php (2 diffs)
- Cache_Redis.php (2 diffs)
- Cdn_Core.php (1 diff)
- Cdn_Plugin.php (1 diff)
- DbCache_WpdbInjection_QueryCaching.php (1 diff)
- DbCache_WpdbLegacy.php (1 diff)
- DbCache_WpdbNew.php (1 diff)
- Extension_CloudFlare_Api.php (7 diffs)
- Extension_CloudFlare_Page.php (1 diff)
- Extension_CloudFlare_Plugin_Admin.php (3 diffs)
- Extension_ImageService_Environment.php (2 diffs)
- Generic_Plugin.php (11 diffs)
- Licensing_Plugin_Admin.php (14 diffs)
- ObjectCache_WpObjectCache_Regular.php (1 diff)
- PageSpeed_Data.php (13 diffs)
- PgCache_ContentGrabber.php (3 diffs)
- SetupGuide_Plugin_Admin.php (7 diffs)
- UserExperience_LazyLoad_Plugin.php (4 diffs)
- Util_PageSpeed.php (9 diffs)
- languages/w3-total-cache.pot (16 diffs)
- readme.txt (3 diffs)
- vendor/composer/installed.json (7 diffs)
- vendor/composer/installed.php (4 diffs)
- vendor/guzzlehttp/psr7/CHANGELOG.md (1 diff)
- vendor/guzzlehttp/psr7/composer.json (2 diffs)
- vendor/guzzlehttp/psr7/src/LimitStream.php (1 diff)
- vendor/guzzlehttp/psr7/src/MessageTrait.php (5 diffs)
- vendor/guzzlehttp/psr7/src/MimeType.php (66 diffs)
- vendor/guzzlehttp/psr7/src/MultipartStream.php (4 diffs)
- vendor/guzzlehttp/psr7/src/Request.php (1 diff)
- vendor/guzzlehttp/psr7/src/Uri.php (2 diffs)
- vendor/sebastian/comparator/ChangeLog.md (2 diffs)
- vendor/sebastian/comparator/src/ScalarComparator.php (1 diff)
- w3-total-cache-api.php (1 diff)
- w3-total-cache.php (1 diff)

Unmodified Added Removed

w3-total-cache/tags/2.9.4/BrowserCache_Plugin.php		Tabular	Unified
r3381447r3495959			
183	183	}	
184	184		
185		/**	
186		* Check User Agent	
187		*/	
188		\$http_user_agent = isset(\$_SERVER['HTTP_USER_AGENT']) ? sanitize_text_field(wp_unslash(
189		\$_SERVER['HTTP_USER_AGENT'])) : '';	
190		if (strstr(\$http_user_agent, W3TC_POWERED_BY) !== false) {	
191		return false;	
	185	} // Do not skip output buffering based on User-Agent (client-spoofable); see	
192	186	Generic_Plugin::can_ob().	
193	187	return true;	

w3-total-cache/tags/2.9.4/Cache_Memcached.php		Tabular	Unified
r3494743r3495959			
245	245	* Retrieves multiple cached values in a single request.	
246	246	*	
247		* @since 2.9.2	
	247	* @since 2.9.4	
248	248	*	
249	249	* @param array \$keys Cache keys.	
...	...		
294	294	* Stores multiple values in a single request.	
295	295	*	
296		* @since 2.9.2	
	296	* @since 2.9.4	
297	297	*	
298	298	* @param array \$items Map of cache key => payload.	

w3-total-cache/tags/2.9.4/Cache_Redis.php		Tabular	Unified
r3494743r3495959			
427	427	* Retrieves multiple cached values in a single request.	
428	428	*	
429		* @since 2.9.2	
	429	* @since 2.9.4	
430	430	*	
431	431	* @param array \$keys Cache keys.	
...	...		
480	480	* Stores multiple values in a single request.	
481	481	*	
482		* @since 2.9.2	
	482	* @since 2.9.4	
483	483	*	
484	484	* @param array \$items Map of cache key => payload.	

w3-total-cache/tags/2.9.4/Cdn_Core.php		Tabular	Unified
r3375858r3495959			
961	961		
962	962	case 'cloudflare':	
963		\$is_cdnfsd_authorized = ! empty(\$cloudflare_config['email']) &&	
964		! empty(\$cloudflare_config['key']) &&	

r3375858r3495959	
963	<code>\$is_cdnfsd_authorized = Extension_CloudFlare_Api::are_api_credentials_usable(</code>
964	<code>isset(\$cloudflare_config['email']) ? \$cloudflare_config['email'] : '',</code>
965	<code>isset(\$cloudflare_config['key']) ? \$cloudflare_config['key'] : ''</code>
966	<code>) &&</code>
965	<code>! empty(\$cloudflare_config['zone_id']) &&</code>
966	<code>! empty(\$cloudflare_config['zone_name']);</code>

w3-total-cache/tags/2.9.4/Cdn_Plugin.php

Tabular | Unified

r3494743r3495959	
111	<code>* @return void</code>
112	<code>*</code>
113	<code>* @since 2.9.2</code>
113	<code>* @since 2.9.4</code>
114	<code>*/</code>
115	<code>public function send_headers() {</code>

w3-total-cache/tags/2.9.4/DbCache_WpdbInjection_QueryCaching.php

Tabular | Unified

r3494743r3495959	
824	<code>* Clears request-wide dbcache reject state so subsequent queries can be reconsidered.</code>
825	<code>*</code>
826	<code>* @since 2.9.2</code>
826	<code>* @since 2.9.4</code>
827	<code>*</code>
828	<code>* @return void</code>

w3-total-cache/tags/2.9.4/DbCache_WpdbLegacy.php

Tabular | Unified

r3494743r3495959	
251	<code>* Returns the array of dbcache processors attached to this wpdb wrapper.</code>
252	<code>*</code>
253	<code>* @since 2.9.2</code>
253	<code>* @since 2.9.4</code>
254	<code>*</code>
255	<code>* @return array</code>

w3-total-cache/tags/2.9.4/DbCache_WpdbNew.php

Tabular | Unified

r3494743r3495959	
243	<code>* Returns the array of dbcache processors attached to this wpdb wrapper.</code>
244	<code>*</code>
245	<code>* @since 2.9.2</code>
245	<code>* @since 2.9.4</code>
246	<code>*</code>
247	<code>* @return array</code>

w3-total-cache/tags/2.9.4/Extension_CloudFlare_Api.php

Tabular | Unified

r3272823r3495959	
56	<code>* Constructs the Cloudflare API client with the provided configuration.</code>
57	<code>*</code>
58	<code>* @param array \$config Configuration array containing 'email', 'key', 'zone_id', and 'timelimit_api_request'.</code>
58	<code>* @param array \$config Configuration array containing 'key', 'zone_id', and 'timelimit_api_request'.</code>
59	<code>* 'email' is required only for the legacy Global API key (37 characters); API tokens omit it.</code>
59	<code>*</code>

```

r3272823r3495959
60 61 * @return void
61 62 */
62 63 public function __construct( $config ) {
63 64     $this->_email = $config['email'];
64 64     $this->_key = $config['key'];
65 64     $this->_email = isset( $config['email'] ) ? trim( (string) $config['email'] ) : '';
65 65     $this->_key = isset( $config['key'] ) ? trim( (string) $config['key'] ) : '';
65 66     $this->_zone_id = ( isset( $config['zone_id'] ) ? $config['zone_id'] : '' );
66 67
... ..
71 72     $this->_timelimit_api_request = $config['timelimit_api_request'];
72 73 }
74 }
75
76 /**
77  * Whether the key string is a legacy Global API Key (37 characters, legacy dashboard format).
78  *
79  * Any other length uses Bearer authentication for API tokens (including historical 40-
character
80  * tokens and newer Cloudflare token formats).
81  *
82  * @since 2.9.4
83  *
84  * @param string $key Raw key from settings or request.
85  *
86  * @return bool
87  */
88 public static function is_legacy_global_api_key_string( $key ) {
89     $key = trim( (string) $key );
90
91     return 37 === \strlen( $key );
92 }
93
94 /**
95  * Whether email and key are sufficient to authenticate to the Cloudflare v4 API.
96  *
97  * Global API keys require the account email. API tokens only require a non-empty token.
98  *
99  * @since 2.9.4
100  *
101  * @param string $email Account email (may be empty when using an API token).
102  * @param string $key Global API key or API token.
103  *
104  * @return bool
105  */
106 public static function are_api_credentials_usable( $email, $key ) {
107     $key = trim( (string) $key );
108     if ( '' === $key ) {
109         return false;
110     }
111
112     if ( self::is_legacy_global_api_key_string( $key ) ) {
113         return '' !== trim( (string) $email );
114     }
115
116     return true;
117 }
118
... ..
265 309 */
266 310 private function _wp_remote_request( $method, $url, $body = array() ) {

```

r3272823r3495959

```

267         if ( empty( $this->_email ) || empty( $this->_key ) ) {
311         if ( ! $this->_credentials_configured() ) {
268             throw new \Exception( \esc_html__( 'Not authenticated.', 'w3-total-cache' ) );
269         }
...
335     */
336     private function _wp_remote_request_with_meta( $method, $url, $body = array() ) {
337         if ( empty( $this->_email ) || empty( $this->_key ) ) {
381         if ( ! $this->_credentials_configured() ) {
338             throw new \Exception( \esc_html__( 'Not authenticated.', 'w3-total-cache' ) );
339         }
...
405     */
406     private function _wp_remote_request_graphql( $method, $url, $body ) {
407         if ( empty( $this->_email ) || empty( $this->_key ) ) {
451         if ( ! $this->_credentials_configured() ) {
408             throw new \Exception( \esc_html__( 'Not authenticated.', 'w3-total-cache' ) );
409         }
...
464     /**
465     * Whether the stored key matches the legacy Global API Key format (X-Auth-Key + X-Auth-
510     * Email).
511     *
512     * Cloudflare Global API keys are 37 characters. API tokens use Bearer auth and are opaque
513     * strings
514     * of varying lengths (including historical 40-character tokens and newer formats).
515     *
516     * @since 2.9.4
517     *
518     * @return bool
519     */
519     private function _is_legacy_global_api_key() {
520         return self::is_legacy_global_api_key_string( $this->_key );
521     }
522
523     /**
524     * Whether credentials are sufficient for the detected auth mode.
525     *
526     * API tokens require only a non-empty key. Legacy global keys also require the account email.
527     *
528     * @since 2.9.4
529     *
530     * @return bool
531     */
532     private function _credentials_configured() {
533         return self::are_api_credentials_usable( $this->_email, $this->_key );
534     }
535
536     /**
466     * Generates HTTP request headers for Cloudflare API requests.
467     *
...
471     */
472     private function _generate_wp_remote_request_headers() {
473         if ( empty( $this->_email ) || empty( $this->_key ) ) {
474             throw new \Exception( \esc_html__( 'Missing authentication email and/or API token /
global key.', 'w3-total-cache' ) );
475         }
476
477         $headers = array();
478

```

```

r3272823r3495959
479         if ( 40 === strlen( $this->_key ) ) { // CF API Token.
480             $headers = array(
481                 'Content-Type' => 'application/json',
482                 'Authorization' => 'Bearer ' . $this->_key,
544             if ( ! $this->_credentials_configured() ) {
545                 throw new \Exception(
546                     \esc_html__(
547                         'Missing API token, or Global API key with account email.',
548                         'w3-total-cache'
549                     )
550             );
484         } elseif ( 37 === strlen( $this->_key ) ) { // CF Legacy API Global Key.
485             $headers = array(
551             }
552
553             if ( $this->_is_legacy_global_api_key() ) {
554                 return array(
486                     'Content-Type' => 'application/json',
487                     'X-Auth-Key' => $this->_key,
488                     'X-Auth-Email' => $this->_email,
489                     558                 );
490             } else {
491                 throw new \Exception( \esc_html__( 'Improper API token / global key length.', 'w3-
total-cache' ) );
492             }
493
494             return $headers;
559         }
560
561         return array(
562             'Content-Type' => 'application/json',
563             'Authorization' => 'Bearer ' . $this->_key,
564         );
495     }
496 }

```

w3-total-cache/tags/2.9.4/Extension_CloudFlare_Page.php

Tabular | Unified

```

r3272823r3495959
64         64         $zone_id = $c->get_string( array( 'cloudflare', 'zone_id' ) );
65         65
66         if ( empty( $email ) || empty( $key ) || empty( $zone_id ) ) {
66             if ( empty( $zone_id ) || ! Extension_CloudFlare_Api::are_api_credentials_usable( $email,
$key ) ) {
67                 $state = 'not_configured';
68             } else {

```

w3-total-cache/tags/2.9.4/Extension_CloudFlare_Plugin_Admin.php

Tabular | Unified

```

r3381447r3495959
206         206         if (
207             207             $this->_config->get_boolean( array( 'cloudflare', 'enabled' ) ) &&
208             ! empty( $this->_config->get_string( array( 'cloudflare', 'email' ) ) ) &&
209             ! empty( $this->_config->get_string( array( 'cloudflare', 'key' ) ) ) &&
208             Extension_CloudFlare_Api::are_api_credentials_usable(
209                 $this->_config->get_string( array( 'cloudflare', 'email' ) ),
210                 $this->_config->get_string( array( 'cloudflare', 'key' ) )
211             ) &&
210             ! empty( $this->_config->get_string( array( 'cloudflare', 'zone_id' ) ) )
211         ) {
...

```

r3381447r3495959

```

280 282 $value = Util_Request::get_string( 'value' );
281 283 $nonce = Util_Request::get_string( '_wponce' );
284 $error = null;
282 285
283 286 if ( ! wp_verify_nonce( $nonce, 'w3tc' ) ) {
284 287     $error = 'Access denied.';
285     } elseif ( ! $email ) {
286         $error = 'Empty email.';
287     } elseif ( ! filter_var( $email, FILTER_VALIDATE_EMAIL ) ) {
288         $error = 'Invalid email.';
289 288     } elseif ( ! $key ) {
290 289         $error = 'Empty token / global key.';
291     } elseif ( ! $zone ) {
292         $error = 'Empty zone.';
293     } elseif ( strpos( $zone, '.' ) === false ) {
294         $error = 'Invalid domain.';
295     } elseif ( ! in_array( $action, $actions, true ) ) {
296         $error = 'Invalid action.';
297     } else {
298         $config = array(
299             'email' => $email,
300             'key'   => $key,
301             'zone'  => $zone,
302         );
303
304         @$this->api = new Extension_CloudFlare_Api( $config );
305
306         @set_time_limit( $this->config->get_integer( array( 'cloudflare',
'timelimit.api_request' ) ) ); // phpcs:ignore Squiz.PHP.DiscouragedFunctions.Discouraged
307         $response = $this->api->api_request( $action, $value );
308
309         if ( $response ) {
310             if ( 'success' === $response->result ) {
311                 $result = true;
312                 $error = 'OK';
290     } elseif ( Extension_CloudFlare_Api::is_legacy_global_api_key_string( $key ) ) {
291         if ( ! $email ) {
292             $error = 'Empty email.';
293         } elseif ( ! filter_var( $email, FILTER_VALIDATE_EMAIL ) ) {
294             $error = 'Invalid email.';
295         }
296     } elseif ( $email && ! filter_var( $email, FILTER_VALIDATE_EMAIL ) ) {
297         $error = 'Invalid email.';
298     } elseif ( ! Extension_CloudFlare_Api::are_api_credentials_usable( $email, $key ) ) {
299         $error = 'Invalid authentication (API token, or Global API key with account email).';
300     }
301
302     if ( null === $error ) {
303         if ( ! $zone ) {
304             $error = 'Empty zone.';
305         } elseif ( strpos( $zone, '.' ) === false ) {
306             $error = 'Invalid domain.';
307         } elseif ( ! in_array( $action, $actions, true ) ) {
308             $error = 'Invalid action.';
309         } else {
310             $config = array(
311                 'email' => $email,
312                 'key'   => $key,
313                 'zone'  => $zone,
314             );
315

```

r3381447r3495959	
316	@\$this->api = new Extension_CloudFlare_Api(\$config);
317	
318	@set_time_limit(\$this->_config->get_integer(array('cloudflare', 'timelimit.api_request'))); // phpcs:ignore Squiz.PHP.DiscouragedFunctions.Discouraged
319	\$response = \$this->api->api_request(\$action, \$value);
320	
321	if (\$response) {
322	if ('success' === \$response->result) {
323	\$result = true;
324	\$error = 'OK';
325	} else {
326	\$error = \$response->msg;
327	}
313 328	} else {
314	\$error = \$response->msg;
329	\$error = 'Unable to make Cloudflare API request.';
315 330	}
316	} else {
317	\$error = 'Unable to make Cloudflare API request.';
318 331	}
319 332	}
... ..	
366 379	\$key = \$this->_config->get_string(array('cloudflare', 'key'));
367 380	
368	if (empty(\$email) empty(\$key)) {
381	if (! Extension_CloudFlare_Api::are_api_credentials_usable(\$email, \$key)) {
369 382	return \$actions;
370 383	}

w3-total-cache/tags/2.9.4/Extension_ImageService_Environment.php		Tabular	Unified
r3494743r3495959			
151 151	* Generate AVIF rewrite rules (higher priority).		
152 152	*		
153	* @since 2.9.2		
153	* @since 2.9.4		
154 154	*		
155 155	* @see Dispatcher::nginx_rules_for_browsercache_section()		
... ..			
267 267	* Generate WebP rewrite rules (lower priority than AVIF).		
268 268	*		
269	* @since 2.9.2		
269	* @since 2.9.4		
270 270	*		
271 271	* @see Dispatcher::nginx_rules_for_browsercache_section()		

w3-total-cache/tags/2.9.4/Generic_Plugin.php		Tabular	Unified
r3494743r3495959			
39 39	* Frontend notice payload when redirecting back from admin actions.		
40 40	*		
41	* @since 2.9.2		
41	* @since 2.8.14		
42 42	*		
43 43	* @var ?array		
44 44	*/		
45 45	private \$frontend_notice;		
46			
47	/**		
48	* Output buffer nesting level recorded at ob_start() time.		

r3494743r3495959

```

49      *
50      * Used by ob_shutdown() to identify which buffer level belongs to W3TC.
51      *
52      * @since 2.9.2
53      *
54      * @var int
55      */
56     private $_ob_level = 0;
57
58     /**
59      * Guards against ob_shutdown() being invoked twice.
60      *
61      * Function `ob_shutdown()` is registered both as a WordPress 'shutdown' action
62      * (priority 0, so it runs before wp_ob_end_flush_all at priority 1) and as
63      * a PHP shutdown function (fallback for abnormal termination). This flag
64      * ensures the second invocation is a no-op.
65      *
66      * @since 2.9.2
67      *
68      * @var bool
69      */
70     private $_ob_shutdown_done = false;
71
72     /**
73
74     ...
75
76     128     103         add_filter( 'wp_die_handler', array( $this, 'wp_die_handler' ) );
77     129     104
78     130         /**
79     131         * Register with no callback so no display-handler restriction applies.
80     132         * ob_callback() is invoked explicitly in ob_shutdown() instead.
81     133         * PHP's display-handler restriction (ob_start() forbidden inside a
82     134         * callback) made every ob flush mechanism unsafe for mfunc processing.
83     135         */
84     136         ob_start();
85     137         $this->_ob_level = ob_get_level();
86     138
87     139         /**
88     140         * Hook into WordPress 'shutdown' at priority 0 so ob_shutdown runs
89     141         * before wp_ob_end_flush_all (priority 1). wp_ob_end_flush_all calls
90     142         * ob_end_flush(), which would send the raw unprocessed buffer.
91     143         * By processing and echoing the buffer here first we ensure the
92     144         * processed output reaches the client.
93     145         * The PHP shutdown function below is a fallback for abnormal
94     146         * termination paths where the WordPress 'shutdown' action may not fire.
95     147         */
96     148         add_action( 'shutdown', array( $this, 'ob_shutdown' ), 0 );
97     149         register_shutdown_function( array( $this, 'ob_shutdown' ) );
98     105         ob_start( array( $this, 'ob_callback' ) );
99     150     106     }
100
101     ...
102
103     159     115     * Removes dynamic fragment tags from comment content before storage.
104     160     116     *
105     161     * @since 2.9.2
106     117     * @since 2.8.13
107     162     118     *
108     163     119     * @param array $comment_data Comment data being processed.
109
110     ...
111
112     176     132     * Removes dynamic fragment tags from RSS/feed content.
113     177     133     *
114     178     * @since 2.9.2

```

r3494743r3495959	
134	* @since 2.8.13
179	*
180	* @param string \$content Content to sanitize.
...	...
189	* Sanitizes REST API responses to prevent dynamic fragment leakage.
190	*
191	* @since 2.9.2
	* @since 2.8.13
192	*
193	* @param \WP_REST_Response mixed \$result Response data.
...	...
215	* Recursively removes dynamic fragment tags from REST data structures.
216	*
217	* @since 2.9.2
	* @since 2.8.13
218	*
219	* @param mixed \$data Response data.
...	...
248	* Removes dynamic fragment tags from a text string.
249	*
250	* @since 2.9.2
	* @since 2.8.13
251	*
252	* @param string \$value Raw content to sanitize.
...	...
606	\$this->_config->get_boolean('cdnfsd.enabled') &&
607	'cloudflare' === \$this->_config->get_string('cdnfsd.engine') &&
608	! empty(\$this->_config->get_string(array('cloudflare', 'email'))) &&
609	! empty(\$this->_config->get_string(array('cloudflare', 'key'))) &&
	Extension_CloudFlare_Api::are_api_credentials_usable(
	\$this->_config->get_string(array('cloudflare', 'email')),
	\$this->_config->get_string(array('cloudflare', 'key'))
) &&
610	! empty(\$this->_config->get_string(array('cloudflare', 'zone_id'))) &&
611	in_array('cloudflare', array_keys(Extensions_Util::get_active_extensions(
	\$this->_config)), true) &&
...	...
758	* Loads a pending frontend message triggered during an admin redirect.
759	*
760	* @since 2.9.2
	* @since 2.8.14
761	*
762	* @return void
...	...
1052	}
1053	
1054	/**
1055	* Check User Agent
1056	*/
1057	\$http_user_agent = isset(\$_SERVER['HTTP_USER_AGENT']) ? sanitize_text_field(wp_unslash(
	\$_SERVER['HTTP_USER_AGENT'])) : '';
1058	if (strstr(\$http_user_agent, W3TC_POWERED_BY) !== false) {
1059	return false;
1060	}
	// Do not skip output buffering based on User-Agent: the value is client-controlled.
	// A request claiming "W3 Total Cache" would previously bypass ob_callback, skipping
	// page-cache processing and leaking W3TC_DYNAMIC_SECURITY from unprocessed mfunc/mclude.
1061	
1062	return true;
1063	}
1064	
1065	/**

r3494743r3495959

```

1066 * Processes and outputs the W3TC output buffer at shutdown time.
1067 *
1068 * Registered both as a WordPress 'shutdown' action (priority 0, before
1069 * wp_ob_end_flush_all at priority 1) and as a PHP shutdown function
1070 * (fallback). The flag $_ob_shutdown_done prevents double-invocation.
1071 *
1072 * ob_callback() is invoked explicitly here rather than as a PHP display
1073 * handler, because display handlers (callbacks invoked during ob_end_clean,
1074 * ob_end_flush, or PHP's own buffer cleanup) set PHP's internal ob_lock
1075 * flag, which forbids any nested ob_start() call. _parse_dynamic_mfunc()
1076 * requires ob_start() to capture eval() output, so it must not run inside
1077 * a display handler. The ob_start() in run() is registered with no callback
1078 * to ensure no display handler is ever registered for our buffer.
1079 *
1080 * @since 2.9.2
1081 *
1082 * @return void
1083 */
1084 public function ob_shutdown() {
1085     if ( $this->_ob_shutdown_done ) {
1086         return;
1087     }
1088
1089     $this->_ob_shutdown_done = true;
1090
1091     /*
1092      * Flush any nested output buffers (added by WordPress or other plugins)
1093      * down into ours so their content is included.
1094      */
1095     while ( ob_get_level() > $this->_ob_level ) {
1096         ob_end_flush();
1097     }
1098
1099     if ( ob_get_level() < $this->_ob_level ) {
1100         // Our buffer was already closed (e.g. by a redirect or wp_die).
1101         return;
1102     }
1103
1104     /*
1105      * Read the buffer and close it. Because ob_start() was registered with
1106      * no callback, ob_get_clean() never triggers a display handler, so
1107      * ob_start() calls inside ob_callback() (e.g. _parse_dynamic_mfunc)
1108      * are permitted.
1109      */
1110     $buffer = (string) ob_get_clean();
1111
1112     $buffer = $this->ob_callback( $buffer );
1113
1114     echo $buffer; // phpcs:ignore WordPress.Security.EscapeOutput.OutputNotEscaped
1115 1017 }
1116 1018
...
1294 1196 * Registers Plugin Check filters so they run in all contexts.
1295 1197 *
1296 * @since 2.9.2
1198 * @since 2.8.13
1297 1199 *
1298 1200 * @link https://github.com/WordPress/plugin-
check/blob/1.6.0/includes/Utilities/Plugin_Request_Utility.php#L160

```

w3-total-cache/tags/2.9.4/Licensing_Plugin_Admin.php

Tabular | Unified

r3494743r3495959

37	37	* Usermeta key for storing dismissed license notices.
38	38	*
39		* @since 2.9.2
	39	* @since 2.9.4
40	40	*
41	41	* @var string
...	...	
47	47	* Set to 6 days (automatic license check interval is 5 days).
48	48	*
49		* @since 2.9.2
	49	* @since 2.9.4
50	50	*
51	51	* @var int
...	...	
59	59	* so we cache for 19 minutes to ensure users always get a valid token with some buffer.
60	60	*
61		* @since 2.9.2
	61	* @since 2.9.4
62	62	*
63	63	* @var int
...	...	
393	393	* Only enqueues if there's a license status that would display a notice.
394	394	*
395		* @since 2.9.2
	395	* @since 2.9.4
396	396	*
397	397	* @return void
...	...	
418	418	* Enqueues lightbox JavaScript and CSS assets.
419	419	*
420		* @since 2.9.2
	420	* @since 2.9.4
421	421	*
422	422	* @return void
...	...	
460	460	* dots with hyphens for readability.
461	461	*
462		* @since 2.9.2
	462	* @since 2.9.4
463	463	*
464	464	* @param string \$status The license status to sanitize.
...	...	
560	560	* which can then be enqueued later when notices are displayed.
561	561	*
562		* @since 2.9.2
	562	* @since 2.9.4
563	563	*
564	564	* @return void
...	...	
617	617	* Generates a license notice based on the provided license status and key.
618	618	*
619		* @since 2.9.2
	619	* @since 2.9.4
620	620	*
621	621	* @param string \$status The current status of the license (e.g., 'active', 'expired').
...	...	
747	747	* The URL is cached for 1 hour to balance freshness with performance.
748	748	*
749		* @since 2.9.2
	749	* @since 2.9.4

r3494743r3495959		
750	750	*
751	751	* @param string \$license_key The license key used to generate the billing URL.
...	...	
780	780	* Fetches the billing URL from the API.
781	781	*
782		* @since 2.9.2
	782	* @since 2.9.4
783	783	*
784	784	* @param string \$license_key The license key used to generate the billing URL.
...	...	
999	999	* Saves the dismissal timestamp in usermeta for persistent per-user dismissal.
1000	1000	*
1001		* @since 2.9.2
	1001	* @since 2.9.4
1002	1002	*
1003	1003	* @return void
...	...	
1035	1035	* Forces an immediate license check and clears cached billing URL.
1036	1036	*
1037		* @since 2.9.2
	1037	* @since 2.9.4
1038	1038	*
1039	1039	* @return void
...	...	
1069	1069	* is cleared and the notice will show again.
1070	1070	*
1071		* @since 2.9.2
	1071	* @since 2.9.4
1072	1072	*
1073	1073	* @param string \$notice_id The unique identifier for the notice.
...	...	
1103	1103	* rather than all users with any dismissed notices.
1104	1104	*
1105		* @since 2.9.2
	1105	* @since 2.9.4
1106	1106	*
1107	1107	* @param string \$notice_id The unique identifier for the notice to clear.

w3-total-cache/tags/2.9.4/ObjectCache_WpObjectCache_Regular.php

Tabular | Unified

r3494743r3495959		
1195	1195	* Persist multiple cache entries using the most efficient method available.
1196	1196	*
1197		* @since 2.9.2
	1197	* @since 2.9.4
1198	1198	*
1199	1199	* @param object \$cache Cache engine instance.

w3-total-cache/tags/2.9.4/PageSpeed_Data.php

Tabular | Unified

r3494743r3495959		
66	66	* Collect core web vital metrics in a consistent format.
67	67	*
68		* @since 2.9.2
	68	* @since 2.9.4
69	69	*
70	70	* @param array \$data PageSpeed data payload.
...	...	
84	84	* Log the raw metric keys and configured instruction keys when debugging is enabled.
85	85	*

r3494743r3495959		
86		* @since 2.9.2
	86	* @since 2.9.4
87	87	*
88	88	* @param array \$pagespeed_data Prepared PageSpeed data.
...	...	
122	122	* Collect audits belonging to the given Lighthouse category group.
123	123	*
124		* @since 2.9.2
	124	* @since 2.9.4
125	125	*
126	126	* @param array \$data Raw Lighthouse API payload.
...	...	
158	158	* Format a single Lighthouse audit into the structure expected by the UI.
159	159	*
160		* @since 2.9.2
	160	* @since 2.9.4
161	161	*
162	162	* @param string \$audit_id Lighthouse audit identifier.
...	...	
192	192	* Normalize Lighthouse audit details to a list structure.
193	193	*
194		* @since 2.9.2
	194	* @since 2.9.4
195	195	*
196	196	* @param mixed \$details Lighthouse audit details.
...	...	
220	220	* Determine which Core Web Vitals an audit influences.
221	221	*
222		* @since 2.9.2
	222	* @since 2.9.4
223	223	*
224	224	* @param string \$audit_id Lighthouse audit identifier.
...	...	
249	249	* Normalize the network dependency tree insight payload.
250	250	*
251		* @since 2.9.2
	251	* @since 2.9.4
252	252	*
253	253	* @param array \$details Lighthouse network dependency tree details payload.
...	...	
284	284	* Normalize a network dependency chain node recursively.
285	285	*
286		* @since 2.9.2
	286	* @since 2.9.4
287	287	*
288	288	* @param array \$node Node payload.
...	...	
311	311	* Normalize preconnect insight sections.
312	312	*
313		* @since 2.9.2
	313	* @since 2.9.4
314	314	*
315	315	* @param array \$section Section payload from Lighthouse.
...	...	
361	361	* Provide a mapping of audit identifiers to Core Web Vital type tags.
362	362	*
363		* @since 2.9.2
	363	* @since 2.9.4
364	364	*
365	365	* @return array
...	...	

r3494743r3495959		
410	410	* Normalize score values to 0-100 scale while avoiding PHP warnings when score is missing.
411	411	*
412		* @since 2.9.2
	412	* @since 2.9.4
413	413	*
414	414	* @param mixed \$score Score from the Lighthouse payload.
...	...	
427	427	* Drop metrics that Google didn't include in the latest payload.
428	428	*
429		* @since 2.9.2
	429	* @since 2.9.4
430	430	*
431	431	* @param array \$metrics Raw metrics bucket.
...	...	
449	449	* Attach instructions for metrics that survived the filtering step.
450	450	*
451		* @since 2.9.2
	451	* @since 2.9.4
452	452	*
453	453	* @param array \$pagespeed_data Prepared PageSpeed data.

w3-total-cache/tags/2.9.4/PgCache_ContentGrabber.php		Tabular	Unified
r3475928r3495959			
109	109	*/	
110	110	private \$_page_key_extension;	
	111		
	112	/**	
	113	* Shutdown buffer	
	114	*	
	115	* @var string	
	116	*/	
	117	private \$_shutdown_buffer = '';	
111	118		
112	119	/**	
...	...		
580	587	}	
581	588		
	589	// We can't capture output in ob_callback so we use shutdown function.	
582	590	if (\$has_dynamic) {	
583		\$compression = \$this->_page_key_extension['compression'];	
584		if (defined('W3TC_PAGECACHE_OUTPUT_COMPRESSION_OFF')) {	
585		\$compression = false;	
586		}	
587			
588		\$buffer = \$this->_parse_dynamic(\$buffer);	
589		\$buffer = \$this->_compress(\$buffer, \$compression);	
	591	\$this->_shutdown_buffer = \$buffer;	
	592		
	593	\$buffer = '';	
	594		
	595	register_shutdown_function(
	596	array(
	597	\$this,	
	598	'shutdown',	
	599)	
	600);	
590	601	}	
591	602		
592	603	return \$buffer;	
	604	}	

r3475928r3495959	
605	
606	/**
607	* Handles the shutdown process for compressing and outputting the page buffer.
608	*
609	* @return void
610	*/
611	public function shutdown() {
612	\$compression = \$this->_page_key_extension['compression'];
613	
614	// Parse dynamic content.
615	\$buffer = \$this->_parse_dynamic(\$this->_shutdown_buffer);
616	
617	// Compress page according to headers already set.
618	\$compressed_buffer = \$this->_compress(\$buffer, \$compression);
619	
620	echo \$compressed_buffer; // phpcs:ignore WordPress.Security.EscapeOutput.OutputNotEscaped
593 621	}
594 622	
...	...
2333 2361	}
2334 2362	
2335	// For dynamic pages, return the unprocessed buffer so ob_callback can parse and compress it directly.
2363	// Right now dont return compressed buffer if we are dynamic that will happen on shutdown after processing dynamic stuff.
2336 2364	\$compression_of_returned_content = (\$has_dynamic ? false : \$compression_header);
2337 2365	

w3-total-cache/tags/2.9.4/SetupGuide_Plugin_Admin.php		Tabular	Unified
r3494743r3495959			
925 925		* Build the SQL statements used for database cache benchmarking.	
926 926		*	
927		* @since 2.9.2	
927		* @since 2.9.4	
928 928		*	
929 929		* @param \wpdb \$wpdb WordPress database object.	
...	...		
945 945		* Execute a repeatable set of read-heavy queries to measure cache performance.	
946 946		*	
947		* @since 2.9.2	
947		* @since 2.9.4	
948 948		*	
949 949		* @param \wpdb \$wpdb WordPress database object.	
...	...		
968 968		* Clear runtime caches to reduce contamination between timed runs.	
969 969		*	
970		* @since 2.9.2	
970		* @since 2.9.4	
971 971		*	
972 972		* @return void	
...	...		
983 983		* Clear dbcache reject state for the current request so tests can evaluate with fresh context.	
984 984		*	
985		* @since 2.9.2	
985		* @since 2.9.4	
986 986		*	
987 987		* @return void	
...	...		
1016 1016		* Collect a set of post IDs to be used when benchmarking the object cache.	

r3494743r3495959		
1017	1017	*
1018		* @since 2.9.2
	1018	* @since 2.9.4
1019	1019	*
1020	1020	* @return array
...	...	
1048	1048	* Run a representative workload that should benefit from a persistent object cache.
1049	1049	*
1050		* @since 2.9.2
	1050	* @since 2.9.4
1051	1051	*
1052	1052	* @param array \$post_ids IDs to request in the query.
...	...	
1096	1096	* Clear runtime object cache data while preserving persistent stores when possible.
1097	1097	*
1098		* @since 2.9.2
	1098	* @since 2.9.4
1099	1099	*
1100	1100	* @return string Which flush method was used.

w3-total-cache/tags/2.9.4/UserExperience_LazyLoad_Plugin.php

Tabular | Unified

r3494743r3495959		
207	207	\$on_initialized_javascript = apply_filters('w3tc_lazyload_on_initialized_javascript', ''
	208);
	209	/*
	210	* vanilla-lazyload v13+ removed its built-in MutationObserver support.
	211	* Add a debounced observer so that images injected by AJAX plugins
	212	* (e.g. FacetWP, infinite-scroll) are picked up automatically without
	213	* requiring per-plugin integration code.
	214	*
	215	* The observer is wired up via a named helper so all three embed methods
	216	* share the same snippet. For async_head the helper is called from inside
	217	* the LazyLoad::Initialized handler (where the instance is available);
	218	* for the synchronous methods it is called immediately after init.
	219	*/
	220	\$observe_js =
	221	'function w3tc_ll_observe(ll){' .
	222	'if(!ll !ll.update)return;' .
	223	'var t;' .
	224	'new MutationObserver(function(){' .
	225	'clearTimeout(t);' .
	226	't=setTimeout(function(){ll.update();},200);' .
	227	'}).observe(document.documentElement,{childList:true,subtree:true});' .
	228	}';
	229	
209	230	if ('async_head' === \$method) {
210		\$on_initialized_javascript_wrapped = '';
211		if (! empty(\$on_initialized_javascript)) {
212		// LazyLoad::Initialized fired just before making LazyLoad global so next
		execution cycle have it.
213		\$on_initialized_javascript_wrapped =
214		'window.addEventListener("LazyLoad::Initialized", function(){' .
215		'setTimeout(function() {' .
216		\$on_initialized_javascript .
217		'}, 1);' .
218		});';
219		}
	231	// LazyLoad::Initialized fired just before making LazyLoad global so next execution
		cycle have it.

r3494743r3495959		
232		\$on_initialized_javascript_wrapped =
233		'window.addEventListener("LazyLoad::Initialized",function(e){' .
234		'setTimeout(function(){' .
235		'window.w3tc_lazyload=e.detail.instance;' .
236		'w3tc_ll_observe(window.w3tc_lazyload);' .
237		\$on_initialized_javascript .
238		'},1);' .
239		});';
220	240	
221	241	\$embed_script =
...	...	
233	253	\$footer_script =
234	254	'<script>' .
255		\$observe_js .
235	256	\$on_initialized_javascript_wrapped .
236	257	'window.w3tc_lazyload=1,' .
...	...	
251	272	'<script>' .
252	273	file_get_contents(W3TC_DIR . '/pub/js/lazyload.min.js') .
274		\$observe_js .
253	275	'window.w3tc_lazyload=new LazyLoad(' . \$config . ');' .
276		'w3tc_ll_observe(window.w3tc_lazyload);' .
254	277	\$on_initialized_javascript .
255	278	'</script>';
...	...	
275	298	\$footer_script =
276	299	'<script>' .
300		\$observe_js .
277	301	'window.w3tc_lazyload=new LazyLoad(' . \$config . ');' .
302		'w3tc_ll_observe(window.w3tc_lazyload);' .
278	303	\$on_initialized_javascript .
279	304	'</script>';

w3-total-cache/tags/2.9.4/Util_PageSpeed.php

Tabular | Unified

r3494743r3495959		
671	671	* Render the specialized Network Dependency Tree insight.
672	672	*
673		* @since 2.9.2
673	673	* @since 2.9.4
674	674	*
675	675	* @param array \$insight Insight payload.
...	...	
737	737	* Render the network chain list recursively.
738	738	*
739		* @since 2.9.2
739	739	* @since 2.9.4
740	740	*
741	741	* @param array \$chains Chain list.
...	...	
760	760	* Render a single network chain node.
761	761	*
762		* @since 2.9.2
762	762	* @since 2.9.4
763	763	*
764	764	* @param array \$node Node payload.
...	...	
819	819	* Render preconnect sections.
820	820	*
821		* @since 2.9.2

r3494743r3495959	
821	* @since 2.9.4
822	*
823	* @param array \$section Section payload.
...	...
857	* Render a nested table cell from headings + sub-items.
858	*
859	* @since 2.9.2
859	* @since 2.9.4
860	*
861	* @param array \$headings Table headings.
...	...
900	* Format a subitem value according to the heading definition.
901	*
902	* @since 2.9.2
902	* @since 2.9.4
903	*
904	* @param array \$heading Heading definition.
...	...
950	* Format a source-location value into HTML.
951	*
952	* @since 2.9.2
952	* @since 2.9.4
953	*
954	* @param array \$source Source location payload.
...	...
980	* Append the document latency status icon for qualifying rows.
981	*
982	* @since 2.9.2
982	* @since 2.9.4
983	*
984	* @param string \$audit_id Audit identifier.
...	...
1017	* Format bytes into readable strings.
1018	*
1019	* @since 2.9.2
1019	* @since 2.9.4
1020	*
1021	* @param int \$bytes Byte value.

w3-total-cache/tags/2.9.4/languages/w3-total-cache.pot		Tabular	Unified
r3494743r3495959			
3	3	msgid ""	
4	4	msgstr ""	
5		"Project-Id-Version: W3 Total Cache 2.9.2\n"	
5		"Project-Id-Version: W3 Total Cache 2.9.4\n"	
6	6	"Report-Msgid-Bugs-To: https://wordpress.org/support/plugin/w3-total-cache\n"	
7	7	"Last-Translator: FULL NAME <EMAIL@ADDRESS>\n"	
...	...		
10	10	"Content-Type: text/plain; charset=UTF-8\n"	
11	11	"Content-Transfer-Encoding: 8bit\n"	
12		"POT-Creation-Date: 2026-03-05T20:53:07+00:00\n"	
12		"POT-Creation-Date: 2026-03-31T19:37:31+00:00\n"	
13	13	"PO-Revision-Date: YEAR-MO-DA HO:MI+ZONE\n"	
14	14	"X-Generator: WP-CLI 2.12.0\n"	
...	...		
885	885	msgstr ""	
886	886		
887		#: BrowserCache_Plugin.php:458	
887		#: BrowserCache_Plugin.php:452	
888	888	#: FeatureShowcase_Plugin_Admin.php:527	

r3494743r3495959		
889	889	#: Generic_WidgetSettings_View.php:43
...	...	
903	903	
904	904	#. translators: 1 opening HTML a tag to Browser Cache CSP-Report-Only settings, 2 closing HTML a tag.
905		#: BrowserCache_Plugin.php:602
	905	#: BrowserCache_Plugin.php:596
906	906	#, php-format
907	907	msgid "The Content Security Policy - Report Only requires the \"report-uri\" and/or \"report-to\" directives. Please define one or both of these directives %1\$s here %2\$s."
908	908	msgstr ""
909	909	
910		#: BrowserCache_Plugin.php:606
	910	#: BrowserCache_Plugin.php:600
911	911	msgid "Browser Cache Content-Security-Policy-Report-Only Settings"
912	912	msgstr ""
...	...	
3336	3336	#: Cdn_RackSpace_Api_CloudFilesCdn.php:290
3337	3337	#: Cdn_RackSpace_Api_Tokens.php:212
3338		#: Extension_CloudFlare_Api.php:293
3339		#: Extension_CloudFlare_Api.php:363
3340		#: Extension_CloudFlare_Api.php:435
	3338	#: Extension_CloudFlare_Api.php:337
	3339	#: Extension_CloudFlare_Api.php:407
	3340	#: Extension_CloudFlare_Api.php:479
3341	3341	#, php-format
3342	3342	msgid "Failed to reach API endpoint, got unexpected response: %1\$s"
...	...	
4447	4447	#: Extension_AlwaysCached_Plugin_Admin.php:124
4448	4448	#: Extension_AlwaysCached_Plugin_Admin.php:125
4449		#: Generic_Plugin.php:673
	4449	#: Generic_Plugin.php:631
4450	4450	msgid "Page Cache Queue"
4451	4451	msgstr ""
...	...	
4531	4531	msgstr ""
4532	4532	
4533		#: Extension_CloudFlare_Api.php:268
4534		#: Extension_CloudFlare_Api.php:338
4535		#: Extension_CloudFlare_Api.php:408
	4533	#: Extension_CloudFlare_Api.php:312
	4534	#: Extension_CloudFlare_Api.php:382
	4535	#: Extension_CloudFlare_Api.php:452
4536	4536	msgid "Not authenticated."
4537	4537	msgstr ""
4538	4538	
4539		#: Extension_CloudFlare_Api.php:284
4540		#: Extension_CloudFlare_Api.php:354
4541		#: Extension_CloudFlare_Api.php:426
	4539	#: Extension_CloudFlare_Api.php:328
	4540	#: Extension_CloudFlare_Api.php:398
	4541	#: Extension_CloudFlare_Api.php:470
4542	4542	msgid "Failed to reach API endpoint."
4543	4543	msgstr ""
4544	4544	
4545		#: Extension_CloudFlare_Api.php:474
4546		msgid "Missing authentication email and/or API token / global key."
4547		msgstr ""
4548		
4549		#: Extension_CloudFlare_Api.php:491
4550		msgid "Improper API token / global key length."
	4545	#: Extension_CloudFlare_Api.php:546

r3494743r3495959		
	4546	msgid "Missing API token, or Global API key with account email."
4551	4547	msgstr ""
4552	4548	
...	...	
5096	5092	
5097	5093	#: Extension_CloudFlare_Plugin.php:235
5098		#: Extension_CloudFlare_Plugin_Admin.php:217
	5094	#: Extension_CloudFlare_Plugin_Admin.php:219
5099	5095	msgid "Cloudflare"
5100	5096	msgstr ""
...	...	
5125	5121	msgstr ""
5126	5122	
5127		#: Extension_CloudFlare_Plugin_Admin.php:380
	5123	#: Extension_CloudFlare_Plugin_Admin.php:393
5128	5124	msgid "Empty All Caches Except Cloudflare"
5129	5125	msgstr ""
5130	5126	
5131		#: Extension_CloudFlare_Plugin_Admin.php:469
	5127	#: Extension_CloudFlare_Plugin_Admin.php:482
5132	5128	msgid "Cloudflare settings are successfully updated."
5133	5129	msgstr ""
5134	5130	
5135		#: Extension_CloudFlare_Plugin_Admin.php:477
	5131	#: Extension_CloudFlare_Plugin_Admin.php:490
5136	5132	msgid "Failed to update Cloudflare settings:"
5137	5133	msgstr ""
...	...	
7241	7237	msgstr ""
7242	7238	
7243		#: Generic_Plugin.php:562
	7239	#: Generic_Plugin.php:518
7244	7240	#: Generic_Plugin_Admin.php:273
7245	7241	#: Generic_Plugin_Admin.php:279
...	...	
7255	7251	msgstr ""
7256	7252	
7257		#: Generic_Plugin.php:576
	7253	#: Generic_Plugin.php:532
7258	7254	msgid "Purge All Caches"
7259	7255	msgstr ""
7260	7256	
7261		#: Generic_Plugin.php:596
	7257	#: Generic_Plugin.php:552
7262	7258	msgid "Purge All Caches Except Bunny CDN"
7263	7259	msgstr ""
7264	7260	
7265		#: Generic_Plugin.php:622
	7261	#: Generic_Plugin.php:580
7266	7262	msgid "Purge All Caches Except Cloudflare"
7267	7263	msgstr ""
7268	7264	
7269		#: Generic_Plugin.php:634
	7265	#: Generic_Plugin.php:592
7270	7266	msgid "Purge Current Page"
7271	7267	msgstr ""
7272	7268	
7273		#: Generic_Plugin.php:645
	7269	#: Generic_Plugin.php:603
7274	7270	msgid "Purge Modules"
7275	7271	msgstr ""

r3494743r3495959	
7276	7272
7277	
	#: Generic_Plugin.php:652
	7273
	#: Generic_Plugin.php:610
7278	7274
	#: inc/options/common/top_nav_bar.php:86
7279	7275
	#: Root_AdminMenu.php:51
...	...
7283	7279
	msgstr ""
7284	7280
7285	
	#: Generic_Plugin.php:662
	7281
	#: Generic_Plugin.php:620
7286	7282
	#: Generic_WidgetSettings.php:38
7287	7283
	#: Generic_WidgetSettings_View.php:96
...	...
7303	7299
	msgstr ""
7304	7300
7305	
	#: Generic_Plugin.php:684
	7301
	#: Generic_Plugin.php:642
7306	7302
	msgid "Manage Extensions"
7307	7303
	msgstr ""
7308	7304
7309	
	#: Generic_Plugin.php:694
	7305
	#: Generic_Plugin.php:652
7310	7306
	#: PageSpeed_Instructions.php:381
7311	7307
	#: PageSpeed_Instructions.php:548
...	...
7316	7312
	msgstr ""
7317	7313
7318	
	#: Generic_Plugin.php:704
	7314
	#: Generic_Plugin.php:662
7319	7315
	#: inc/options/common/footer.php:62
7320	7316
	#: inc/options/common/top_nav_bar.php:212
...	...
7326	7322
	msgstr ""
7327	7323
7328	
	#: Generic_Plugin.php:715
	7324
	#: Generic_Plugin.php:673
7329	7325
	msgid "Debug: Overlays"
7330	7326
	msgstr ""
7331	7327
7332	
	#: Generic_Plugin.php:744
	7328
	#: Generic_Plugin.php:702
7333	7329
	msgid "Dismiss notice"
7334	7330
	msgstr ""
7335	7331
7336	
	#: Generic_Plugin.php:812
	7332
	#: Generic_Plugin.php:770
7337	7333
	#: Generic_Plugin_Admin.php:1152
7338	7334
	msgid "All caches successfully emptied."
7339	7335
	msgstr ""
7340	7336
7341	
	#: Generic_Plugin.php:813
	7337
	#: Generic_Plugin.php:771
7342	7338
	msgid "All caches successfully emptied except CDN."
7343	7339
	msgstr ""
7344	7340
7345	
	#: Generic_Plugin.php:814
	7341
	#: Generic_Plugin.php:772
7346	7342
	#: Generic_Plugin_Admin.php:1153
7347	7343
	msgid "Memcached cache(s) successfully emptied."
7348	7344
	msgstr ""
7349	7345

r3494743r3495959

7350		#: Generic_Plugin.php:815
	7346	#: Generic_Plugin.php:773
7351	7347	#: Generic_Plugin_Admin.php:1154
7352	7348	msgid "Opcode cache(s) successfully emptied."
7353	7349	msgstr ""
7354	7350	
7355		#: Generic_Plugin.php:816
	7351	#: Generic_Plugin.php:774
7356	7352	#: Generic_Plugin_Admin.php:1155
7357	7353	msgid "Disk cache(s) successfully emptied."
7358	7354	msgstr ""
7359	7355	
7360		#: Generic_Plugin.php:817
	7356	#: Generic_Plugin.php:775
7361	7357	#: Generic_Plugin_Admin.php:1156
7362	7358	msgid "Page cache successfully emptied."
7363	7359	msgstr ""
7364	7360	
7365		#: Generic_Plugin.php:818
	7361	#: Generic_Plugin.php:776
7366	7362	#: Generic_Plugin_Admin.php:1157
7367	7363	msgid "Database cache successfully emptied."
7368	7364	msgstr ""
7369	7365	
7370		#: Generic_Plugin.php:819
	7366	#: Generic_Plugin.php:777
7371	7367	#: Generic_Plugin_Admin.php:1158
7372	7368	msgid "Object cache successfully emptied."
7373	7369	msgstr ""
7374	7370	
7375		#: Generic_Plugin.php:820
	7371	#: Generic_Plugin.php:778
7376	7372	#: Generic_Plugin_Admin.php:1159
7377	7373	msgid "Fragment cache successfully emptied."
7378	7374	msgstr ""
7379	7375	
7380		#: Generic_Plugin.php:821
	7376	#: Generic_Plugin.php:779
7381	7377	#: Generic_Plugin_Admin.php:1160
7382	7378	msgid "Minify cache successfully emptied."
7383	7379	msgstr ""
7384	7380	
7385		#: Generic_Plugin.php:822
	7381	#: Generic_Plugin.php:780
7386	7382	#: Generic_Plugin_Admin.php:1161
7387	7383	msgid "Media Query string has been successfully updated."
7388	7384	msgstr ""
7389	7385	
7390		#: Generic_Plugin.php:823
	7386	#: Generic_Plugin.php:781
7391	7387	#: Generic_Plugin_Admin.php:1162
7392	7388	msgid "Varnish servers successfully purged."
7393	7389	msgstr ""
7394	7390	
7395		#: Generic_Plugin.php:824
	7391	#: Generic_Plugin.php:782
7396	7392	msgid "CDN was successfully purged."
7397	7393	msgstr ""
7398	7394	
7399		#: Generic_Plugin.php:825
	7395	#: Generic_Plugin.php:783

r3494743r3495959		
7400	7396	#: Generic_Plugin_Admin.php:1178
7401	7397	msgid "Post successfully purged."
...	...	
13376	13372	
13377	13373	#. translators: 1: Engine name, 2: Reject reason placeholder, 3: Page key extension.
13378		#: PgCache_ContentGrabber.php:1765
	13374	#: PgCache_ContentGrabber.php:1793
13379	13375	#, php-format
13380	13376	msgid "Page Caching using %1\$s%2\$s%3\$s"

w3-total-cache/tags/2.9.4/readme.txt		Tabular	Unified
r3494743r3495959			
4	4	Requires at least: 5.3	
5	5	Tested up to: 6.9	
6		Stable tag: 2.9.2	
	6	Stable tag: 2.9.4	
7	7	License: GPLv2 or later	
8	8	License URI: http://www.gnu.org/licenses/gpl-2.0.html	
...	...		
366	366	== Changelog ==	
367	367		
	368	= 2.9.4 =	
	369	* Fix: Output buffering: Reverted to previous output buffering from 2.9.1	
	370	* Fix: Cloudflare: Token/Key validation	
	371	* Fix: Prevent mfunc processing byps by user-agent	
	372		
	373	= 2.9.3 =	
	374	* Fix: Output buffering: Discard nested OB contents for non-HTML responses (JSON/AJAX) to prevent HTML prepended to JSON output	
	375	* Fix: Output buffering: Add wp_die_ajax_handler and wp_die_json_handler filters to properly handle AJAX die paths	
	376	* Fix: Page cache: REST API responses no longer cached due to output buffering pipeline being skipped for non-HTML responses	
	377	* Fix: Lazy load: Add debounced MutationObserver so images injected by AJAX plugins (e.g. FacetWP) are processed without requiring per-plugin integration; also fix async_head embed method not updating window.w3tc_lazyload to the live LazyLoad instance after initialization	
	378		
368	379	= 2.9.2 =	
369	380	* Fix: Patch broken access control for Image Service AJAX operations	
...	...		
517	528	== Upgrade Notice ==	
518	529		
	530	= 2.9.4 =	
	531	This is a security update. Users that implement mfunc/mclude should update to this version.	
	532		
519	533	= 2.8.13 =	
520	534	This is a security update. Users that implement mfunc/mclude should update to this version.	

w3-total-cache/tags/2.9.4/vendor/composer/installed.json		Tabular	Unified
r3439919r3495959			
438	438	{	
439	439	"name": "guzzlehttp/psr7",	
440		"version": "2.8.0",	
441		"version_normalized": "2.8.0.0",	
	440	"version": "2.9.0",	
	441	"version_normalized": "2.9.0.0",	
442	442	"source": {	
443	443	"type": "git",	
444	444	"url": "https://github.com/guzzle/psr7.git",	

r3439919r3495959

445		"reference": "21dc724a0583619cd1652f673303492272778051"
446		},
447		"dist": {
448		"type": "zip",
449		"url":
450		"https://api.github.com/repos/guzzle/psr7/zipball/21dc724a0583619cd1652f673303492272778051",
451	445	"reference": "21dc724a0583619cd1652f673303492272778051",
452	446	"reference": "7d0ed42f28e42d61352a7a79de682e5e67fec884"
453	447	},
454	448	"dist": {
455	449	"type": "zip",
456	450	"url":
457	451	"https://api.github.com/repos/guzzle/psr7/zipball/7d0ed42f28e42d61352a7a79de682e5e67fec884",
458	452	"reference": "7d0ed42f28e42d61352a7a79de682e5e67fec884",
459	453	"shasum": ""
460	454	},
461	455	
462	456	"bamarni/composer-bin-plugin": "^1.8.2",
463	457	"http-interop/http-factory-tests": "0.9.0",
464	458	"jshttp/mime-db": "1.54.0.1",
465	459	"phpunit/phpunit": "^8.5.44 ^9.6.25"
466	460	},
467	461	
468	462	"laminas/laminas-http-handler-runner": "Emit PSR-7 responses"
469	463	},
470	464	"time": "2025-08-23T21:21:41+00:00",
471	465	"time": "2026-03-10T16:41:02+00:00",
472	466	"type": "library",
473	467	"extra": {
474	468	
475	469	
476	470	"support": {
477	471	"issues": "https://github.com/guzzle/psr7/issues",
478	472	"source": "https://github.com/guzzle/psr7/tree/2.8.0"
479	473	"source": "https://github.com/guzzle/psr7/tree/2.9.0"
480	474	},
481	475	"funding": [
482	476	
483	477	
484	478	
485	479	
486	480	
487	481	
488	482	
489	483	
490	484	
491	485	
492	486	
493	487	
494	488	
495	489	
496	490	
497	491	
498	492	
499	493	
500	494	
501	495	
502	496	
503	497	
504	498	
505	499	
506	500	
507	501	
508	502	
509	503	
510	504	
511	505	
512	506	
513	507	
514	508	
515	509	
516	510	
517	511	
518	512	
519	513	
520	514	
521	515	
522	516	
523	517	
524	518	
525	519	
526	520	
527	521	
528	522	
529	523	
530	524	
531	525	
532	526	
533	527	
534	528	
535	529	
536	530	
537	531	
538	532	
539	533	
540	534	
541	535	
542	536	
543	537	
544	538	
545	539	
546	540	
547	541	
548	542	
549	543	
550	544	
551	545	
552	546	
553	547	
554	548	
555	549	
556	550	
557	551	
558	552	
559	553	
560	554	
561	555	
562	556	
563	557	
564	558	
565	559	
566	560	
567	561	
568	562	
569	563	
570	564	
571	565	
572	566	
573	567	
574	568	
575	569	
576	570	
577	571	
578	572	
579	573	
580	574	
581	575	
582	576	
583	577	
584	578	
585	579	
586	580	
587	581	
588	582	
589	583	
590	584	
591	585	
592	586	
593	587	
594	588	
595	589	
596	590	
597	591	
598	592	
599	593	
600	594	
601	595	
602	596	
603	597	
604	598	
605	599	
606	600	
607	601	
608	602	
609	603	
610	604	
611	605	
612	606	
613	607	
614	608	
615	609	
616	610	
617	611	
618	612	
619	613	
620	614	
621	615	
622	616	
623	617	
624	618	
625	619	
626	620	
627	621	
628	622	
629	623	
630	624	
631	625	
632	626	
633	627	
634	628	
635	629	
636	630	
637	631	
638	632	
639	633	
640	634	
641	635	
642	636	
643	637	
644	638	
645	639	
646	640	
647	641	
648	642	
649	643	
650	644	
651	645	
652	646	
653	647	
654	648	
655	649	
656	650	
657	651	
658	652	
659	653	
660	654	
661	655	
662	656	
663	657	
664	658	
665	659	
666	660	
667	661	
668	662	
669	663	
670	664	
671	665	
672	666	
673	667	
674	668	
675	669	
676	670	
677	671	
678	672	
679	673	
680	674	
681	675	
682	676	
683	677	
684	678	
685	679	
686	680	
687	681	
688	682	
689	683	
690	684	
691	685	
692	686	
693	687	
694	688	
695	689	
696	690	
697	691	
698	692	
699	693	
700	694	
701	695	
702	696	
703	697	
704	698	
705	699	
706	700	
707	701	
708	702	
709	703	
710	704	
711	705	
712	706	
713	707	
714	708	
715	709	
716	710	
717	711	
718	712	
719	713	
720	714	
721	715	
722	716	
723	717	
724	718	
725	719	
726	720	
727	721	
728	722	
729	723	
730	724	
731	725	
732	726	
733	727	
734	728	
735	729	
736	730	
737	731	
738	732	
739	733	
740	734	
741	735	
742	736	
743	737	
744	738	
745	739	
746	740	
747	741	
748	742	
749	743	
750	744	
751	745	
752	746	
753	747	
754	748	
755	749	
756	750	
757	751	
758	752	
759	753	
760	754	
761	755	
762	756	
763	757	
764	758	
765	759	
766	760	
767	761	
768	762	
769	763	
770	764	
771	765	
772	766	
773	767	
774	768	
775	769	
776	770	
777	771	
778	772	
779	773	
780	774	
781	775	
782	776	
783	777	
784	778	
785	779	
786	780	
787	781	
788	782	
789	783	
790	784	
791	785	
792	786	
793	787	
794	788	
795	789	
796	790	
797	791	
798	792	
799	793	
800	794	
801	795	
802	796	
803	797	
804	798	
805	799	
806	800	
807	801	
808	802	
809	803	
810	804	
811	805	
812	806	
813	807	
814	808	
815	809	
816	810	
817	811	
818	812	
819	813	
820	814	
821	815	
822	816	
823	817	
824	818	
825	819	
826	820	
827	821	
828	822	
829	823	
830	824	
831	825	
832	826	
833	827	
834	828	
835	829	
836	830	
837	831	
838	832	
839	833	
840	834	
841	835	
842	836	
843	837	
844	838	
845	839	
846	840	
847	841	
848	842	
849	843	
850	844	
851	845	
852	846	
853	847	
854	848	
855	849	
856	850	
857	851	
858	852	
859	853	
860	854	
861	855	
862	856	
863	857	
864	858	
865	859	
866	860	
867	861	
868	862	
869	863	
870	864	
871	865	
872	866	
873	867	
874	868	
875	869	
876	870	
877	871	
878	872	
879	873	
880	874	
881	875	
882	876	
883	877	
884	878	
885	879	
886	880	
887	881	
888	882	
889	883	
890	884	
891	885	
892	886	
893	887	
894	888	
895	889	
896	890	
897	891	
898	892	
899	893	
900	894	
901	895	
902	896	
903	897	
904	898	
905	899	
906	900	
907	901	
908	902	
909	903	
910	904	
911	90	

r3439919r3495959		
1012	1013	},
...	...	
1019	1020	"phpunit/phpunit": "^8.5"
1020	1021	},
1021	1022	"time": "2025-08-10T05:29:24+00:00",
	1022	"time": "2026-01-24T09:20:25+00:00",
1022	1023	"type": "library",
1023	1024	"extra": {
...	...	
1063	1064	"support": {
1064	1065	"issues": "https://github.com/sebastianbergmann/comparator/issues",
1065	1066	"source": "https://github.com/sebastianbergmann/comparator/tree/3.0.6"
	1066	"source": "https://github.com/sebastianbergmann/comparator/tree/3.0.7"
1066	1067	},
1067	1068	"funding": [

w3-total-cache/tags/2.9.4/vendor/composer/installed.php		Tabular	Unified
r3494743r3495959			
2	2	'root' => array(
3	3	'name' => 'boldgrid/w3-total-cache',	
4	4	'pretty_version' => '2.9.2',	
5	5	'version' => '2.9.2.0',	
6	6	'reference' => 'c94c7295e92553a8218201de93f4927b0ec56717',	
	4	'pretty_version' => '2.9.4',	
	5	'version' => '2.9.4.0',	
	6	'reference' => '238209a4439b8b357b6e746d6c768b7be91100e6',	
7	7	'type' => 'wordpress-plugin',	
8	8	'install_path' => __DIR__ . '/../../',	
...	...		
39	39),	
40	40	'boldgrid/w3-total-cache' => array(
41	41	'pretty_version' => '2.9.2',	
42	42	'version' => '2.9.2.0',	
43	43	'reference' => 'c94c7295e92553a8218201de93f4927b0ec56717',	
	41	'pretty_version' => '2.9.4',	
	42	'version' => '2.9.4.0',	
	43	'reference' => '238209a4439b8b357b6e746d6c768b7be91100e6',	
44	44	'type' => 'wordpress-plugin',	
45	45	'install_path' => __DIR__ . '/../../',	
...	...		
66	66),	
67	67	'guzzlehttp/psr7' => array(
68	68	'pretty_version' => '2.8.0',	
69	69	'version' => '2.8.0.0',	
70	70	'reference' => '21dc724a0583619cd1652f673303492272778051',	
	68	'pretty_version' => '2.9.0',	
	69	'version' => '2.9.0.0',	
	70	'reference' => '7d0ed42f28e42d61352a7a79de682e5e67fec884',	
71	71	'type' => 'library',	
72	72	'install_path' => __DIR__ . '/../guzzlehttp/psr7',	
...	...		
165	165),	
166	166	'sebastian/comparator' => array(
167	167	'pretty_version' => '3.0.6',	
168	168	'version' => '3.0.6.0',	
169	169	'reference' => '4b3c947888c81708b20fb081bb653a2ba68f989a',	
	167	'pretty_version' => '3.0.7',	
	168	'version' => '3.0.7.0',	
	169	'reference' => 'bc7d8ac2fe1cce229bff9b5fd4efe65918a1ff52',	
170	170	'type' => 'library',	

r3494743r3495959

171 171

'install_path' => __DIR__ . '/../sebastian/comparator',

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/CHANGELOG.md

Tabular | Unified

r3375858r3495959

5 5

The format is based on [Keep a Changelog](https://keepachangelog.com/en/1.0.0/)

6 6

and this project adheres to [Semantic Versioning](https://semver.org/spec/v2.0.0.html).

7 7

8 8

2.9.0 - 2026-03-10

9 9

10 10

Added

11 11

12 12

- Added nested array expansion support to `MultipartStream`

13 13

- Added `@return static` to `MessageTrait` methods

14 14

15 15

Changed

16 16

17 17

- Updated MIME type mappings

18 18

19 19

2.8.1 - 2026-03-10

20 20

21 21

Fixed

22 22

23 23

- Encode `+` signs in `Uri::withQueryValue()` and `Uri::withQueryValues()` to prevent them being interpreted as spaces

24 24

25 25

2.8.0 - 2025-08-23

7 7

8 8

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/composer.json

Tabular | Unified

r3375858r3495959

50 50

}

51 51

],

52 52

"repositories": [

53 53

{

54 54

"type": "package",

55 55

"package": {

56 56

"name": "jshttp/mime-db",

57 57

"version": "1.54.0.1",

58 58

"dist": {

59 59

"url": "https://codelead.github.com/jshttp/mime-

60 60

db/zip/0a9fd0bfbcb87a725ff638495839114e7807b7177",

61 61

"type": "zip"

62 62

}

63 63

}

64 64

],

65 65

"require": {

66 66

"php": "^7.2.5 || ^8.0",

67 67

68 68

"bamarni/composer-bin-plugin": "^1.8.2",

69 69

"http-interop/http-factory-tests": "0.9.0",

70 70

"jshttp/mime-db": "1.54.0.1",

71 71

72 72

"phpunit/phpunit": "^8.5.44 || ^9.6.25"

73 73

74 74

},

75 75

76 76

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/LimitStream.php

Tabular | Unified

r3104738r3495959

64 64

} elseif (\$this->limit === -1) {

r3104738r3495959		
65	65	return \$length - \$this->offset;
66		} else {
67		return min(\$this->limit, \$length - \$this->offset);
68	66	}
	67	
	68	return min(\$this->limit, \$length - \$this->offset);
69	69	}
70	70	

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/MessageTrait.php		Tabular	Unified
r3375858r3495959			
30	30	}	
31	31		
	32	/**	
	33	* @return static	
	34	*/	
32	35	public function withProtocolVersion(\$version): MessageInterface	
33	36	{	
...	...		
70	73	}	
71	74		
	75	/**	
	76	* @return static	
	77	*/	
72	78	public function withHeader(\$header, \$value): MessageInterface	
73	79	{	
...	...		
86	92	}	
87	93		
	94	/**	
	95	* @return static	
	96	*/	
88	97	public function withAddedHeader(\$header, \$value): MessageInterface	
89	98	{	
...	...		
104	113	}	
105	114		
	115	/**	
	116	* @return static	
	117	*/	
106	118	public function withoutHeader(\$header): MessageInterface	
107	119	{	
...	...		
129	141	}	
130	142		
	143	/**	
	144	* @return static	
	145	*/	
131	146	public function withBody(StreamInterface \$body): MessageInterface	
132	147	{	

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/MimeType.php		Tabular	Unified
r3104738r3495959			
8	8	{	
9	9	private const MIME_TYPES = [
	10	'123' => 'application/vnd.lotus-1-2-3',	
10	11	'1km' => 'application/vnd.1000minds.decision-model+xml',	
	12	'210' => 'model/step',	

r3104738r3495959

11	13	'3dml' => 'text/vnd.in3d.3dml',
12	14	'3ds' => 'image/x-3ds',
13	15	'3g2' => 'video/3gpp2',
14		'3gp' => 'video/3gp',
	16	'3gp' => 'video/3gpp',
15	17	'3gpp' => 'video/3gpp',
16	18	'3mf' => 'model/3mf',
17	19	'7z' => 'application/x-7z-compressed',
18	20	'7zip' => 'application/x-7z-compressed',
19		'123' => 'application/vnd.lotus-1-2-3',
20	21	'aab' => 'application/x-authorware-bin',
21	22	'aac' => 'audio/aac',
...	...	
23	24	'aas' => 'application/x-authorware-seg',
24	25	'abw' => 'application/x-abiword',
25		'ac' => 'application/vnd.nokia.n-gage.ac+xml',
	26	'ac' => 'application/pkix-attr-cert',
26	27	'ac3' => 'audio/ac3',
27	28	'acc' => 'application/vnd.americandynamics.acc',
...	...	
36	37	'age' => 'application/vnd.age',
37	38	'ahead' => 'application/vnd.ahead.space',
38		'ai' => 'application/pdf',
	39	'ai' => 'application/postscript',
39	40	'aif' => 'audio/x-aiff',
40	41	'aifc' => 'audio/x-aiff',
...	...	
56	57	'arc' => 'application/x-freearc',
57	58	'arj' => 'application/x-arj',
58		'asc' => 'application/pgp-signature',
	59	'asc' => 'application/pgp-keys',
59	60	'asf' => 'video/x-ms-asf',
60	61	'asm' => 'text/x-asm',
...	...	
67	68	'atomsvc' => 'application/atomsvc+xml',
68	69	'atx' => 'application/vnd.antix.game-component',
69		'au' => 'audio/x-au',
	70	'au' => 'audio/basic',
70	71	'avci' => 'image/avci',
71	72	'avcs' => 'image/avcs',
...	...	
78	79	'azw' => 'application/vnd.amazon.ebook',
79	80	'b16' => 'image/vnd.pco.b16',
	81	'bary' => 'model/vnd.bary',
80	82	'bat' => 'application/x-msdownload',
81	83	'bcpio' => 'application/x-bcpio',
82	84	'bdf' => 'application/x-font-bdf',
83	85	'bdm' => 'application/vnd.syncml.dm+wbxml',
84		'bdoc' => 'application/x-bdoc',
	86	'bdo' => 'application/vnd.nato.bindingdataobject+xml',
	87	'bdoc' => 'application/bdoc',
85	88	'bed' => 'application/vnd.realvnc.bed',
86	89	'bh2' => 'application/vnd.fujitsu.oasysprs',
87	90	'bin' => 'application/octet-stream',
88	91	'blb' => 'application/x-blorb',
	92	'blend' => 'application/x-blender',
89	93	'blorb' => 'application/x-blorb',
90	94	'bmi' => 'application/vnd.bmi',
...	...	
96	100	'bpk' => 'application/octet-stream',
97	101	'bpmn' => 'application/octet-stream',

r3104738r3495959	
102	'brush' => 'application/vnd.procreate.brush',
103	'brushset' => 'application/vnd.procreate.brushset',
98 104	'bsp' => 'model/vnd.valve.source.compiled-map',
99 105	'btf' => 'image/prs.btif',
...	...
103 109	'bz2' => 'application/x-bzip2',
104 110	'c' => 'text/x-c',
111	'c1lamc' => 'application/vnd.cluetrust.cartomobile-config',
112	'c1lamz' => 'application/vnd.cluetrust.cartomobile-config-pkg',
105 113	'c4d' => 'application/vnd.clonk.c4group',
106 114	'c4f' => 'application/vnd.clonk.c4group',
...	...
108 116	'c4p' => 'application/vnd.clonk.c4group',
109 117	'c4u' => 'application/vnd.clonk.c4group',
110	'c1lamc' => 'application/vnd.cluetrust.cartomobile-config',
111	'c1lamz' => 'application/vnd.cluetrust.cartomobile-config-pkg',
112 118	'cab' => 'application/vnd.ms-cab-compressed',
113 119	'caf' => 'audio/x-caf',
...	...
133 139	'cdmio' => 'application/cdmi-object',
134 140	'cdmiq' => 'application/cdmi-queue',
135	'cdr' => 'application/cdr',
136 141	'cdx' => 'chemical/x-cdx',
137 142	'cdxml' => 'application/vnd.chemdraw+xml',
...	...
148 153	'cjs' => 'application/node',
149 154	'cla' => 'application/vnd.claymore',
150	'class' => 'application/octet-stream',
155	'class' => 'application/java-vm',
151 156	'cld' => 'model/vnd.cld',
152 157	'clkk' => 'application/vnd.crick.clicker.keyboard',
...	...
195 200	'dbf' => 'application/vnd.dbf',
196 201	'dbk' => 'application/docbook+xml',
202	'dcm' => 'application/dicom',
203	'dcmp' => 'application/vnd.dcmp+xml',
197 204	'dcr' => 'application/x-director',
198 205	'dcurl' => 'text/vnd.curl.dcurl',
...	...
222 229	'dms' => 'application/octet-stream',
223 230	'dna' => 'application/vnd.dna',
231	'dng' => 'image/x-adobe-dng',
224 232	'doc' => 'application/msword',
225	'docm' => 'application/vnd.ms-word.template.enabled.12',
233	'docm' => 'application/vnd.ms-word.document.enabled.12',
226 234	'docx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.document',
227 235	'dot' => 'application/msword',
228	'dotm' => 'application/vnd.ms-word.template.enabled.12',
236	'dotm' => 'application/vnd.ms-word.template.enabled.12',
229 237	'dotx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.template',
230 238	'dp' => 'application/vnd.osgi.dp',
...	...
233 241	'dra' => 'audio/vnd.dra',
234 242	'drle' => 'image/dicom-rle',
243	'drm' => 'application/vnd.procreate.dream',
235 244	'dsc' => 'text/prs.lines.tag',
236 245	'dssc' => 'application/dssc-der',
246	'dst' => 'application/octet-stream',
237 247	'dtb' => 'application/x-dtbook+xml',
238 248	'dtd' => 'application/xml-dtd',
...	...

r3104738r3495959		
286	296	'f77' => 'text/x-fortran',
287	297	'f90' => 'text/x-fortran',
	298	'facti' => 'image/vnd.blockfact.facti',
288	299	'fbs' => 'image/vnd.fastbidsheet',
	300	'fbx' => 'application/vnd.autodesk.fbx',
289	301	'fcdt' => 'application/vnd.adobe.formscentral.fcdt',
290	302	'fcs' => 'application/vnd.isac.fcs',
291		'fdf' => 'application/vnd.fdf',
	303	'fdf' => 'application/fdf',
292	304	'fdt' => 'application/fdt+xml',
293	305	'fe_launch' => 'application/vnd.denovo.fcselayout-link',
...	...	
331	343	'gdl' => 'model/vnd.gdl',
332	344	'gdoc' => 'application/vnd.google-apps.document',
	345	'gdraw' => 'application/vnd.google-apps.drawing',
333	346	'ged' => 'text/vnd.familysearch.gedcom',
334	347	'geo' => 'application/vnd.dynageo',
335	348	'geojson' => 'application/geo+json',
336	349	'gex' => 'application/vnd.geometry-explorer',
	350	'gform' => 'application/vnd.google-apps.form',
337	351	'ggb' => 'application/vnd.geogebra.file',
	352	'ggs' => 'application/vnd.geogebra.slides',
338	353	'ggt' => 'application/vnd.geogebra.tool',
339	354	'ghf' => 'application/vnd.groove-help',
340	355	'gif' => 'image/gif',
341	356	'gim' => 'application/vnd.groove-identity-message',
	357	'gjam' => 'application/vnd.google-apps.jam',
342	358	'glb' => 'model/gltf-binary',
343	359	'gltf' => 'model/gltf+json',
	360	'gmap' => 'application/vnd.google-apps.map',
344	361	'gml' => 'application/gml+xml',
345	362	'gmx' => 'application/vnd.gmx',
346	363	'gnumeric' => 'application/x-gnumeric',
347		'gpg' => 'application/gpg-keys',
348	364	'gph' => 'application/vnd.flographit',
349	365	'gpx' => 'application/gpx+xml',
...	...	
355	371	'grv' => 'application/vnd.groove-injector',
356	372	'grxml' => 'application/srgs+xml',
	373	'gscript' => 'application/vnd.google-apps.script',
357	374	'gsf' => 'application/x-font-ghostscript',
358	375	'gsheet' => 'application/vnd.google-apps.spreadsheet',
	376	'gsite' => 'application/vnd.google-apps.site',
359	377	'gslides' => 'application/vnd.google-apps.presentation',
360	378	'gtar' => 'application/x-gtar',
...	...	
388	406	'hps' => 'application/vnd.hp-hps',
389	407	'hqx' => 'application/mac-binhex40',
390		'hsj2' => 'image/hsj2',
391	408	'htc' => 'text/x-component',
392	409	'htke' => 'application/vnd.kenameapp',
...	...	
400	417	'ice' => 'x-conference/x-cooltalk',
401	418	'icm' => 'application/vnd.iccprofile',
402		'ico' => 'image/x-icon',
	419	'ico' => 'image/vnd.microsoft.icon',
403	420	'ics' => 'text/calendar',
404	421	'ief' => 'image/ief',
...	...	
415	432	'ims' => 'application/vnd.ms-ims',
416	433	'in' => 'text/plain',

r3104738r3495959

434		'indd' => 'application/x-indesign',
417	435	'ini' => 'text/plain',
418	436	'ink' => 'application/inkml+xml',
...	...	
422	440	'ipfix' => 'application/ipfix',
423	441	'ipk' => 'application/vnd.shana.informed.package',
	442	'ipynb' => 'application/x-ipynb+json',
424	443	'irm' => 'application/vnd.ibm.rights-management',
425	444	'irp' => 'application/vnd.irepository.package+xml',
...	...	
431	450	'jad' => 'text/vnd.sun.j2me.app-descriptor',
432	451	'jade' => 'text/jade',
	452	'jaii' => 'image/jaii',
	453	'jais' => 'image/jais',
433	454	'jam' => 'application/vnd.jam',
434	455	'jar' => 'application/java-archive',
435	456	'jardiff' => 'application/x-java-archive-diff',
436	457	'java' => 'text/x-java-source',
	458	'jfif' => 'image/jpeg',
437	459	'jhc' => 'image/jphc',
438	460	'jisp' => 'application/vnd.jisp',
...	...	
448	470	'jpg' => 'image/jpeg',
449	471	'jpg2' => 'image/jp2',
450		'jpgm' => 'video/jpm',
	472	'jpgm' => 'image/jpm',
451	473	'jpgv' => 'video/jpeg',
452	474	'jph' => 'image/jph',
453		'jpm' => 'video/jpm',
	475	'jpm' => 'image/jpm',
454	476	'jpx' => 'image/jpx',
455		'js' => 'application/javascript',
	477	'js' => 'text/javascript',
456	478	'json' => 'application/json',
457	479	'json5' => 'application/json5',
...	...	
460	482	'jsx' => 'text/jsx',
461	483	'jt' => 'model/jt',
	484	'jxl' => 'image/jxl',
462	485	'jxr' => 'image/jxr',
463	486	'jxra' => 'image/jxra',
...	...	
469	492	'kar' => 'audio/midi',
470	493	'karbon' => 'application/vnd.kde.karbon',
	494	'kbl' => 'application/kbl+xml',
471	495	'kdb' => 'application/octet-stream',
472	496	'kdbx' => 'application/x-keepass2',
473		'key' => 'application/x-iwork-keynote-sffkey',
	497	'key' => 'application/vnd.apple.keynote',
474	498	'kfo' => 'application/vnd.kde.kformula',
475	499	'kia' => 'application/vnd.kidspiration',
...	...	
496	520	'less' => 'text/less',
497	521	'lgr' => 'application/lgr+xml',
498		'lha' => 'application/octet-stream',
	522	'lha' => 'application/x-lzh-compressed',
499	523	'link66' => 'application/vnd.route66.link66+xml',
500	524	'list' => 'text/plain',
...	...	
505	529	'log' => 'text/plain',
506	530	'lostxml' => 'application/lost+xml',

r3104738r3495959	
531	'lottie' => 'application/zip+dotlottie',
507	'lrf' => 'application/octet-stream',
508	'lrm' => 'application/vnd.ms-lrm',
...	...
512	'lvp' => 'audio/vnd.lucent.voice',
513	'lwp' => 'application/vnd.lotus-wordpro',
514	'lzh' => 'application/octet-stream',
539	'lzh' => 'application/x-lzh-compressed',
540	'm13' => 'application/x-msmediaview',
541	'm14' => 'application/x-msmediaview',
515	'm1v' => 'video/mpeg',
543	'm21' => 'application/mp21',
516	'm2a' => 'audio/mpeg',
545	'm2t' => 'video/mp2t',
546	'm2ts' => 'video/mp2t',
517	'm2v' => 'video/mpeg',
518	'm3a' => 'audio/mpeg',
519	'm3u' => 'text/plain',
549	'm3u' => 'audio/x-mpegurl',
520	'm3u8' => 'application/vnd.apple.mpegurl',
521	'm4a' => 'audio/x-m4a',
551	'm4a' => 'audio/mp4',
552	'm4b' => 'audio/mp4',
522	'm4p' => 'application/mp4',
523	'm4s' => 'video/iso.segment',
524	'm4u' => 'application/vnd.mpegurl',
555	'm4u' => 'video/vnd.mpegurl',
525	'm4v' => 'video/x-m4v',
526	'm13' => 'application/x-msmediaview',
527	'm14' => 'application/x-msmediaview',
528	'm21' => 'application/mp21',
529	'ma' => 'application/mathematica',
530	'mads' => 'application/mads+xml',
...	...
557	'mcp' => 'application/vnd.osgeo.mapguide.package',
558	'mgz' => 'application/vnd.proteus.magazine',
587	'mht' => 'message/rfc822',
588	'mhtml' => 'message/rfc822',
559	'mid' => 'audio/midi',
560	'midi' => 'audio/midi',
...	...
565	'mjp2' => 'video/mj2',
566	'mjs' => 'text/javascript',
567	'mk3d' => 'video/x-matroska',
568	'mka' => 'audio/x-matroska',
597	'mk3d' => 'video/matroska-3d',
598	'mka' => 'audio/matroska',
569	'mkd' => 'text/x-markdown',
570	'mks' => 'video/x-matroska',
571	'mkv' => 'video/x-matroska',
601	'mkv' => 'video/matroska',
572	'mlp' => 'application/vnd.dolby.mlp',
573	'mmd' => 'application/vnd.chipnuts.karaoke-mmd',
...	...
582	'movie' => 'video/x-sgi-movie',
583	'mp2' => 'audio/mpeg',
614	'mp21' => 'application/mp21',
584	'mp2a' => 'audio/mpeg',
585	'mp3' => 'audio/mpeg',
...	...
588	'mp4s' => 'application/mp4',

r3104738r3495959		
589	620	'mp4v' => 'video/mp4',
590		'mp21' => 'application/mp21',
591	621	'mpc' => 'application/vnd.mophun.certificate',
592	622	'mpd' => 'application/dash+xml',
...	...	
613	643	'msg' => 'application/vnd.ms-outlook',
614	644	'msh' => 'model/mesh',
615		'msi' => 'application/x-msdownload',
	645	'msi' => 'application/octet-stream',
616	646	'msix' => 'application/msix',
617	647	'msixbundle' => 'application/msixbundle',
...	...	
621	651	'msty' => 'application/vnd.muvee.style',
622	652	'mtl' => 'model/mtl',
623		'mts' => 'model/vnd.mts',
	653	'mts' => 'video/mp2t',
624	654	'mus' => 'application/vnd.musician',
625	655	'musd' => 'application/mmt-usd+xml',
...	...	
640	670	'nc' => 'application/x-netcdf',
641	671	'ncx' => 'application/x-dtbncx+xml',
	672	'ndjson' => 'application/x-ndjson',
642	673	'nfo' => 'text/x-nfo',
643	674	'ngdat' => 'application/vnd.nokia.n-gage.data',
...	...	
654	685	'nt' => 'application/n-triples',
655	686	'ntf' => 'application/vnd.nitf',
656		'numbers' => 'application/x-iwork-numbers-sffnumbers',
	687	'numbers' => 'application/vnd.apple.numbers',
657	688	'nzb' => 'application/x-nzb',
658	689	'oa2' => 'application/vnd.fujitsu.oasys2',
...	...	
679	710	'ogx' => 'application/ogg',
680	711	'omdoc' => 'application/omdoc+xml',
	712	'one' => 'application/onenote',
	713	'onea' => 'application/onenote',
681	714	'onepkg' => 'application/onenote',
682	715	'onetmp' => 'application/onenote',
...	...	
687	720	'oprc' => 'application/vnd.palm',
688	721	'opus' => 'audio/ogg',
689		'org' => 'text/x-org',
	722	'org' => 'application/vnd.lotus-organizer',
690	723	'osf' => 'application/vnd.yamaha.openscoreformat',
691	724	'osfpvg' => 'application/vnd.yamaha.openscoreformat.osfpvg+xml',
...	...	
705	738	'oxf' => 'application/vnd.openofficeorg.extension',
706	739	'p' => 'text/x-pascal',
	740	'p10' => 'application/pkcs10',
	741	'p12' => 'application/x-pkcs12',
	742	'p21' => 'model/step',
707	743	'p7a' => 'application/x-pkcs7-signature',
708	744	'p7b' => 'application/x-pkcs7-certificates',
709	745	'p7c' => 'application/pkcs7-mime',
	746	'p7e' => 'application/pkcs7-mime',
710	747	'p7m' => 'application/pkcs7-mime',
711	748	'p7r' => 'application/x-pkcs7-certreqresp',
712	749	'p7s' => 'application/pkcs7-signature',
713	750	'p8' => 'application/pkcs8',
714		'p10' => 'application/x-pkcs10',
715		'p12' => 'application/x-pkcs12',

r3104738r3495959		
716	751	'pac' => 'application/x-ns-proxy-autoconfig',
717		'pages' => 'application/x-iwork-pages-sffpages',
	752	'pages' => 'application/vnd.apple.pages',
	753	'parquet' => 'application/vnd.apache.parquet',
718	754	'pas' => 'text/x-pascal',
719	755	'paw' => 'application/vnd.pawaafifile',
...	...	
726	762	'pct' => 'image/x-pict',
727	763	'pcurl' => 'application/vnd.curl.pcurl',
728		'pcx' => 'image/x-pcx',
729		'pdb' => 'application/x-pilot',
	764	'pcx' => 'image/vnd.zbrush.pcx',
	765	'pdb' => 'application/vnd.palm',
730	766	'pde' => 'text/x-processing',
731	767	'pdf' => 'application/pdf',
...	...	
738	774	'pgm' => 'image/x-portable-graymap',
739	775	'pgn' => 'application/x-chess-pgn',
740		'pgp' => 'application/pgp',
	776	'pgp' => 'application/pgp-encrypted',
741	777	'phar' => 'application/octet-stream',
742	778	'php' => 'application/x-httpd-php',
...	...	
761	797	'portpkg' => 'application/vnd.macports.portpkg',
762	798	'pot' => 'application/vnd.ms-powerpoint',
763		'potm' => 'application/vnd.ms-powerpoint.presentation.macroEnabled.12',
	799	'potm' => 'application/vnd.ms-powerpoint.template.macroenabled.12',
764	800	'potx' => 'application/vnd.openxmlformats-officedocument.presentationml.template',
765	801	'ppa' => 'application/vnd.ms-powerpoint',
766		'ppam' => 'application/vnd.ms-powerpoint.addin.macroEnabled.12',
	802	'ppam' => 'application/vnd.ms-powerpoint.addin.macroenabled.12',
767	803	'ppd' => 'application/vnd.cups-ppd',
768	804	'ppm' => 'image/x-portable-pixmap',
769	805	'pps' => 'application/vnd.ms-powerpoint',
770		'ppsm' => 'application/vnd.ms-powerpoint.slideshow.macroEnabled.12',
	806	'ppsm' => 'application/vnd.ms-powerpoint.slideshow.macroenabled.12',
771	807	'ppsx' => 'application/vnd.openxmlformats-officedocument.presentationml.slideshow',
772		'ppt' => 'application/powerpoint',
773		'pptm' => 'application/vnd.ms-powerpoint.presentation.macroEnabled.12',
	808	'ppt' => 'application/vnd.ms-powerpoint',
	809	'pptm' => 'application/vnd.ms-powerpoint.presentation.macroenabled.12',
774	810	'pptx' => 'application/vnd.openxmlformats-officedocument.presentationml.presentation',
775	811	'pqa' => 'application/vnd.palm',
...	...	
780	816	'ps' => 'application/postscript',
781	817	'psb' => 'application/vnd.3gpp.pic-bw-small',
782		'psd' => 'application/x-photoshop',
	818	'psd' => 'image/vnd.adobe.photoshop',
783	819	'psf' => 'application/x-font-linux-psf',
784	820	'pskcxm1' => 'application/pskc+xml',
...	...	
786	822	'ptid' => 'application/vnd.pvi.ptid1',
787	823	'pub' => 'application/x-mspublisher',
	824	'pv' => 'application/octet-stream',
788	825	'pvb' => 'application/vnd.3gpp.pic-bw-var',
789	826	'pwn' => 'application/vnd.3m.post-it-notes',
	827	'pxf' => 'application/octet-stream',
790	828	'pya' => 'audio/vnd.ms-playready.media.pya',
791	829	'pyo' => 'model/vnd.pytha.pyox',
...	...	
807	845	'raml' => 'application/raml+yaml',

r3104738r3495959		
808	846	'rapd' => 'application/route-apd+xml',
809		'rar' => 'application/x-rar',
	847	'rar' => 'application/vnd.rar',
810	848	'ras' => 'image/x-cmu-raster',
811	849	'rcprofile' => 'application/vnd.ipunplugged.rcprofile',
...	...	
822	860	'rlc' => 'image/vnd.fujixerox.edmics-rlc',
823	861	'rld' => 'application/resource-lists-diff+xml',
824		'rm' => 'audio/x-pn-realaudio',
	862	'rm' => 'application/vnd.rn-realmedia',
825	863	'rmi' => 'audio/midi',
826	864	'rmp' => 'audio/x-pn-realaudio-plugin',
...	...	
832	870	'roff' => 'text/troff',
833	871	'rp9' => 'application/vnd.cloanto.rp9',
834		'rpm' => 'audio/x-pn-realaudio-plugin',
	872	'rpm' => 'application/x-redhat-package-manager',
835	873	'rps' => 'application/vnd.nokia.radio-presets',
836	874	'rpst' => 'application/vnd.nokia.radio-preset',
...	...	
866	904	'sdp' => 'application/sdp',
867	905	'sdw' => 'application/vnd.stardivision.writer',
868		'sea' => 'application/octet-stream',
	906	'sea' => 'application/x-sea',
869	907	'see' => 'application/vnd.seemail',
870	908	'seed' => 'application/vnd.fdsn.seed',
...	...	
911	949	'sm' => 'application/vnd.stepmania.stepchart',
912	950	'smf' => 'application/vnd.stardivision.math',
913		'smi' => 'application/smil',
914		'smil' => 'application/smil',
	951	'smi' => 'application/smil+xml',
	952	'smil' => 'application/smil+xml',
915	953	'smv' => 'video/x-smv',
916	954	'smzip' => 'application/vnd.stepmania.package',
...	...	
926	964	'spq' => 'application/scvp-vp-request',
927	965	'spx' => 'audio/ogg',
928		'sql' => 'application/x-sql',
	966	'sql' => 'application/sql',
	967	'sqlite' => 'application/vnd.sqlite3',
	968	'sqlite3' => 'application/vnd.sqlite3',
929	969	'src' => 'application/x-wais-source',
930	970	'srt' => 'application/x-subrip',
...	...	
939	979	'stc' => 'application/vnd.sun.xml.calc.template',
940	980	'std' => 'application/vnd.sun.xml.draw.template',
941		'step' => 'application/STEP',
	981	'step' => 'model/step',
942	982	'stf' => 'application/vnd.wt.stf',
943	983	'sti' => 'application/vnd.sun.xml.impress.template',
944	984	'stk' => 'application/hyperstudio',
945	985	'stl' => 'model/stl',
946		'stp' => 'application/STEP',
	986	'stp' => 'model/step',
	987	'stpnc' => 'model/step',
947	988	'stp' => 'model/step+xml',
948	989	'stpxz' => 'model/step+xml+zip',
...	...	
952	993	'styl' => 'text/stylus',
953	994	'stylus' => 'text/stylus',

r3104738r3495959

954		'sub' => 'text/vnd.dvb.subtitle',
	995	'sub' => 'image/vnd.dvb.subtitle',
955	996	'sus' => 'application/vnd.sus-calendar',
956	997	'susp' => 'application/vnd.sus-calendar',
...	...	
971	1012	'sxm' => 'application/vnd.sun.xml.math',
972	1013	'sxw' => 'application/vnd.sun.xml.writer',
	1014	'systemverify' => 'application/vnd.pp.systemverify+xml',
973	1015	't' => 'text/troff',
974	1016	't3' => 'application/x-t3vm-image',
...	...	
992	1034	'tfx' => 'image/tiff-fx',
993	1035	'tga' => 'image/x-tga',
994		'tgz' => 'application/x-tar',
	1036	'tgz' => 'application/gzip',
995	1037	'thmx' => 'application/vnd.ms-officetheme',
996	1038	'tif' => 'image/tiff',
...	...	
1018	1060	'txf' => 'application/vnd.mobius.txf',
1019	1061	'txt' => 'text/plain',
	1062	'u32' => 'application/x-authorware-bin',
1020	1063	'u3d' => 'model/u3d',
1021	1064	'u8dsn' => 'message/global-delivery-status',
...	...	
1023	1066	'u8mdn' => 'message/global-disposition-notification',
1024	1067	'u8msg' => 'message/global',
1025		'u32' => 'application/x-authorware-bin',
1026	1068	'ubj' => 'application/ubjson',
1027	1069	'udeb' => 'application/x-debian-package',
...	...	
1079	1121	'vdi' => 'application/x-virtualbox-vdi',
1080	1122	'vds' => 'model/vnd.sap.vds',
	1123	'vdx' => 'application/vnd.ms-visio.viewer',
	1124	'vec' => 'application/vec+xml',
1081	1125	'vhd' => 'application/x-virtualbox-vhd',
1082	1126	'vis' => 'application/vnd.visionary',
1083	1127	'viv' => 'video/vnd.vivo',
1084		'vlc' => 'application/videolan',
1085	1128	'vmrk' => 'application/x-virtualbox-vmrk',
1086	1129	'vob' => 'video/x-ms-vob',
...	...	
1089	1132	'vrml' => 'model/vrml',
1090	1133	'vsd' => 'application/vnd.visio',
	1134	'vsdx' => 'application/vnd.visio',
1091	1135	'vsf' => 'application/vnd.vsf',
1092	1136	'vss' => 'application/vnd.visio',
...	...	
1096	1140	'vtt' => 'text/vtt',
1097	1141	'vtu' => 'model/vnd.vtu',
	1142	'vtx' => 'application/vnd.visio',
1098	1143	'vxml' => 'application/voicexml+xml',
1099	1144	'w3d' => 'application/x-director',
...	...	
1102	1147	'war' => 'application/java-archive',
1103	1148	'wasm' => 'application/wasm',
1104		'wav' => 'audio/x-wav',
	1149	'wav' => 'audio/wav',
1105	1150	'wax' => 'audio/x-ms-wax',
1106	1151	'wbmp' => 'image/vnd.wap.wbmp',
1107	1152	'wbs' => 'application/vnd.criticaltools.wbs+xml',
1108		'wbxml' => 'application/wbxml',

r3104738r3495959		
	1153	'wbxm1' => 'application/vnd.wap.wbxm1',
1109	1154	'wcm' => 'application/vnd.ms-works',
1110	1155	'wdb' => 'application/vnd.ms-works',
...	...	
1125	1170	'wmf' => 'image/wmf',
1126	1171	'wml' => 'text/vnd.wap.wml',
1127		'wmlc' => 'application/wmlc',
	1172	'wmlc' => 'application/vnd.wap.wmlc',
1128	1173	'wmls' => 'text/vnd.wap.wmlscript',
1129	1174	'wmlsc' => 'application/vnd.wap.wmlscriptc',
1130	1175	'wmv' => 'video/x-ms-wmv',
1131	1176	'wmx' => 'video/x-ms-wmx',
1132		'wmz' => 'application/x-msmetafile',
	1177	'wmz' => 'application/x-ms-wmz',
1133	1178	'woff' => 'font/woff',
1134	1179	'woff2' => 'font/woff2',
...	...	
1145	1190	'wtb' => 'application/vnd.webturbo',
1146	1191	'wvx' => 'video/x-ms-wvx',
	1192	'x32' => 'application/x-authorware-bin',
1147	1193	'x3d' => 'model/x3d+xml',
1148	1194	'x3db' => 'model/x3d+fastinfoset',
...	...	
1151	1197	'x3dvz' => 'model/x3d+vrml',
1152	1198	'x3dz' => 'model/x3d+xml',
1153		'x32' => 'application/x-authorware-bin',
1154	1199	'x_b' => 'model/vnd.parasolid.transmit.binary',
1155	1200	'x_t' => 'model/vnd.parasolid.transmit.text',
...	...	
1163	1208	'xca' => 'application/xcap-caps+xml',
1164	1209	'xcs' => 'application/calendar+xml',
	1210	'xdcf' => 'application/vnd.gov.sk.xmldatacontainer+xml',
1165	1211	'xdf' => 'application/xcap-diff+xml',
1166	1212	'xdm' => 'application/vnd.syncml.dm+xml',
...	...	
1178	1224	'xhvm1' => 'application/xv+xml',
1179	1225	'xif' => 'image/vnd.xiff',
1180		'xl' => 'application/excel',
	1226	'xl' => 'application/vnd.ms-excel',
1181	1227	'xla' => 'application/vnd.ms-excel',
1182		'xlam' => 'application/vnd.ms-excel.addin.macroEnabled.12',
	1228	'xlam' => 'application/vnd.ms-excel.addin.macroenabled.12',
1183	1229	'xlc' => 'application/vnd.ms-excel',
1184	1230	'xlf' => 'application/xliff+xml',
1185	1231	'xlm' => 'application/vnd.ms-excel',
1186	1232	'xls' => 'application/vnd.ms-excel',
1187		'xlsb' => 'application/vnd.ms-excel.sheet.binary.macroEnabled.12',
1188		'xlsm' => 'application/vnd.ms-excel.sheet.macroEnabled.12',
	1233	'xlsb' => 'application/vnd.ms-excel.sheet.binary.macroenabled.12',
	1234	'xlsm' => 'application/vnd.ms-excel.sheet.macroenabled.12',
1189	1235	'xlsx' => 'application/vnd.openxmlformats-officedocument.spreadsheetml.sheet',
1190	1236	'xlt' => 'application/vnd.ms-excel',
1191		'xltm' => 'application/vnd.ms-excel.template.macroEnabled.12',
	1237	'xltm' => 'application/vnd.ms-excel.template.macroenabled.12',
1192	1238	'xltx' => 'application/vnd.openxmlformats-officedocument.spreadsheetml.template',
1193	1239	'xlv' => 'application/vnd.ms-excel',
...	...	
1206	1252	'xsd' => 'application/xml',
1207	1253	'xsf' => 'application/prs.xsf+xml',
1208		'xsl' => 'application/xml',
	1254	'xsl' => 'application/xslt+xml',

r3104738r3495959

1209	1255	'xslt' => 'application/xslt+xml',
1210	1256	'xsm' => 'application/vnd.syncml+xml',

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/MultipartStream.php

Tabular | Unified

r3132288r3495959

```

24 24 * @param array $elements Array of associative arrays, each containing a
25 25 *
26 26 * name, a required "contents" key mapping to a
27 27 * StreamInterface/resource/string, an optional
28 28 * "headers" associative array of custom headers,
29 29 * and an optional "filename" key mapping to a
30 30 * string to send as the filename in the part.
31 31 *
32 32 * name, a required "contents" key mapping to any
33 33 * value accepted by Utils::streamFor() (scalar,
34 34 * null, resource, StreamInterface, Iterator, or
35 35 * callable), or an array for nested expansion.
36 36 * Optional keys include "headers" (associative
37 37 * array of custom headers) and "filename" (string
38 38 * to send as the filename in the part).
39 39 * When "contents" is an array, it is recursively
40 40 * expanded into multiple fields using bracket notation
41 41 * (e.g., name[0][key]). Empty arrays produce no fields.
42 42 * The "filename" and "headers" options cannot be used
43 43 * with array contents.
44 44 *
45 45 * @param string $boundary You can optionally provide a specific boundary
46 46 *
47 47 *
48 48 *
49 49 *
50 50 *
51 51 *
52 52 *
53 53 *
54 54 *
55 55 *
56 56 *
57 57 *
58 58 *
59 59 *
60 60 *
61 61 *
62 62 *
63 63 *
64 64 *
65 65 *
66 66 *
67 67 *
68 68 *
69 69 *
70 70 *
71 71 *
72 72 *
73 73 *
74 74 *
75 75 *
76 76 *
77 77 *
78 78 *
79 79 *
80 80 *
81 81 *
82 82 *
83 83 *
84 84 *
85 85 *
86 86 *
87 87 *
88 88 *
89 89 *
90 97         throw new \InvalidArgumentException("A '{$key}' key is required");
91 98     }
92 99     }
93 100
94 101     if (!is_string($element['name']) && !is_int($element['name'])) {
95 102         throw new \InvalidArgumentException("The 'name' key must be a string or integer");
96 103     }
97 104
98 105     if (is_array($element['contents'])) {
99 106         if (array_key_exists('filename', $element) || array_key_exists('headers', $element)) {
100 107             throw new \InvalidArgumentException(
101 108                 "The 'filename' and 'headers' options cannot be used when 'contents' is an
102 109                 array"
103 110             );
104 111         }
105 112         $this->addNestedElements($stream, $element['contents'], (string) $element['name']);
106 113
107 114         return;
108 115     }
109 116
110 117
111 118
112 119
113 120
114 121
115 122
116 123
117 124
118 125
119 126
120 127     [$body, $headers] = $this->createElement(
121 128         $element['name'],
122 129         (string) $element['name'],
123 130         $element['contents'],
124 131         $element['filename'] ?? null,
125 132
126 133
127 134
128 135
129 136
130 137
131 138
132 139
133 140
134 141
135 142
136 143
137 144

```

```

r3132288r3495959
138  /**
139  * Recursively expand array contents into multiple form fields.
140  *
141  * @param array<array-key, mixed> $contents
142  */
143  private function addNestedElements(AppendStream $stream, array $contents, string $root): void
144  {
145      foreach ($contents as $key => $value) {
146          $fieldName = $root === '' ? sprintf('[%s]', (string) $key) : sprintf('%s[%s]', $root,
147          (string) $key);
148
149          if (is_array($value)) {
150              $this->addNestedElements($stream, $value, $fieldName);
151          } else {
152              $this->addElement($stream, ['name' => $fieldName, 'contents' => $value]);
153          }
154      }
155  }

```

```

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/Request.php
Tabular | Unified
r3104738r3495959
41  41  ) {
42  42      $this->assertMethod($method);
43  43      if (!$uri instanceof UriInterface) {
44  44          $uri = new Uri($uri);
45  45  }

```

```

w3-total-cache/tags/2.9.4/vendor/guzzlehttp/psr7/src/Uri.php
Tabular | Unified
r3272823r3495959
52  52  */
53  53  private const CHAR_SUB_DELIMS = '!$%&\(\)\*\+\,;=';
54  54  private const QUERY_SEPARATORS_REPLACEMENT = ['=' => '%3D', '&' => '%26'];
55  55  private const QUERY_SEPARATORS_REPLACEMENT = ['=' => '%3D', '&' => '%26', '+' => '%2B'];
56  56
57  ...
58  ...
62  62  private static function generateQueryString(string $key, ?string $value): string
63  63  {
64  64      // Query string separators ("=", "&") within the key or value need to be encoded
65  65      // Query string separators ("=", "&") and literal plus signs ("+") within the
66  66      // key or value need to be encoded
67  67      // (while preventing double-encoding) before setting the query string. All other
68  68      // chars that need percent-encoding will be encoded by withQuery().

```

```

w3-total-cache/tags/2.9.4/vendor/sebastian/comparator/ChangeLog.md
Tabular | Unified
r3345179r3495959
2  2
3  3  All notable changes are documented in this file using the [Keep a CHANGELOG]
4  4  (http://keepachangelog.com/) principles.
5  5  ## [3.0.7] - 2026-01-24
6  6
7  7  ### Changed
8  8

```

r3345179r3495959	
9	* [#134](https://github.com/sebastianbergmann/comparator/issues/134): Suppress warning introduced in PHP 8.5
4	10
5	11 ## [3.0.6] - 2025-08-10
...	...
75	81 * Added support for `phpunit/phpunit-mock-objects` version `^5.0`
76	82
83	[3.0.7]: https://github.com/sebastianbergmann/comparator/compare/3.0.6...3.0.7
77	84 [3.0.6]: https://github.com/sebastianbergmann/comparator/compare/3.0.5...3.0.6
78	85 [3.0.5]: https://github.com/sebastianbergmann/comparator/compare/3.0.4...3.0.5

w3-total-cache/tags/2.9.4/vendor/sebastian/comparator/src/ScalarComparator.php

Tabular | Unified

r3104738r3495959	
53	53 // otherwise 0 == 'Foobar'
54	54 if ((\is_string(\$expected) && !\is_bool(\$actual)) (\is_string(\$actual) && !\is_bool(\$expected))) {
55	55 \$expectedToCompare = (string) \$expectedToCompare;
56	56 \$actualToCompare = (string) \$actualToCompare;
55	55 \$expectedToCompare = @(string) \$expectedToCompare;
56	56 \$actualToCompare = @(string) \$actualToCompare;
57	57
58	58 if (\$ignoreCase) {

w3-total-cache/tags/2.9.4/w3-total-cache-api.php

Tabular | Unified

r3494743r3495959	
11	11
12	12 define('W3TC', true);
13	13 define('W3TC_VERSION', '2.9.2');
13	13 define('W3TC_VERSION', '2.9.4');
14	14 define('W3TC_POWERED_BY', 'W3 Total Cache');
15	15 define('W3TC_EMAIL', 'w3tc@w3-edge.com');

w3-total-cache/tags/2.9.4/w3-total-cache.php

Tabular | Unified

r3494743r3495959	
4	4 * Plugin URI: https://www.boldgrid.com/totalcache/
5	5 * Description: The highest rated and most complete WordPress performance plugin. Dramatically improve the speed and user experience of your site. Add browser, page, object and database caching as well as minify and content delivery network (CDN) to WordPress.
6	6 * Version: 2.9.2
6	6 * Version: 2.9.4
7	7 * Requires at least: 5.3
8	8 * Requires PHP: 7.2.5

[About](#)[Showcase](#)[Learn](#)[Get Involved](#)[News](#)[Themes](#)[Documentation](#)[Events](#)[Hosting](#)[Plugins](#)[Developers](#)[Donate ↗](#)[Privacy](#)[Patterns](#)[WordPress.tv ↗](#)[Five for the Future](#)

[WordPress.com ↗](#)

[Matt ↗](#)

[bbPress ↗](#)

[BuddyPress ↗](#)



CODE IS POETRY

The WordPress® trademark is the intellectual property of the WordPress Foundation.