



RHSA-2013:0671 - Security Advisory

Issued: 2013-03-21 Updated: 2013-03-21

[Overview](#)[Updated Packages](#)

Synopsis

Moderate: openstack-packstack security and bug fix update

Type/Severity

Security Advisory: Moderate

Red Hat Lightspeed patch analysis

Identify and remediate systems affected by this advisory.

[View affected systems](#) 

Topic

An updated openstack-packstack package that fixes one security issue and several bugs is now available for Red Hat OpenStack Folsom.

The Red Hat Security Response Team has rated this update as having moderate security impact. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available from the CVE link in the References section.

Description

PackStack is a command line utility that uses Puppet modules to support rapid deployment of OpenStack on existing servers over an SSH connection. PackStack is suitable for deploying both single node proof of concept installations and more complex multi-node installations.

It was found that PackStack did not handle the answer file securely. In some environments, such as those using a non-default umask, a local attacker could possibly modify the answer file if PackStack was run in an attacker controlled directory, or attempted to create the answer file in `"/tmp/"`, allowing the attacker to modify systems being deployed using OpenStack. Note: After applying this update, PackStack will create the answer file in the user's home directory by default. It will no longer create it in the current working directory or the `"/tmp/"` directory by default. (CVE-2013-1815)

The CVE-2013-1815 issue was discovered by Derek Higgins of the Red Hat OpenStack team.

This update also fixes several bugs in the `openstack-packstack` package.

All users of `openstack-packstack` are advised to upgrade to this updated package, which corrects these issues.

Solution

Before applying this update, make sure all previously-released errata relevant to your system have been applied.

This update is available via the Red Hat Network. Details on how to use the Red Hat Network to apply this update are available at <https://access.redhat.com/knowledge/articles/11258>

Affected Products

- Red Hat OpenStack folsom x86_64

Fixes

- [BZ - 865347](#) - RFE: Hypervisor installer should change host's IO scheduler to deadline for improved performance
- [BZ - 886603](#) - Openstack Installer: packstack should handle both IP addresses and hostnames for all parameters available in its answer file.

- [BZ - 888725](#) - packstack puppet recipes should set authtoken parameters in *.conf not paste.ini
- [BZ - 892247](#) - Provide --all-in-one parameter to Packstack
- [BZ - 893107](#) - Openstack-packstack: The installation log file is available at </path> - is empty, (when not using '--debug=true') .
- [BZ - 894733](#) - packstack: keystone_admin file generation: assumes '/root' exists, stores keystone_admin file with too much permissions
- [BZ - 896618](#) - RFE: Use full/explanatory service names in user prompts.
- [BZ - 903502](#) - packstack munges my RHN password
- [BZ - 903545](#) - take /usr/share/*dist.conf into account when writing /etc/*conf
- [BZ - 903813](#) - Configure Horizon to use HTTPS by default.
- [BZ - 905081](#) - glance endpoint url contains version which brakes new-enough python-glanceclient
- [BZ - 905368](#) - Support for RHN Hosted and Satellite
- [BZ - 905842](#) - NTP configuration fails if ntpd service is running in the machine already
- [BZ - 908695](#) - openstack-packstack: Installation failed on iptables Command Error 'Resource temporarily unavailable'.
- [BZ - 908771](#) - Have consistent conventions for variables (passwords)
- [BZ - 908837](#) - RHEL version not supported. RHEL >6.4 required is not true. True is RHEL >= 6.4 is required.
- [BZ - 908838](#) - RHEL version not supported. RHEL >6.4 required is not true. Reported when connection problem happened.
- [BZ - 908846](#) - answer file options values doesn't allow white-spaces
- [BZ - 908900](#) - CONFIG_SWIFT_STORAGE_HOSTS format handling is badly parsed
- [BZ - 910089](#) - Packstack doesn't make sure the private interface is up
- [BZ - 910210](#) - packstack needs to add option to subscribe to rh beta rpm's
- [BZ - 911626](#) - double first typo in answfile
- [BZ - 912006](#) - Openstack Installer: packstack error while trying to validate NTP server
- [BZ - 912702](#) - Remove symlink to qemu-kvm from qemu-system-x86_64 created for VM on VM installs
- [BZ - 912745](#) - INFO_KEYSTONERC hardcoded to /root/ location.
- [BZ - 912768](#) - Packstack needs to add nagios to monitor hosts
- [BZ - 915382](#) - Prompt for NTP should highlight way to provide list (comma separated)
- [BZ - 917904](#) - CVE-2013-1815 OpenStack packstack: answerfile creation permissions issue



CVEs


- [CVE-2013-1815](#)


References


- <https://access.redhat.com/security/updates/classification/#moderate>


The Red Hat security contact is secalert@redhat.com. More contact details at <https://access.redhat.com/security/team/contact/>.





Quick Links 

Help 

Site Info 

Related Sites 

 All systems operational



- About Red Hat
- Jobs
- Events
- Locations
- Contact Red Hat
- Red Hat Blog
- Inclusion at Red Hat
- Cool Stuff Store
- Red Hat Summit

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

[Cookie Preferences and Opt-Out Rights](#)