



# About cookies on this site



Red Hat F

A cookie is a small amount of data that is sent to your browser from a web server and stored on your device. The cookie may be placed by Red Hat or by an authorized third party.

## RHSA

When you use this site, Red Hat uses cookies and other technologies which are necessary to enable the basic features of the site to function (Required cookies). Subject to your preferences, Red Hat and its authorized partners may also use cookies to analyze your use of the website to evaluate and improve our performance, to improve our service to you and to personalize your experience (Functional cookies) as well as advertising cookies to show you ads that are more relevant to you (Advertising cookies). We honor the preferences you select.

5-03-17

Overview

Updated P

## Synop

In addition to the services they provide to Red Hat, certain Red Hat authorized partners may also use this data for their own purposes or for

Importa

Type/:

**Accept Default**

**Do Not Sell or Share My Personal Information**

Security Advisory: Important

[Cookie Preferences](#) | [Privacy Statement](#)

**Red Hat Lightspeed patch analysis**

Identify and remediate systems affected by this advisory.

[View affected systems](#)

## Topic

An update for tigervnc is now available for Red Hat Enterprise Linux 8.8 Extended Update Support.

Red Hat Product Security has rated this update as having a security impact of Important. A Common Vulnerability Scoring System (CVSS) base score, which gives a detailed severity rating, is available for each vulnerability from the CVE link(s) in the References section.

## Description

Virtual Network Computing (VNC) is a remote display system which allows users to view a computing desktop environment not only on the machine where it is running, but from anywhere on the Internet and from a wide variety of machine architectures. TigerVNC is a suite of VNC servers and clients.

Security Fix(es):

- X.Org: Xwayland: Use-after-free of the root cursor (CVE-2025-26594)
- xorg: xwayland: Use-after-free in SynclnitTrigger() (CVE-2025-26601)
- xorg: xwayland: Use-after-free in PlayReleasedEvents() (CVE-2025-26600)
- xorg: xwayland: Use of uninitialized pointer in compRedirectWindow() (CVE-2025-26599)
- xorg: xwayland: Out-of-bounds write in CreatePointerBarrierClient() (CVE-2025-26598)
- xorg: xwayland: Buffer overflow in XkbChangeTypesOfKey() (CVE-2025-26597)
- xorg: xwayland: Heap overflow in XkbWriteKeySyms() (CVE-2025-26596)
- Xorg: xwayland: Buffer overflow in XkbVModMaskText() (CVE-2025-26595)

For more details about the security issue(s), including the impact, a CVSS score, acknowledgments, and other related information, refer to the CVE page(s) listed in the References section.

## Solution



For details on how to apply this update, which includes the changes described in this advisory, refer to:

<https://access.redhat.com/articles/11258> 

## Affected Products

- Red Hat Enterprise Linux for x86\_64 - Extended Update Support Extension 8.8 x86\_64
- Red Hat Enterprise Linux for x86\_64 - Extended Update Support 8.8 x86\_64
- Red Hat Enterprise Linux for IBM z Systems - Extended Update Support 8.8 s390x
- Red Hat Enterprise Linux for Power, little endian - Extended Update Support 8.8 ppc64le
- Red Hat Enterprise Linux Server - TUS 8.8 x86\_64
- Red Hat Enterprise Linux for ARM 64 - Extended Update Support 8.8 aarch64
- Red Hat Enterprise Linux Server for Power LE - Update Services for SAP Solutions 8.8 ppc64le
- Red Hat Enterprise Linux for x86\_64 - Update Services for SAP Solutions 8.8 x86\_64

## Fixes

- [BZ - 2345248](#)  - CVE-2025-26594 X.Org: Xwayland: Use-after-free of the root cursor
- [BZ - 2345251](#)  - CVE-2025-26601 xorg: xwayland: Use-after-free in SynclnitTrigger()

- [BZ - 2345252](#) - CVE-2025-26600 xorg: xwayland: Use-after-free in PlayReleasedEvents()
- [BZ - 2345253](#) - CVE-2025-26599 xorg: xwayland: Use of uninitialized pointer in compRedirectWindow()
- [BZ - 2345254](#) - CVE-2025-26598 xorg: xwayland: Out-of-bounds write in CreatePointerBarrierClient()
- [BZ - 2345255](#) - CVE-2025-26597 xorg: xwayland: Buffer overflow in XkbChangeTypesOfKey()
- [BZ - 2345256](#) - CVE-2025-26596 xorg: xwayland: Heap overflow in XkbWriteKeySyms()
- [BZ - 2345257](#) - CVE-2025-26595 Xorg: xwayland: Buffer overflow in XkbVModMaskText()

## CVEs

- [CVE-2025-26594](#)
- [CVE-2025-26595](#)
- [CVE-2025-26596](#)
- [CVE-2025-26597](#)
- [CVE-2025-26598](#)
- [CVE-2025-26599](#)
- [CVE-2025-26600](#)
- [CVE-2025-26601](#)

## References

- <https://access.redhat.com/security/updates/classification/#important>

---

The Red Hat security contact is [secalert@redhat.com](mailto:secalert@redhat.com). More contact details at <https://access.redhat.com/security/team/contact/>.



Quick Links



Help



Site Info



Related Sites



 All systems operational



[About Red Hat](#)

[Jobs](#)

[Events](#)

[Locations](#)

[Contact Red Hat](#)

[Red Hat Blog](#)

[Inclusion at Red Hat](#)

[Cool Stuff Store](#)

[Red Hat Summit](#)

---

© 2026 Red Hat

[Privacy statement](#)

[Terms of use](#)

[All policies and guidelines](#)

[Digital accessibility](#)

[Cookie Preferences and Do Not Sell or Share My Personal Information](#)